

PREMIUM PRECISION *Architectural Elements*

VSP®

by
Vimax Trading Sdn Bhd



CREATIVITY & **INNOVATION**

Specialized in Aluminium & Glass Accessories

Corporation Landscape

About Us

VIMAX TRADING SDN. BHD. was established in year 1999 and has been an innovative product development and a company specialized in Glass and Aluminium Accessories.

Over the years with the spiritual of honesty and sincerity, VIMAX is always believed in concept of "Quality, Reliability and Efficiency" of the products and independent innovation to guarantee the product quality on the basis of customer needs. Unique design and quality have made VIMAX gain in great reliance and market reputation.

At present, VIMAX has more than 2000 range of products and most have achieved "SIRIM" Standards.

With the changing of market demands, VIMAX will constantly focus on advance technology, products innovation, quality control and development to meet the customer demand. To be the trusted and reliable long-term business partner.

After years of rapid development, VIMAX own a high-quality range of Glass & Aluminium Accessories products named "VSP". With the excellent workmanship, innovative design & superior quality, VSP has become one of the recognized and reputable brands in the market.

VSP®



Contents


Folding Door	P01 - P19
Multipoint Handle	P20 - P30
Multipoint Flatbar	P31 - P32
Multipoint Polyamide	P33
Casement Handle & Crescent Lock	P34 - P38
Euro Window Hinge	P39 - P42
Multipoint Accessories	P43 - P56
Weather Strip	P57
Friction Stay & 2 Bar Hinge	P58 - P70
Euro Window & Door Roller	P71 - P84
Noble Door Lock	P85 - P89
Luxury Door Lock	P90 - P91
Lever Mortise Handle	P92 - P95
Sliding Door Lock	P96 - P100
Louver Window	P101 - P102
Mortise Lock & Profile Cylinder Lock	P103 - P116
Turbular Lever & Cylinder Knob Lock	P117 - P119
Lever Handle	P120 - P122
Deadbolt Lock	P123
Lever Mortise Lockset	P124
Door Fittings Accessories & Flush Bolt	P125 - P130
Door Hinge	P131 - P132
Door Closer	P133 - P138
Stainless Steel Screen Mesh & Aluminium Netting	P139
Surface Protection Tape	P140
Floor Spring, Door Fitting & Hydraulic Floor Door Closer	P141 - P152
Spider Fitting	P153 - P156
Shower Hinge, Glass Clip ,Header & Glass Door Lock	P157 - P175
Modern Sliding Glass Door	P176 - P188
Sliding Shower Glass Door	P189 - P196
Handrail	P197 - P199
Balustrade Spigot	P200
Glass Connector	P201
Pull Handle, Glass Sucking Tools & Cutting Tools	P202 - 214

Finishing

	Antique Brass (AB)		Satin Nickel (SN)		Black
	Matt Black (MB)		Polished S.Steel (PSS)		Silver
	Chrome Plated (CP)		Stainless Steel (SS)		Brown
	Mill Finish (MF)		White		

ACCESSORIES COMPATIBLE *DIAGRAM*

PERFORMANCE SLIDING DOOR



Product Range

Noble Door Lock (P86-88)

VSP 602 VSP 6900
VSP 603 VSP 604
VSP 605 VSP 606
VSP 6100 VSP 6400

Roller (P79)

MR-21
MR-22

Locking Bar (P32)

SL-300

Sliding Door Keeper (P48)

SDH-131

Water Guide (P52)

PVC-333

Sliding Door Lock (P96 - P98)

HE-8D
HESL-26J
HESL-16A

Corner Bracket (P53-P54)

MB-911A
MB-914

Interlock Cover (P50)

VSP-161

Stopper (P50)


120-EOS

Advantage


- Range of product choices from diagram.
- Excellent combination options.
- Aluminium profiles compatible.
- Roller series base on weight requirement.

ACCESSORIES COMPATIBLE *DIAGRAM*

PERFORMANCE SLIDING WINDOW - LB SERIES




PERFORMANCE SLIDING WINDOW - PMB SERIES




ACCESSORIES COMPATIBLE *DIAGRAM*

EXPOSED FOLDING DOOR



Optional Combination



Product Range


Top Roller (P8-P11)
Bottom Guide (P9-P12)
Door Hinge (P8 - P10)
Latch Bolt (P15 / P46-P47 / P51)
Lock Case (P16 / P17)
Door Handle (P16 / P18 / P22-P29)
Corner Bracket (P54)
Door Lock Set (P19 / P92-P94)
S.Steel Plate (P13)
Dummy Cover (P113)

Advantage


- Range of product choices from diagram.
- Excellent combination options.
- Aluminium profiles compatible.
- Variety of door handles for aesthetic.

ACCESSORIES COMPATIBLE *DIAGRAM*

CONCEALED FOLDING DOOR



Optional Combination



Product Range



Top Roller (P3-P4)
Lock Box / Lock Case (P16-P18 / P107)
Concealed Door Handle (P16 / P18)
Concealed Pull Handle (P16)
Concealed Hinge (P4)
Concealed Flush Bolt (P5)
Multipoint Handle (P21-P29)
Bottom Guide (P3-P5)
Corner Joint Angle / Bracket (P54 / P56)
Optional Door Lock Set (P19 / P92-P94)

Advantage

- Range of product choices from diagram.
- Excellent combination options.
- Aluminium profiles compatible.
- Roller series base on weight requirement.

ACCESSORIES COMPATIBLE *DIAGRAM*

MULTIPOINT LOCKING SYSTEM



Product Range


Euro Window Hinge (P40-P42)
Friction Stay (P59-P70)
Multipoint Handle (P21-P29)
Multipoint Accessories (P43-P56)
Multipoint Flat Bar (P31-P33)

Advantage

- Enhanced safety & security.
- Multiple locking system configurations.
- Aluminium profiles compatible.
- Variety of handles for aesthetic.


ACCESSORIES COMPATIBLE *DIAGRAM*

SWING / SLIDING DOOR LOCKING SYSTEM



Multi Folding Door

Manufactured from quality materials, our rollers and guides ensure that the door system will consistently track in a smooth manner, with support for both the top and bottom of the system.



- Ride smoothly and quiet on rails with precision single point contact.
- Easy mounting or dismounting of door panels.
- Top quality wheel bearing for better movement of roller and heavier load.
- Aluminium carriage for better durability.
- Up to 6 wheels for smoother operation.

CONCEALED FOLDING DOOR

CONCEALED FOLDING DOOR GUIDE




TYPICAL HARDWARE ARRANGEMENT

ACCESSORIES HIGH PERFORMANCE FEATURES FOR FD 55 SERIES


The accessories listed herein are standard parts for the FD 55 series hanging & folding door. For technical support and assistance in the selection of these accessories for your particular need, please contact our sales personnel.




HORIZONTAL SECTIONAL DETAIL (WITH DOOR OPENED)



HORIZONTAL SECTIONAL DETAIL (WITH DOOR CLOSED)



VERTICAL SECTIONAL VIEWS




Type	Class	Panel Size < H x W (mm)	< Weight (kg) per Panel
CFD 55- 3.6	Extra Heavy Duty	3600 x 750	90
CFD 55- 3.0	Heavy Duty	3000 x 800	75
CFD 55- 2.4	Light Duty	2400 x 750	60

CONCEALED ACCESSORIES


FD-55 HD-01 BRASS

Top Roller Set with 4 Brass Wheels




FD-55 EXHD-02

Bottom Guide Set with Bearing Rollers




FD-55 HD-03N

Top Roller with Nylon Wheels



FD-55 HD-04

Bottom Guide with Single Bearing




Code	Material	Finishing	Packing	(RM) / Unit
FD-55 HD-01 BRASS	Aluminium / Brass	SS	50 pcs / ctn	258.00
FD-55 EXHD-02	Aluminium / Nylon	SS	100 pcs / ctn	100.00
FD-55 HD-03N	Aluminium / Nylon	SS	50 pcs / ctn	130.00
FD-55 HD-04	SUS 304 / Aluminium	SS	100 pcs / ctn	56.00

CONCEALED ACCESSORIES


FD-33 HD-310N

Top Roller Set with Nylon Wheels



FD-33 HD-320

Bottom Guide Set with Bearing Rollers



FD-33 HD-330B

Top Roller with 4 Brass Wheels



MH-5580

Concealed Heavy Duty Hinge with Cover




Code	Material	Finishing	Packing	(RM) / Unit
FD-33 HD-310N	Aluminium / Nylon	SS	50 pcs / ctn	160.00
FD-33 HD-320	Aluminium / Nylon	SS	100 pcs / ctn	60.00
FD-33 HD-330B	Aluminium / Brass	SS	50 pcs / ctn	188.00
MH-5580	Aluminium / Brass	White / Black	100 sets / ctn	32.00

Bottom Guide



Weather Strip



Concealed Flush Bolt




Concealed Flush Bolt



Code	Material	Finishing	Packing	(RM) / Unit
FD-33 HD-340	Aluminium	SS	100 pcs / ctn	46.00
BRISTLE WEATHER STRIP	Bristle	Black	100 pcs / ctn	68.80
FD-5560-BIG	Zinc Alloy	White / Black	150 pairs / ctn	36.00
FD-5560-SMALL	Zinc Alloy	White / Black	180 pairs / ctn	40.00

MULTI FOLD DOOR

MULTI FOLD DOOR GUIDE



The FD88 Multi Fold Door System is developed to satisfy most requirements of a flexible door access with superior performance functionality and good aesthetics.

Architectural grade alloy 6063-T5 aluminium extrusions are used to fabricate the aluminium frames which offer a wide range of options to latest finishing including wood grain finishes.

The roller assembly being fabricated from either plated brass or special nylon with bearings, fitted to a stainless steel carriage designed to perform strong and durable system. A specially designed lock pin which is mounted to the top roller shaft is preventing a loosening of the carriage assembly.

We are committed to improve and widen our range of products and services to cater to customers' needs, with the best.




Type	Class	Recommended Panel Size H x W (mm)	Max Panel Weight (kg)
HFX-99-3.0	Extra Heavy Duty	< 3000 x 800	90
HFX-99-2.7	Heavy Duty	< 2700 x 800	75
HFX-99-2.4	Light Duty	< 2400 x 800	60

MULTI FOLD DOOR

MULTI FOLD DOOR DETAILS

Technical Specification and Assembly Details


Typical Hardware Arrangement




The accessories listed herein are standard parts for the Series Multi Fold Door.

For technical support and assistance in the selection of these accessories for your particular needs, please contact our sales personnel.


Horizontal Sectional Detail (with door opened)



Vertical Sectional Views




Horizontal Sectional Detail (with Door Closed)



855-BG


Heavy Duty Bottom Guide R/L (Exposed)



Inside (R)

877-BG


Heavy Duty Bottom Guide R/L (Concealed)



Inside (R)

888-BG


Heavy Duty Bottom Guide R/L (Exposed)



Inside (R)

899-BG

Heavy Duty Bottom Guide R/L (Concealed)




Inside (R)

Code	Material	Finishing	Packing	(RM) / Unit
855-BG	Aluminium	White / Black	100 pcs / ctn	60.00
877-BG	Aluminium	White / Black	100 pcs / ctn	60.00
888-BG	Aluminium	White / Black	100 pcs / ctn	60.00
899-BG	Aluminium	White / Black	100 pcs / ctn	60.00

MULTI FOLD DOOR ACCESSORIES

81-SH BIG

Side Hinge



82-MH

Mid Hinge




83-DH

D-Hinge with Handle




84-TR

Top Roller




Code	Material	Finishing	Packing	(RM) / Unit
81-SH BIG	Aluminium	White / Black	200 pcs / ctn	26.00
82-MH	Aluminium	White / Black	200 pcs / ctn	22.00
83-DH	Aluminium / Zinc Alloy	White / Black	100 pcs / ctn	30.00
84-TR	Aluminium / Nylon	White / Black	50 pcs / ctn	130.00

Bottom Guide R/L




86-TR

Top Roller (Concealed) Nylon




87-BG

Bottom Guide R/L (Concealed)



88-BG

Bottom Guide R/L (Exposed)



Code	Material	Finishing	Packing	(RM) / Unit
85-BG	Aluminium	White / Black	100 pcs / ctn	50.00
86-TR	Aluminium / Nylon	White / Black	50 pcs / ctn	130.00
87-BG	Aluminium	White / Black	100 pcs / ctn	50.00
88-BG	Aluminium	White / Black	100 pcs / ctn	50.00


MULTI FOLD DOOR ACCESSORIES

89-BG

Bottom Guide R/L (Concealed)




Inside (R)




91-TR-B

Top Roller Brass




92-TR-N

Top 6 Roller Nylon



93-TR-B

Top 6 Roller Brass




Code	Material	Finishing	Packing	(RM) / Unit
89-BG	Aluminium / Nylon	White / Black	100 pcs / ctn	50.00
91-TR-B	Aluminium / Brass	White / Black	50 pcs / ctn	197.60
92-TR-N	Aluminium / Nylon	White / Black	50 pcs / ctn	180.00
93-TR-B	Aluminium / Brass	White / Black	50 pcs / ctn	240.00

MULTI FOLD DOOR ACCESSORIES


94-TR-B

Top Roller Brass (Concealed)




95-TR-N

Top 6 Roller Nylon (Concealed)




96-TR-B

Top 6 Roller Brass (Concealed)



SS-36C

Stainless Steel Cover



Code	Material	Finishing	Packing	(RM) / Unit
94-TR-B	Aluminium / Brass	White / Black	50 pcs / ctn	197.60
95-TR-N	Aluminium / Nylon	White / Black	50 pcs / ctn	180.00
96-TR-B	Aluminium / Brass	White / Black	50 pcs / ctn	240.00
SS-36C	S.Steel SUS 304	SS	160 pcs / ctn	28.00

MULTI FOLD DOOR ACCESSORIES


MK-79

Bolt Keeper



J-761

Magnet Door Stopper



J-194

Latch Bolt Exposed Track



J-195

Latch Bolt Exposed Track




J-961-K1

Bolt Keeper



J-962-K2

Double Bolt Keeper



Code	Material	Finishing	Packing	(RM) / Unit
MK-79	Zinc Die-Cast	White / Black	500 pairs / ctn	12.00
J-761	PVC	White / Black	100 pairs / ctn	40.00
J-194	Zinc Alloy	White / Black	50 pcs / ctn	14.00
J-195	Zinc Alloy	White / Black	50 pcs / ctn	14.00
J-961-K1	PVC	White / Black	100 pcs / ctn	4.00
J-962-K2	PVC	White / Black	100 pcs / ctn	6.00

MULTI FOLD DOOR ACCESSORIES

ET-78


Latch Bolt



1 x 19.5mm

15T-78


Latch Bolt



1 x 19.5mm

15L-80

Latch Bolt



2 x 18.6mm

2 x 19.6mm

MK-101

Latch Bolt Exposed Track



Code	Material	Finishing	Packing	(RM) / Unit
ET-78	Zinc Alloy	White / Black	250 pairs / ctn	15.00
15T-78	S.Steel SUS 304	SS	180 pairs / ctn	40.00
15L-80	S.Steel SUS 304	SS	180 pairs / ctn	43.00
MK-101	PVC	Black	200 pairs / ctn	12.00

CONCEALED ACCESSORIES


T-31

Concealed Door Handle



T-21029

Lock Case



Lock Case



Door Lock Cam



Lock Case




Cylinder Lock Case



Code	Material	Finishing	Packing	(RM) / Unit
T-27	Zinc Alloy	Silver	40 pcs / ctn	45.00
MBD-0015	Zinc Alloy	White / Black	40 pcs / ctn	112.00
T-29	Zinc Alloy	Silver	100 pcs / ctn	28.00
T-30	Zinc Alloy	Silver	50 pcs / ctn	57.00

Collapsible Door Handle



* All measurements are in millimeter (mm)

MULTI FOLD DOOR ACCESSORIES


ML-1616

Door Lock Set with Key



ML-1618

Door Lock Set with Key



Code	Material	Finishing	Packing	(RM) / Unit
ML-1616-KEY	Zinc Alloy / SS	White / Black	20 sets / ctn	300.00
ML-1617-W/O KEY	Zinc Alloy / SS	White / Black	20 sets / ctn	280.00
ML-1618-KEY	Zinc Alloy / SS	White / Black	20 sets / ctn	330.00
ML-1619-W/O KEY	Zinc Alloy / SS	White / Black	20 sets / ctn	310.00

Mutipoint Handle

Reinforced multi-point handles provide durability and security strengthened. Designed for style and class.



- The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- To be used in inward opening, outward opening, tilt, turn and sliding.
- Attractive lines and design.
- Ergonomic handle makes it comfortable to use daily.
- A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- Sufficient circumference to distribute the force comfortably and safely over the hand.
- Easy to install and maintain.



MULTIPOINT HANDLE SERIES

MH-001

Euro Handle with Single Accessories



MH-002

Euro Handle with Key & Single Accessories



MH-002

Euro Handle with Key & Double Accessories



MH-003

Euro Handle with Double Accessories



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
MH-001	Single 30mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	30.00
MH-002	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	44.00
MH-002	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	44.00
MH-003	Single 25mm	Zinc Alloy / Aluminium	White / Black / NA	50 pcs / ctn	31.50

MULTIPOINT HANDLE SERIES

MH-004

Euro Handle with Single Accessories



MH-007

Euro Handle 7 x 7mm with Button



MH-008

Euro Handle 7 x 7mm with Key



MH-009

Euro Handle 7 x 7mm Double Side with Key & without Key



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
MH-004	Single 25mm	Aluminium	White / Black	50 pcs / ctn	26.00
MH-007	7 x 7mm	Zinc Alloy	White / Black	40 pcs / ctn	33.00
MH-008	7 x 7mm	Zinc Alloy	White / Black	40 pcs / ctn	38.00
MH-009 KEY	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	100.00
MH-009 w/o KEY	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	90.00

MULTIPOINT HANDLE SERIES

MH-013

Euro Handle with Single Accessories




MH-014

Euro Handle with Single Accessories




MH-016

Euro Handle with Double Accessories & Button



MH-017

Euro Handle with Single Accessories & Button




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
MH-013	Single 25mm	Zinc Alloy / Aluminium	White / Black	100 pcs / ctn	18.00
MH-014	Single 25mm	Aluminium	White / Black	50 pcs / ctn	30.00
MH-016	Double 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	48.00
MH-017	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	48.00

MULTIPOINT HANDLE *SERIES*

MH-018

Euro Handle with Double Accessories



MH-021

Euro Handle with Single Accessories



MH-023

Euro Handle with Double Accessories



MH-024

Euro Handle with Single Accessories




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
MH-018	Double 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	40.00
MH-021	Single	Aluminium	White / Black	50 pcs / ctn	35.00
MH-023	Double	Aluminium	White / Black	50 pcs / ctn	35.00
MH-024	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	40.00

MULTIPOINT HANDLE SERIES


MH-026

Euro Handle with Single Accessories




MH-027

Euro Handle 7 x 7mm with Single Accessories




MH-028

Euro Handle with Single Accessories



MH-029

Euro Handle 7 x 7mm with Single Accessories




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
MH-026	Single	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	40.00
MH-027	7 x 7mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	39.00
MH-028	Single	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	40.00
MH-029	7 x 7mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	39.00

MULTIPOINT HANDLE SERIES

MH-031

Euro Handle with Single Accessories




MH-033

Euro Handle with Single Accessories



LOTO MH-035

Euro Handle with Single / Double Accessories



MH-037

Euro Handle with Single / Double Accessories



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
MH-031	Single 30mm	Aluminium	White / Black	50 pcs / ctn	30.00
MH-033	Single 30mm	Aluminium	White / Black	100 pcs / ctn	20.00
LOTO MH-035	Single 30mm	Aluminium	White / Black	50 pcs / ctn	26.00
LOTO MH-036	Double 25mm	Aluminium	White / Black	50 pcs / ctn	26.00
MH-037	Single	Aluminium / Zinc Alloy	White / Black	50 pcs / ctn	46.00
MH-038	Double	Aluminium / Zinc Alloy	White / Black	50 pcs / ctn	46.00

MULTIPOINT HANDLE SERIES

ML-7172

Euro Handle 7 x 7mm Double with One Side Key




ML-7272

Euro Handle 7 x 7mm Double without Key




EH-7100

Euro Handle 7 x 7mm Single with Key



EH-7200

Euro Handle 7 x 7mm Single without Key




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
ML-7172	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	100.00
ML-7272	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	90.00
EH-7100	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	45.00
EH-7200	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	32.00

MULTIPOINT HANDLE SERIES


EH-8100

Euro Handle with Single Accessories & Key




EH-8200

Euro Handle with Single Accessories




EH-9700

Euro Handle 7 x 7mm with Single Accessories



EH-9800

Euro Handle with Single Accessories




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
EH-8100	Single	Aluminium	White / Black	50 pcs / ctn	45.00
EH-8200	Single	Aluminium	White / Black	50 pcs / ctn	32.00
EH-9700	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	32.00
EH-9800	Single	Aluminium	White / Black	50 pcs / ctn	32.00

MULTIPOINT HANDLE SERIES


EHLS-7700

Euro Handle 7 x 7mm with Single Accessories




EHLS-7707

Euro Handle 7 x 7mm Single with Key




EHLS-8800

Euro Handle with Single Accessories



EHLS-8808

Euro Handle with Single Accessories & Key



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
EHLS-7700	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	58.00
EHLS-7707	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	70.00
EHLS-8800	Single	Aluminium	White / Black	50 pcs / ctn	58.00
EHLS-8808	Single	Aluminium	White / Black	50 pcs / ctn	70.00

MULTIPOINT HANDLE SERIES

MH-72

Double Accessories For MH-016



MH-78

Double Accessories For MH-023




MH-811

Single Accessories for MH-001



MH-74

Double Accessories For MH-018



MH-79

Single Accessories for MH-024



MH-801

Double Accessories for MH-003



Code	Size	Material	Finishing	Packing	(RM) / Unit
MH-72	30 mm	Zinc Alloy	SS	200 sets / ctn	8.00
MH-74	30 mm	Zinc Alloy	SS	200 sets / ctn	8.00
MH-78	30 mm	Zinc Alloy	SS	200 sets / ctn	8.00
MH-79	30 mm	Zinc Alloy	SS	200 sets / ctn	6.00
MH-811	25 mm	Zinc Alloy	SS	200 sets / ctn	6.00
	30 mm				6.00
	40 mm				8.00
MH-801	25 mm	Zinc Alloy	SS	200 sets / ctn	6.00
	30 mm				6.00

MULTIPOINT *FLAT BAR*

VF ALUMINIUM FLAT BAR




VS STAINLESS STEEL BAR - 1




Code	Length (mm)	Material	Finishing	Packing	(RM) / Unit
VF-300 (2 point)	300	Aluminium	Silver	50 pcs / ctn	11.00
VF-600 (2 point)	600	Aluminium	Silver	50 pcs / ctn	14.80
VF-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	18.80
VF-1200 (2 point)	1200	Aluminium	Silver	50 pcs / ctn	25.00
VF-1500 (4 point)	1500	Aluminium	Silver	50 pcs / ctn	28.00
VS-300 (2 point)	300	S.Steel SUS 304	SS	50 pcs / ctn	24.00
VS-600 (2 point)	600	S.Steel SUS 304	SS	50 pcs / ctn	30.00
VS-800 (2 point)	800	S.Steel SUS 304	SS	50 pcs / ctn	35.00
VS-1000 (2 point)	1000	S.Steel SUS 304	SS	50 pcs / ctn	40.00
VS-1300 (4 point)	1300	S.Steel SUS 304	SS	50 pcs / ctn	50.00
VS- 1500 (4 point)	1500	S.Steel SUS 304	SS	50 pcs / ctn	60.00

MULTIPOINT *FLAT BAR*

WLD CURTAIN WALL FLAT BAR



SL SLIDING DOOR LOCKING BAR



Code	Length (mm)	Material	Finishing	Packing	(RM) / Unit
WLD-300 (2 point)	300	Aluminium	Silver	50 pcs / ctn	11.00
WLD-600 (2 point)	600	Aluminium	Silver	50 pcs / ctn	14.80
WLD-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	18.80
SL-300 (2 point)	300	S.Steel SUS 304	SS	50 pcs / ctn	25.00
SL-600 (2 point)	600	S.Steel SUS 304	SS	50 pcs / ctn	30.00
SL-1000 (2 point)	1000	S.Steel SUS 304	SS	50 pcs / ctn	35.00
SL-1500 (4 point)	1500	S.Steel SUS 304	SS	50 pcs / ctn	60.00


MULTIPOINT *FLAT BAR*

VSP Polyamide Rod (Slide Bar) are made from the finest special nylon which do not fade in colour and not easily oxidized. This slide bar are highly durable which are very flexible, effectively protects and avoid surface friction between aluminium. Ensures smooth, quiet operations and environmental product.



POLYAMIDE ROD (SLIDE BAR)



18.6 mm



19.5 mm



Code	Length (meter)	Material	Finishing	Packing	(RM) / Unit
POLYAMIDE ROD (SLIDE BAR) 18.6mm	150	Nylon	Black	1 roll / ctn	1000.00
POLYAMIDE ROD (SLIDE BAR) 19.5mm	150	Nylon	Black	1 roll / ctn	1000.00

CASEMENT HANDLE

LOTO-CW-M3

Casement Handle R/L



CW-M4 KEY

Casement Handle with Key R/L



CW-M4

Casement Handle R/L



CW-M5

Casement Handle R/L / Curtain Wall



Code	Material	Finishing	Packing	(RM) / Unit
LOTO-CW-M3	Aluminium	White / Black / Silver	200 pcs / ctn	10.40
CW-M4 KEY	Zinc Alloy	White / Black / Silver	200 pcs / ctn	17.00
CW-M4	Aluminium / Zinc Alloy	White / Black / Silver	200 pcs / ctn	8.00
CW-M5	Aluminium / Zinc Alloy	White / Black	100 pcs / ctn	15.00

CW-M6

Casement Handle R/L



CW-M7

Casement Handle R/L




CW-M8

Casement Handle R/L



CW-M9

Casement Handle R/L



Code	Material	Finishing	Packing	(RM) / Unit
CW-M6	Aluminium / Zinc Alloy	White / Black / Silver	200 pcs / ctn	5.00
CW-M7	Aluminium	White / Black	300 pcs / ctn	7.00
CW-M8	Aluminium	White / Black / Silver	200 pcs / ctn	5.80
CW-M9	Aluminium	White / Black / Silver	200 pcs / ctn	7.00

CASEMENT HANDLE

CW-M10

Casement Handle R/L



CW-450

Casement Handle R/L



LOTO-CW-608

Casement Handle R/L



CW-708

Casement Handle R/L



014 Bracket
for
Curtain Wall

Code	Material	Finishing	Packing	(RM) / Unit
CW-M10	Aluminium	White / Black / Silver	200 pcs / ctn	4.80
CW-450	Zinc Alloy	White / Black	200 pcs / ctn	12.00
LOTO CW-608	Aluminium	White / Black / Silver	600 pcs / ctn	3.00
CW-708	Aluminium	White / Black / Silver	400 pcs / ctn	5.00
014 BRACKET	PVC	White / Black	100 pcs / ctn	3.00

CASEMENT *HANDLE* & CRESCENT *LOCK*

MH-012

Casement Handle R/L




LOTO-MH-015

Casement Handle R/L



ML-22001

Crescent Lock R/L



CW-M11

Casement Handle R/L




Code	Material	Finishing	Packing	(RM) / Unit
MH-012	Aluminium	White / Black	100 pcs / ctn	15.00
LOTO-MH-015	Aluminium	White / Black	100 pcs / ctn	11.00
ML-22001	Zinc Alloy	White / Black	100 pcs / ctn	14.00
CW-M11	Aluminium / Zinc Alloy	White / Black	100 pcs / ctn	15.80
M-7011 BRACKET	Nylon	White / Black	100 pcs / ctn	7.00

Crescent Lock R/L



Crescent Lock R/L



Crescent Lock with Key R/L



Ambidextrous Crescent Lock



Code	Material	Finishing	Packing	(RM) / Unit
CL-330 BIG	Zinc Alloy	White / Black	240 pcs / ctn	7.00
CL-350 SMALL	Zinc Alloy	White / Black / Silver	400 pcs / ctn	4.30
CL-320 KEY	Zinc Alloy	White / Black / Silver / Brown	240 pcs / ctn	11.00
ML-817	Aluminium / SUS 304	White / Black / Silver	300 pcs / ctn	6.50
LOTO-350 SMALL	Aluminium	Silver / Bronze	600 pcs / ctn	3.50

Euro Window Hinge

Enabling one or both to swing open and shut. The hinges often feature decorative detailing.



- Impressive weight loading capability.
- Corrosion resistances.
- Suitable for inner and outer wood, iron, aluminum or steel windows and doors.
- Easy to install and maintain.

EURO WINDOW HINGE

MH-367

Euro Window Hinge




MH-532

D-Hinge with Handle



MH-533

Mid & Side Hinge



MH-715

With Euro Hinge (Exposed)




Code	Material	Finishing	Packing	(RM) / Unit
MH-367	Aluminium	White / Black / Silver	200 sets / ctn	8.00
MH-532	Aluminium	White / Black / Silver	60 sets / ctn	44.00
MH-533	Aluminium	White / Black / Silver	80 sets / ctn	33.00
MH-715	Aluminium / S.Steel Core, Plates & Screws	White / Black	100 sets / ctn	18.00

EURO WINDOW *HINGE*

MH-805

Light Duty with LB (Exposed)



MH-812

With PMB (Exposed)



MH-888

Heavy Duty with PMB (Concealed)



MH-891

With PMB (Exposed)




Code	Material	Finishing	Packing	(RM) / Unit
MH-805	Aluminium / S.Steel Core, Plates & Screws	White / Black	200 sets / ctn	8.50
MH-812	Aluminium	White / Black / Silver	200 sets / ctn	8.00
MH-888	Aluminium / S.Steel Core, Plates & Screws	White / Black	100 sets / ctn	16.50
MH-891	Aluminium	White / Black / Silver	200 sets / ctn	8.00

EURO WINDOW *HINGE*

MH-903

With PMB (Exposed)



MH-916

Light Duty with PMB (Concealed)



MH-999

Heavy Duty with LB (Exposed)



MH-9811

Concealed Hinge




Code	Material	Finishing	Packing	(RM) / Unit
MH-903	Aluminium	White / Black / Silver	200 sets / ctn	8.00
MH-916	Aluminium / S.Steel Core, Plates & Screws	White / Black	200 sets / ctn	8.00
MH-999	Aluminium / S.Steel Core, Plates & Screws	White / Black	200 sets / ctn	16.50
MH-9811	Aluminium	White / Black	200 sets / ctn	16.50

MULTIPOINT ACCESSORIES

MP-2606

Catches 6mm Exposed




MP-804

Catches 6mm Exposed



MP-8524

Catches 10mm Concealed



MP-8206-S

Catches : Flan Small



MP-806-B

Catches : Flan Big



MP-8207

Catches : Flan Big



Code	Size	Material	Finishing	Packing	(RM) / Unit
MP-2606	6mm	Aluminium	SS / Black	1000 pcs / ctn	2.40
MP-2610	10mm	Aluminium	SS / Black	1000 pcs / ctn	2.60
MP-804	6mm	Aluminium	SS / Black	1000 pcs / ctn	2.80
MP-8524	10mm	Aluminium	SS / Black	1000 pcs / ctn	3.00
MP-8206-S	11mm	Zinc Alloy	SS	1600 pcs / ctn	2.50
MP-806-B	11mm	Zinc Alloy	SS	2000 pcs / ctn	2.80
MP-8207	13.5mm	Zinc Alloy	SS	1600 pcs / ctn	5.00

MULTIPOINT ACCESSORIES

MP-807

Lock Cam : 10mm / 12mm / 16mm



MP-808

Push Rod : 15mm / 20mm / 25mm / 30mm / 53mm




MP-809

Aluminium U Slide Gear & Slide Fork




MP-810

Catches 11mm / 14mm



MP-811

Exchange



MP-812

Push Rod : 30mm




Code	Size	Material	Finishing	Packing	(RM) / Unit
MP-807	10mm / 12mm 16mm	S.Steel SUS 304	SS	2500 pcs / ctn	3.00
					3.50
MP-808	15mm / 20mm / 25mm / 30mm 53mm	S.Steel SUS 304	SS	1000 pcs / ctn	2.60
					4.00
MP-809	30mm	Aluminium	SS	1000 pcs / ctn	2.00
MP-810	11mm 14mm	S.Steel SUS 304	SS	2000 pcs / ctn	2.20
					2.40
MP-811	-	Zinc Alloy	Silver	1000 pcs / ctn	9.00
MP-812	30mm	S.Steel SUS 304	SS	1000 pcs / ctn	3.60

MULTIPOINT ACCESSORIES

MSW-111

With PMB Multi Point Catches



MSW-112

Euro Strike



MSW-113 (BIG / SMALL)

End Transmission 8.5mm / 6.5mm




MSW-114 6.5mm / 8.5mm

Adjustable Plug for Additional Closing




MSW-115

With LB Multi Point Catches



VIMAX-25111

Multi Point Catches (PMB)




Code	Size	Material	Finishing	Packing	(RM) / Unit
MSW-111	-	Zinc Alloy	SS	1600 pcs / ctn	3.00
MSW-112	-	Zinc Alloy	SS	1600 pcs / ctn	3.00
MSW-113 BIG	19.5mm x 6.5mm 19.5mm x 8.5mm	Zinc Alloy	SS	400 pairs / ctn	8.00
MSW-113 SMALL	18.5mm x 6.5mm 18.5mm x 8.5mm	Zinc Alloy	SS	400 pairs / ctn	8.00
MSW-114	6.5mm 8.5mm	Brass	SS	2000pcs / ctn	3.80
MSW-115	-	Zinc Alloy	SS	1600pcs / ctn	4.00
VIMAX-25111	-	S.Steel SUS 304	SS	2000pcs / ctn	3.00
					7.00

MULTIPOINT ACCESSORIES


MSW-116

Euro Corner Transmission




MSW-118

Middle Lock Plate



MSW-120

Middle Lock Plate



MSW-142

Euro Adjustable Catches



MSW-119

Swing Door Hook



MSW-121 R/L

Latch Bolt R/L




Code	Material	Finishing	Packing	(RM) / Unit
MSW-116	Zinc Alloy	Silver	200 pcs / ctn	33.00
MSW-142	Zinc Alloy	Black	1000 pcs / ctn	12.00
MSW-118	PVC	Black	300 pairs / ctn	11.00
MSW-119	Zinc Alloy	SS	300 pairs / ctn	14.00
MSW-120	Mix Steel	White	300 pairs / ctn	11.00
MSW-121 R/L	Zinc Alloy	SS	200 pairs / ctn	20.00

Latch Bolt




Euro Adjustable Catches




Sliding Door Keeper with PMB




Sliding Door Striker



Sliding Door Keeper with PMB



Sliding Door Striker



Code	Material	Finishing	Packing	(RM) / Unit
MSW-8112	Zinc Alloy	SS	200 pairs / ctn	20.00
SDH-122	Stainless Steel	SS	2000 pcs / ctn	3.60
SDH-123	Stainless Steel	SS	2000 pcs / ctn	2.50
SDH-124	Stainless Steel	SS	2000 pcs / ctn	5.00
SDH-125	Stainless Steel	SS	2000 pcs / ctn	4.00
SDH-126	Stainless Steel	SS	2000 pcs / ctn	3.20

MULTIPOINT ACCESSORIES

SDH-127

Sliding Door Hook



SDH-128

Sliding Door Keeper



SDH-131

Sliding Door Striker




SDH-143

Sliding Door Keeper



350 STEEL PLATE

Sliding Door Hook



25001

Sliding Door Hook 37mm



Code	Material	Finishing	Packing	(RM) / Unit
SDH-127	Zinc Alloy	SS	2000 pcs / ctn	4.50
SDH-128	Stainless Steel	SS	2000 pcs / ctn	2.50
SDH-131	Stainless Steel	SS	2000 pcs / ctn	3.20
SDH-143	Stainless Steel	SS	2000 pcs / ctn	2.80
350 STEEL PLATE	S.Steel 201	White / Black / Silver / MB	2000 pcs / ctn	1.20
25001 (37mm)	S.Steel 201	SS	1000 pcs / ctn	2.00

MULTIPOINT ACCESSORIES

SDH-133

Sliding Door Striker



SDH-134

Sliding Door Striker




SDH-135

Sliding Door Striker



SDH-136

Sliding Door Hook 37mm / 40mm



SDH-138

Sliding Door Striker



SDH-1377

Sliding Door Stopper (for PMB)




Code	Material	Finishing	Packing	(RM) / Unit
SDH-133	S.Steel 201	SS	1000 pcs / ctn	2.50
SDH-134	Aluminium	White / Black / Silver	1000 pcs / ctn	3.00
SDH-135	Aluminium	White / Black / Silver	1000 pcs / ctn	2.70
SDH-136 37mm	S.Steel 201	SS	1000 pcs / ctn	1.60
SDH-136 40mm	S.Steel 201	SS	1000 pcs / ctn	2.00
SDH-138	S.Steel 201	SS	2000 pcs / ctn	3.60
SDH-1377	PVC	SS	1000 sets / ctn	18.00

PERFORMANCE SLIDING DOOR ACCESSORIES

SDH-139

Casement Handle Hook



SDH-140

Push Lock



SDH-141

Sliding Door Keeper with (SD1 / SD2)



120-EOS

Stopper




161

Interlock Cover



162

Skider



Code	Material	Finishing	Packing	(RM) / Unit
SDH-139	Aluminium	White / Black / Silver	1000 pcs / ctn	3.00
SDH-140	S.Steel SUS 304	SS	300 pcs / ctn	4.00
SDH-141	Zinc Alloy	White / Black / Silver	200 pcs / ctn	24.50
120-EOS	Zinc Alloy	White / Black	300 pcs / ctn	16.00
161	PVC	Black	1000 pcs / ctn	2.60
162	PVC	Black	2000 pcs / ctn	0.50

MULTIPOINT ACCESSORIES

MP-920

Water Guide




MP-921

Latch Keeper



MP-922

Latch Stopper (Concealed)




MP-923 BIG

Latch Bolt



MP-923 SMALL

Latch Bolt



MP-927

Latch Stopper (Concealed)




Code	Material	Finishing	Packing	(RM) / Unit
MP-920	PVC	Black	2000 sets / ctn	2.00
MP-921	PVC / S.Steel	White / Black	500 pairs / ctn	6.00
MP-922	PVC / S.Steel	Black	800 pairs / ctn	4.00
MP-923 BIG 19.6mm	PVC / S.Steel	White / Black	400 pairs / ctn	6.00
MP-923 SMALL 18.5mm	PVC / S.Steel	White / Black	400 pairs / ctn	6.00
MP-927	PVC	White / Black	400 pairs / ctn	3.70

MULTIPOINT ACCESSORIES


MP-924

Side Stopper - LB



MP-925

Top Stopper - LB




MP-926

Center Bracket R/L (Concealed)



MP-928

Europe Window Stopper - PMB




PVC-333

Water Guide



MB-943

With LB Sliding Door Bracket




Code	Material	Finishing	Packing	(RM) / Unit
MP-924	Nylon	White	2000 pcs / ctn	1.40
MP-925	Nylon	White	2000 pcs / ctn	1.40
MP-926	Nylon	Black	2000 pairs / ctn	10.00
MP-928	Nylon	White	2000 pcs / ctn	1.40
PVC-333	Nylon	Black	2000 pcs / ctn	4.00
MB-943	Aluminium Die-Cast	SS	500 pcs / ctn	8.00

MULTIPOINT ACCESSORIES

MB-911B

Corner Bracket 34mm x 9mm




MB-802

Inner Corner Bracket : LB




MB-914

With VSP Sliding Door Bracket




MB-9013B

Corner Bracket 37.5mm x 9mm




MB-803

Corner Bracket : LB



MB-942

With LB Sliding Door Bracket



Code	Size (mm)	Material	Finishing	Packing	(RM) / Unit
MB-911B	34 x 9	Aluminium	Silver	1000 pcs / ctn	2.20
MB-9013B	37.5 x 9	Aluminium	Silver	1000 pcs / ctn	2.20
MB-802	-	Aluminium Die-Cast	SS	500 pcs / ctn	5.00
MB-803	35 x 10.5	Aluminium Die-Cast	SS	320 pcs / ctn	6.20
MB-914	29 x 14	Aluminium Die-Cast	SS	250 pcs / ctn	6.20
MB-942	35.5 x 14	Aluminium Die-Cast	SS	250 pcs / ctn	9.00
MB-900	11.7	Aluminium	SS	2500 pcs / ctn	1.20

MULTIPOINT ACCESSORIES

MB-91A

Corner Bracket 28mm x 11mm



MB-912

Corner Bracket 37.5mm x 11mm



MB-9012

Corner Bracket 30.5mm x 11mm




MB-911A

Corner Bracket 37.5mm x 9mm



MB-9011

Corner Bracket 36.5mm x 9mm



MB-5590A

Corner Bracket 40mm x 9mm




Code	Size (mm)	Material	Finishing	Packing	(RM) / Unit
MB-91A	28 x 11	Aluminium	Silver	1000 pcs / ctn	2.20
MB-912	37.5 x 11	Aluminium	Silver	1000 pcs / ctn	2.20
MB-9012	30.5 x 11	Aluminium	Silver	1000 pcs / ctn	2.20
MB-911A	37.5 x 9	Aluminium	Silver	1000 pcs / ctn	2.20
MB-9011	36.5 x 9	Aluminium	Silver	1000 pcs / ctn	2.20
MB-5590A	40 x 9	Aluminium	Silver	1000 pcs / ctn	2.20
MB-9055A	31.5 x 9	Aluminium	Silver	1000 pcs / ctn	2.20

MULTIPOINT ACCESSORIES


MB-5011

Corner Bracket 19.5mm x 8.5mm




MB-5012

Corner Bracket 30.5mm x 8.5mm




MB-5013

Corner Bracket 36.5mm x 8.5mm




MB-5014

Corner Bracket 26.5mm x 10mm




MB-5015

Corner Bracket 30.5mm x 10mm



MB-5016


Corner Bracket 36.5mm x 10mm



Code	Size (mm)	Material	Finishing	Packing	(RM) / Unit
MB-5011	19.5 x 8.5	Aluminium	Silver	500 pcs / ctn	4.00
MB-5012	30.5 x 8.5	Aluminium	Silver	500 pcs / ctn	4.00
MB-5013	36.5 x 8.5	Aluminium	Silver	500 pcs / ctn	4.00
MB-5014	26.5 x 10	Aluminium	Silver	500 pcs / ctn	4.00
MB-5015	30.5 x 10	Aluminium	Silver	500 pcs / ctn	4.00
MB-5016	36.5 x 10	Aluminium	Silver	500 pcs / ctn	4.00

MULTIPOINT ACCESSORIES

CORNER JOIN



MB-913



LB



MB-9133



MB-918

Code	Width (mm)	Thickness (mm)	Material	Finishing	Packing	(RM) / Unit
MB-913	15.6	1.5	S.Steel SUS 304	SS	500 pcs x 4 / ctn	1.20
MB-913	16.3	1.5			500 pcs x 4 / ctn	1.20
LB	8.5	1.0			2500 pcs / ctn	1.00
LB						
MB-9133	20.4	1.0			2500 pcs / ctn	0.90
MB-9133	13.0	1.0			2500 pcs / ctn	1.00
MB-9133	8.8	1.0			2500 pcs / ctn	1.00
MB-918	16.0	1.0			2500 pcs / ctn	1.00



A metal plate mounted on the corners of the window casement/sash to strengthen it.

WEATHER STRIP

BRAND - NEW YARN STRIPS WITH LAMINATE SHEETS

A polypropylene laminate sheet in the middle of the strips allows an over five-fold increase in their degree of seal, together with those common features possessed by ordinary yarn strips.

A closed protective layer prevents air, water, noise and insect from passing through the strips.


The yarn strips penetration performance is superior to the highest first level of standard.

With reduced friction and extended life-span.

Packaged in large rolls to avoid deformity of laminate sheets.



Apply weather stripping around door frame/stop



Apply weather stripping at top and bottom of window sash.

Important Note :

- The speed of aging will depend on the climatic conditions in different location and the amount of use in such as UV degradation, Humidity Issue (Heavy sun or Rain wind)

Code	Size	Material	Finishing	Packing	(RM) /Unit
0.48 x 4.5mm	550 meters	Siliconezed	Grey	4 roll / ctn	340.00
0.48 x 5mm	500 meters	Siliconezed	Black / Grey	4 roll / ctn	300.00
0.48 x 6mm	450 meters	Siliconezed	Grey	4 roll / ctn	270.00
0.48 x 7mm	400 meters	Siliconezed	Black / Grey	4 roll / ctn	240.00
0.48 x 8mm	350 meters	Siliconezed	Grey	4 roll / ctn	240.00
0.48 x 10mm	225 meters	Siliconezed	Black / Grey	4 roll / ctn	180.00
0.58 x 8mm	300 meters	Siliconezed	Grey	4 roll / ctn	240.00
0.68 x 8mm	300 meters	Siliconezed	Grey	4 roll / ctn	240.00
0.98 x 12mm	150 meters	Siliconezed	Grey	4 roll / ctn	140.00
0.48 x 7mm	400 meters	Siliconezed / PP	Grey	3 roll / ctn	360.00
0.68 x 8mm	300 meters	Siliconezed Self-Adhesive	Grey	4 roll / ctn	280.00

Friction Stay

A complete range of friction stays manufactured from different grade austenitic stainless steel. Used for residential and commercial. Available in a range of stack heights & is suitable for both top hung & side hung standard applications.



Unique Features



Unique
6mm
Pivot



Safety
Edge Circumference
on Supporting Arms



Quality
Stainless Steel
Slide Pallet with PVC
Coating

- A comprehensive range to cater for most applications.
- Manufactured with the unique feature
- Simple and precise operation.
- Precise lock cylinder system.
- Easy to install.
- Corrosion resistance.
- Great durability



FRICION STAY

18 SQUARE GROOVE SIDE / TOP HUNG

Stainless Steel Friction Stay - SUS 304




Unique
6mm
Pivot



Safety
Edge Circumference
on Supporting Arms



Quality
Stainless Steel
Slide Pallet with PVC
Coating



Side Hung



Top Hung

Side Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	55° ± 2°	500	600	14 ± 0.2	10
12" / 2.0mm	4	88° ± 2°	550	1200	14 ± 0.2	16
16" / 2.0mm	4	88° ± 2°	650	1400	14 ± 0.2	18
16" / 2.5mm	5	80° ± 2°	650	1500	15.8 ± 0.2	20

Top Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
10" / 2.0mm	4	32° ± 2°	950	550	14 ± 0.2	24
14" / 2.5mm	4	33° ± 2°	1150	750	15.8 ± 0.2	35
16" / 2.5mm	4	33° ± 2°	1150	1050	14 ± 0.2	32
18" / 2.5mm	4	32° ± 2°	1150	1150	15.8 ± 0.2	42
20" / 3.0mm	5	33° ± 2°	1150	1350	15.8 ± 0.2	45
24" / 3.0mm	6	35° ± 2°	1250	1450	16.8 ± 0.2	55

Code	Material	Finishing	Packing	(RM) / Unit
SIDE HUNG 8"	S.Steel SUS 304	SS	100 pairs / ctn	20.00
SIDE HUNG 12"	S.Steel SUS 304	SS	100 pairs / ctn	24.00
SIDE HUNG 16"	S.Steel SUS 304	SS	50 pairs / ctn	36.00
SIDE HUNG 16" 5 BAR	S.Steel SUS 304	SS	50 pairs / ctn	40.00
TOP HUNG 10"	S.Steel SUS 304	SS	50 pairs / ctn	22.00
TOP HUNG 14"	S.Steel SUS 304	SS	50 pairs / ctn	30.00
TOP HUNG 16"	S.Steel SUS 304	SS	50 pairs / ctn	38.00
TOP HUNG 18"	S.Steel SUS 304	SS	25 pairs / ctn	44.00
TOP HUNG 20" 5 BAR	S.Steel SUS 304	SS	25 pairs / ctn	60.00
TOP HUNG 24" 6 BAR	S.Steel SUS 304	SS	25 pairs / ctn	80.00

FRICION STAY

19 ROUND GROOVE - SIDE / TOP HUNG

Stainless Steel Friction Stay - SUS 304



Unique
6mm Pivot
only on 16"
and above



Safety
Edge Circumference
on Supporting Arms



For 19mm
Round Groove




Stainless Steel with
PVC Coating

For 20mm
Round Groove



Brass



Side Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	64° ± 2°	450	1200	13.5	10
12" / 2.0mm	4	88° ± 2°	550	1500	13.5	15
16" / 2.5mm	4	89° ± 2°	650	1300	15	19
20" / 3.0mm	5	65° ± 2°	700	1500	16.8	22
24" / 3.0mm	6	55° ± 2°	750	1500	16.8	24

Top Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
16" / 2.5mm	4	33° ± 2°	1150	1050	14	30

Code	Material	Finishing	Packing	(RM) / Unit
SIDE HUNG 8"	S.Steel SUS 304 / PVC	SS	100 pairs / ctn	18.00
SIDE HUNG 12"	S.Steel SUS 304 / PVC	SS	100 pairs / ctn	22.00
SIDE HUNG 16"	S.Steel SUS 304 / PVC	SS	50 pairs / ctn	40.00
SIDE HUNG 20"	S.Steel SUS 304 / PVC	SS	50 pairs / ctn	58.00
SIDE HUNG 24"	S.Steel SUS 304 / PVC	SS	50 pairs / ctn	78.00
TOP HUNG 16"	S.Steel SUS 304 / PVC	SS	50 pairs / ctn	40.00

FRICTION STAY

22 SQUARE GROOVE SIDE / TOP HUNG

Heavy Duty Stainless Steel Friction Stay - SUS 304



Unique
6mm
Pivot



Safety
Edge Circumference
on Supporting Arms



Quality
Stainless Steel
Slide Pallet with PVC
Coating



Side Hung



Top Hung

Side Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
10" / 3.0mm	4	86° ± 2°	400	1200	14 ± 0.2	14
12" / 3.0mm	4	86° ± 2°	600	1350	14 ± 0.2	17
16" / 3.0mm	4	88° ± 2°	650	1500	14 ± 0.2	20
18" / 3.0mm	5	80° ± 2°	700	1500	15.8 ± 0.2	25

Top Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
16" / 2.0mm	4	30° ± 2°	1200	1200	14 ± 0.2	32
24" / 3.0mm	6	27° ± 2°	1400	1500	16.8 ± 0.2	55

Code	Material	Finishing	Packing	(RM) / Unit
SIDE HUNG 10"	S.Steel SUS 304	SS	100 pairs / ctn	37.00
SIDE HUNG 12"	S.Steel SUS 304	SS	100 pairs / ctn	40.00
SIDE HUNG 16"	S.Steel SUS 304	SS	50 pairs / ctn	48.00
SIDE HUNG 18" 5 BAR	S.Steel SUS 304	SS	50 pairs / ctn	58.00
TOP HUNG 16"	S.Steel SUS 304	SS	50 pairs / ctn	48.00
TOP HUNG 24" 6 BAR	S.Steel SUS 304	SS	25 pairs / ctn	90.00

FRICION STAY

VSP SUS 304 - EXPOSED 2 BAR HINGE




Size / Thickness	Width (mm)	Stack Height (mm)
11" / 2.5mm	20	14

VSP SUS 304 - CONCEALED 2 BAR HINGE



Size / Thickness	Width (mm)	Stack Height (mm)
11" / 2.5mm	20	21

VIMAX SUS 304 - 2 BAR HINGE



Size / Thickness	Width (mm)	Stack Height (mm)
10" / 2.5mm	19	20

Code	Material	Finishing	Packing	(RM) / Unit
EXPOSED 2 BAR HINGE	SUS 304	SS	50 pairs / ctn	22.00
CONCEALED 2 BAR HINGE	SUS 304	SS	50 pairs / ctn	22.00
10" VIMAX 2 BAR HINGE	SUS 304	SS	50 pairs / ctn	20.00

FRICION STAY

VSP SUS 304 - 2 BAR HINGE (ROUND)




Size / Thickness	Width (mm)	Stack Height (mm)
8" / 2.0mm	19	13
10" / 2.0mm	19	13
12" / 2.0mm	19	13

VSP SUS 304 - 2 BAR HINGE (SQUARE)



Size / Thickness	Width (mm)	Stack Height (mm)
8" / 2.0mm	18	15
10" / 2.0mm	18	15
12" / 2.0mm	18	15

VSP SUS 304 - RESTRICTION ARM



Size / Thickness	Width (mm)	Stack Height (mm)
8" / 2.0mm	13.5	15
12" / 2.0mm	13.5	15

Code	Material	Finishing	Packing	(RM) / Unit
8" 2 BAR HINGE (ROUND)	SUS 304	SS	50 pairs / ctn	13.00
10" 2 BAR HINGE (ROUND)	SUS 304	SS	50 pairs / ctn	15.00
12" 2 BAR HINGE (ROUND)	SUS 304	SS	50 pairs / ctn	17.00
8" 2 BAR HINGE (SQUARE)	SUS 304	SS	50 pairs / ctn	13.00
10" 2 BAR HINGE (SQUARE)	SUS 304	SS	50 pairs / ctn	16.00
12" 2 BAR HINGE (SQUARE)	SUS 304	SS	50 pairs / ctn	18.00
8" RESTRICTION ARM	SUS 304	SS	50 pairs / ctn	15.00
12" RESTRICTION ARM	SUS 304	SS	50 pairs / ctn	18.00


FRICION STAY

VSP SUS 304 - MULTI LOCKING BAR



Size / Thickness	Width (mm)	Stack Height (mm)
10" / 2.0mm	13.5	15

VSP SUS 304 - STOPPER ARM



Size / Thickness	Width (mm)	Stack Height (mm)
10" / 2.0mm	13.5	16.8

VSP SUS 304 - 7" 2 BAR HINGE R/L



Size / Thickness	Width (mm)	Stack Height (mm)
7" / 3.0mm	19	12

Code	Material	Finishing	Packing	(RM) / Unit
10" MULTI LOCKING BAR	SUS 304	SS	50 pairs / ctn	18.00
10" STOPPER ARM	SUS 304	SS	50 pairs / ctn	22.00
7" 2 BAR HINGE	SUS 304	SS	50 pairs / ctn	22.00

FRICION STAY

NIKEE 304 - 2 BAR HINGE (ROUND)




Size / Thickness	Width (mm)	Stack Height (mm)
8" / 2.0mm	19	13
12" / 2.0mm	19	13

LOTO 304 - 2 BAR HINGE (SQUARE)



Size / Thickness	Width (mm)	Stack Height (mm)
8" / 2.0mm	18	13
12" / 2.0mm	18	13

VSP SUS 304 - 6" 2 BAR HINGE




Size / Thickness	Width (mm)	Stack Height (mm)
6" / 2.0mm	18	16

Code	Material	Finishing	Packing	(RM) / Unit
8" NIKEE 2 BAR HINGE (ROUND)	S.Steel 201	SS	50 pairs / ctn	8.00
12" NIKEE 2 BAR HINGE (ROUND)	S.Steel 201	SS	50 pairs / ctn	10.00
8" LOTO 2 BAR HINGE (SQUARE)	S.Steel 201	SS	50 pairs / ctn	8.60
12" LOTO 2 BAR HINGE (SQUARE)	S.Steel 201	SS	50 pairs / ctn	10.60
6" 2 BAR HINGE	SUS 304	SS	50 pairs / ctn	16.00

FRICION STAY

VSP - SUPPORTING ARM (ROUND) R/L

Supporting Arm (Round) SUS 304



Size / Thickness


8" / 3.0mm

10" / 3.0mm

12" / 3.0mm

VSP - SUPPORTING ARM (SQUARE) R/L

Supporting Arm (Square) SUS 304



Size / Thickness

8" / 3.0mm

12" / 3.0mm

Code	Material	Finishing	Packing	(RM) / Unit
8" SUPPORTING ARM (ROUND)	S.Steel SUS 304	SS	50 pairs / ctn	53.00
10" SUPPORTING ARM (ROUND)	S.Steel SUS 304	SS	50 pairs / ctn	58.00
12" SUPPORTING ARM (ROUND)	S.Steel SUS 304	SS	50 pairs / ctn	64.00
8" SUPPORTING ARM (SQUARE)	S.Steel SUS 304	SS	50 pairs / ctn	32.00
12" SUPPORTING ARM (SQUARE)	S.Steel SUS 304	SS	50 pairs / ctn	40.00

FRICION STAY


KLC - CURTAIN WALL STAY - TOP HUNG



Size / Thickness	Width (mm)	Stack Height (mm)
9" / 2.0mm	22	12
13" / 2.0mm	22	12
20" / 2.0mm	22	12

VSP - 3 BAR HINGE

3 Bar Hinge - SUS 304



Size / Thickness	Width (mm)	Stack Height (mm)
11" / 2.0mm	13.5	21

Code	Material	Finishing	Packing	(RM) / Unit
KLC CURTAIN WALL STAY 9"	Aluminium	Black	50 pairs / ctn	32.00
KLC CURTAIN WALL STAY 13"	Aluminium	Black	50 pairs / ctn	38.60
KLC CURTAIN WALL STAY 20"	Aluminium	Black	50 pairs / ctn	44.50
3 BAR HINGE 11"	S.Steel SUS 304	SS	50 pairs / ctn	30.00

FRICION STAY

LOTO 19 ROUND GROOVE - SIDE HUNG

Stainless Steel Friction Stay - SUS 304



Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	65°	450	1000	13.5	10
12" / 2.0mm	4	90°	500	1200	13.5	16
16" / 2.5mm	4	70°	650	1350	15	19

Code	Material	Finishing	Packing	(RM) / Unit
SIDE HUNG 8"	S.Steel SUS 304	SS	100 pairs / ctn	16.00
SIDE HUNG 12"	S.Steel SUS 304	SS	100 pairs / ctn	18.00
SIDE HUNG 16"	S.Steel SUS 304	SS	50 pairs / ctn	36.00

FRICION STAY

LOTO 18 SQUARE GROOVE SIDE / TOP HUNG

Stainless Steel Friction Stay - 304



Unique
6mm
Pivot



Safety
Edge Circumference
on Supporting Arms



Quality
Stainless Steel
Slide Pallet with PVC
Coating



Side Hung



Top Hung

Side Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	55° ± 2°	500	600	14 ± 0.2	10
12" / 2.0mm	4	88° ± 2°	550	1200	14 ± 0.2	16
16" / 2.0mm	4	88° ± 2°	650	1400	14 ± 0.2	18
16" / 2.5mm	5	80° ± 2°	650	1500	15.8 ± 0.2	20

Top Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
10" / 2.0mm	4	25° - 35°	900	550	13.5	24
14" / 2.5mm	4	25° - 35°	1100	700	16	50
16" / 2.5mm	4	25° - 35°	1100	1000	16	60

Code	Material	Finishing	Packing	(RM) / Unit
SIDE HUNG 8"	S.Steel 201	SS	100 pairs / ctn	11.00
SIDE HUNG 12"	S.Steel 201	SS	100 pairs / ctn	13.00
SIDE HUNG 16"	S.Steel 201	SS	50 pairs / ctn	18.00
SIDE HUNG 16" 5 BAR	S.Steel 201	SS	50 pairs / ctn	20.50
TOP HUNG 10"	S.Steel 201	SS	50 pairs / ctn	12.20
TOP HUNG 14"	S.Steel 201	SS	50 pairs / ctn	16.80
TOP HUNG 16"	S.Steel 201	SS	50 pairs / ctn	18.80

FRICION STAY

NIKEE 19 ROUND GROOVE - SIDE HUNG

Stainless Steel Friction Stay - 304



Side Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	65°	450	1000	13.5	10
12" / 2.0mm	4	90°	500	1200	13.5	13
16" / 2.0mm	4	70°	650	1200	15	16

BB 19 ROUND GROOVE - SIDE HUNG

Steel Friction Stay - 430



Side Hung

Size / Thickness	Bar	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	65°	450	1000	13.5	9
12" / 2.0mm	4	90°	500	1200	13.5	12
16" / 2.0mm	4	70°	650	1200	15	15

Code	Material	Finishing	Packing	(RM) / Unit
NIKEE SIDE HUNG 8"	S.Steel 201	SS	100 pairs / ctn	9.40
NIKEE SIDE HUNG 12"	S.Steel 201	SS	100 pairs / ctn	11.40
NIKEE SIDE HUNG 16"	S.Steel 201	SS	50 pairs / ctn	16.80
BB SIDE HUNG 6"	Steel 430	SS	100 pairs / ctn	6.00
BB SIDE HUNG 8"	Steel 430	SS	125 pairs / ctn	6.30
BB SIDE HUNG 12"	Steel 430	SS	100 pairs / ctn	8.00
BB SIDE HUNG 16"	Steel 430	SS	50 pairs / ctn	14.40
LOTO SIDE HUNG 8"	Steel 430	SS	125 pairs / ctn	7.00
LOTO SIDE HUNG 12"	Steel 430	SS	100 pairs / ctn	8.60
LOTO SIDE HUNG 16"	Steel 430	SS	50 pairs / ctn	15.00

Euro Rollers

**Designed for ease of operation, optimum security and maximum durability.
The ease of operation is also a result of our silent heavy duty roller assemblies.**




- Quality rollers ensure great durability.
- Smooth and quiet operation.
- Strong assembly.
- Easy to install.
- Corrosion resistance.

PERFORMANCE SLIDING DOOR

TYPICAL ELEVATIONS - 4 SLIDING PANELS


Vertical Sectional Details




The **VIMAX DOOR SLD/PS 16HD** sliding door is very practical and functional while allowing very good natural light infiltration and ventilation when opened.

However, as the sliding doors get bigger, it would require more heavy duty framing as well as accessories to support it. For security and safety, the type and thickness of the glass panels are also increasing which adds to the weight of the panel on the bottom rollers and frame.


The sliding door system also incorporates a multipoint locking system which is a necessity for bigger doors thus adding to the security features of the door.



Horizontal Sectional Details




Horizontal Sectional Details




PERFORMANCE SLIDING DOOR

1605


Glazing Attachment


1606


Outer Frame Double Track


1607


Outer Frame 3 Tracks


1608


Inner Frame 85mm


1609

Mid-Nose Joint


1610

Inter Lock for 161





Code	L.W (kg/m)	AP (mm)	Length	Material	Finishing	Packing
1605	0.165	103	6.1m	Aluminium	MF	4 pcs / ctn
1606	1.606	323	6.1m	Aluminium	MF	4 pcs / ctn
1607	2.035	508	6.1m	Aluminium	MF	4 pcs / ctn
1608	1.220	387	6.1m	Aluminium	MF	4 pcs / ctn
1609	0.230	123	6.1m	Aluminium	MF	4 pcs / ctn
1610	0.400	196	6.1m	Aluminium	MF	4 pcs / ctn

EURO WINDOW & DOOR ROLLER




MR-001-N

Sliding Door Roller Standard (Nylon)






MR-002-N

Sliding Window Roller






VIMAX-24002

Heavy Duty Sliding Window Roller



MR-004-N

Sliding Door Roller Economy




Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-001-N	40kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	3.20
MR-002-N	15kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	1.30
VIMAX-24002	40kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	4.00
MR-004-N	40kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	3.20


Sliding Door Roller Standard (Brass)



Sliding Window Roller (Brass)



Sliding Door Roller Economy (Brass)



Sliding Door Double Roller Standard




Specialized in Aluminium & Glass Accessories

EURO WINDOW & DOOR ROLLER

MR-006-N

Sliding Door Double Roller Economy





003 *MADE IN THAILAND

Showcase Roller with Bearing





RED BOX
BLUE BOX





VSP 162

Showcase Roller with Bearing



MR-007-N

Sliding Top Roller





Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-006-N	60kg	Mix Steel / Nylon	SS	60 pcs / ctn	8.00
003 M.I. THAILAND with Bearing	10kg	Stainless Steel	SS	100 pcs x 25 box / ctn	2.30
003 M.I. THAILAND	5kg	Brass	SS	100 pcs x 25 box / ctn	1.80
VSP 162	13kg	Stainless Steel	SS	100 pcs x 10 box / ctn	3.00
MR-007-N	80kg	Mix Steel / Nylon	SS	50 pairs / ctn	36.00

EURO WINDOW & DOOR ROLLER

MR-5007-N

Sliding Top Roller




MR-11


Sliding Door Roller - Super



Wheel Shape



Profile
30455




MR-13


Sliding Window Roller - LB



Wheel Shape



Profile
SLW 920




MR-15


Euro Sliding Roller (Brass)



Wheel Shape



Profile
30760



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-5007-N	60kg	Mix Steel / Nylon	SS	50 pairs / ctn	32 .00
MR-11	80kg	Zinc Die Cast / Nylon	SS	150 pcs / ctn	36.00
MR-13	25kg	PVC / Nylon	White	1000 pcs / ctn	4.60
MR-15	100kg	S.Steel / Brass	SS	100 pcs / ctn	38.00



EURO WINDOW & DOOR ROLLER

MR-16

Door Roller - PMB (Nylon)



Wheel Shape



Profile
30455

MR-17


Euro Sliding Door Roller



Wheel Shape



Wheel Shape




Profile
PMB0029

MR-18

Sliding Door Roller - Standard



Wheel Shape





MR-19

Sliding Door Roller - LB



Wheel Shape



Profile
LB7077

Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-16	60kg	S.Steel / Nylon	SS	100 pcs / ctn	20.00
MR-17	200kg	S.Steel / Nylon	SS	50 pcs / ctn	120.00
MR-18	80kg	Aluminium / Nylon	Silver	50 pcs / ctn	36.00
MR-19	80kg	Aluminium / Nylon	Silver	96 pcs / ctn	36.00


EURO WINDOW & DOOR ROLLER

MR-20

Sliding Door Roller - PMB



Wheel Shape



Profile
PMB0817




MR-21


VSP Sliding Door Roller



Wheel Shape



Profile
1608




MR-22


VSP Sliding Door Roller



Wheel Shape



Profile
1608




MR-23

Sliding Door Roller - PMB



Wheel Shape



Profile
PMB0946



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-20	90kg	S.Steel / Brass	SS	130 pcs / ctn	38.00
MR-21	150kg	S.Steel / Nylon	SS	100 pcs / ctn	56.00
MR-22	100kg	S.Steel / Nylon	SS	100 pcs / ctn	28.00
MR-23	80kg	S.Steel / Nylon	SS	100 pcs / ctn	28.00


EURO WINDOW & DOOR ROLLER

MR-24


Sliding Door Roller - LB



Wheel Shape



Profile
PMB0029





MR-25

Sliding Door Roller - PMB



Wheel Shape




MR-26


VSP Sliding Door Roller



Wheel Shape



Profile
1608




MR-28

Sliding Door Roller - PMB



Wheel Shape



Profile
PMB6823



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-24	150kg	S.Steel / Nylon	SS	100 pcs / ctn	44.00
MR-25	100kg	S.Steel / Nylon	SS	100 pcs / ctn	28.00
MR-26	80kg	S.Steel / Nylon	SS	100 pcs / ctn	23.00
MR-28	100kg	S.Steel / Nylon	SS	100 pcs / ctn	28.00


EURO WINDOW & DOOR ROLLER

MR-29

Window Double Roller



Wheel Shape




MR-31

Sliding Door Roller



Wheel Shape




MR-32


Sliding Door Roller - Super



Wheel Shape



Profile
30760




MR-33


Sliding Door Roller



Wheel Shape



Profile
1608



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-29	60kg	S.Steel / Nylon	SS	100 pcs / ctn	15.80
MR-31	100kg	S.Steel / Nylon	SS	60 pcs / ctn	33.50
MR-32	50kg	S.Steel / Nylon	SS	100 pcs / ctn	18.00
MR-33	45kg	S.Steel / Nylon	SS	100 pcs / ctn	16.00

EURO WINDOW & DOOR ROLLER

MR-35


Sliding Door Roller



Wheel Shape



Profile
PMB0957




MR-36


Sliding Window Roller



Wheel Shape



Profile
SW946D




MR-88

Sliding Window Roller



Wheel Shape




MR-89

Sliding Window Roller




Wheel Shape




Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
MR-35	45kg	S.Steel / Nylon	SS	100 pcs / ctn	14.40
MR-36	36kg	S.Steel / Nylon	SS	1000 pcs / ctn	4.30
MR-88	30kg	S.Steel / Nylon	SS	600 pcs / ctn	3.80
MR-89	40kg	S.Steel / Nylon	SS	1000 pcs / ctn	6.80



Sliding Door Roller





Sliding Door Roller



FAPIM Roller V - DIAM 22



FAPIM Roller V - DIAM 28



Specialized in Aluminium & Glass Accessories

SLIDING TOP ROLLER

VSP-2100

Sliding Door
2 Roller Set, 2 End Stopper &
1 Nylon Bottom Guide



VSP-2200

Sliding And Folding Door
2 Roller Set, 2 End Stopper &
1 Nylon Bottom Guide



VSP-2300

Wall Mount Bracket



SG-2000

Aluminium Top Track



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
VSP-2100	100kg	Zinc Alloy / Nylon	SS	60 sets / ctn	64.00
VSP-2200	50 - 80kg	Zinc Alloy / Nylon	SS	60 sets / ctn	44.00
VSP-2300	-	Steel	SS	50 pcs / ctn	7.00

Code	Size	Material	Finishing	Packing	(RM) / Unit
SG-2000	2 meter	Aluminium	Silver	-	60.00
	3 meter				90.00
	4 meter				120.00
	6 meter				176.00

Noble Door Lock

The variety of sliding door handles that are perfect for all and added security measure with precise designed.



- Aesthetics design.
- Ergonomic handle makes it comfortable to use daily.
- A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- Sufficient circumference to distribute the force comfortably and safely over the hand.
- Easy to install and maintain.
- Key-lock security and thumbturn mechanism.



NOBLE DOOR LOCK

VSP-601


Sliding Lock with Double Key



Strike Plate Options

VSP-602

Sliding Lock with Thumbturn & Key



Strike Plate Options

VSP-603


Sliding Lock with Single Thumbturn



Strike Plate Options

VSP-604

Sliding Lock with Dummy Handle




Code	Material	Finishing	Packing	(RM) / Unit
VSP-601	Zinc Die-Cast	White / Black / SN	20 sets / ctn	240.00
VSP-602	Zinc Die-Cast	White / Black / SN	20 sets / ctn	200.00
VSP-603	Zinc Die-Cast	White / Black / SN	20 sets / ctn	180.00
VSP-604	Zinc Die-Cast	White / Black / SN	20 sets / ctn	120.00

NOBLE DOOR LOCK

VSP-605

Sliding Lock with Single Thumbturn & Key R/L



Strike Plate Options


VSP-606

Sliding Lock with Single Dummy Handle



VSP-6100

Sliding Lock with Single Thumbturn without Key R/L



Strike Plate Options

VSP-6400

Sliding Lock with Single Dummy Handle




Code	Material	Finishing	Packing	(RM) / Unit
VSP-605	Zinc Die-Cast	White / Black / SN	20 sets / ctn	200.00
VSP-606	Zinc Die-Cast	White / Black / SN	20 sets / ctn	120.00
VSP-6100	Zinc Die-Cast	White / Black / SN	20 sets / ctn	160.00
VSP-6400	Zinc Die-Cast	White / Black / SN	20 sets / ctn	100.00

NOBLE DOOR LOCK


VSP-6300 / VSP-6200 KEY

Sliding Lock with Thumbturn R/L



VSP-6900


Sliding Lock with Thumbturn without Key R/L



Strike Plate Options


VSP-6500

Stainless Steel Mortise Lockcase 28mm



VSP-6700

Stainless Steel Mortise Lockcase 37mm




Code	Material	Finishing	Packing	(RM) / Unit
VSP-6200 KEY	Zinc Die-Cast	White / Black / SN	20 sets / ctn	240.00
VSP-6300	Zinc Die-Cast	White / Black / SN	20 sets / ctn	200.00
VSP-6900	Zinc Die-Cast	White / Black / SN	20 sets / ctn	170.00
VSP-6500	S.Steel SUS 304	SS	50 pcs / ctn	100.00
VSP-6700	S.Steel SUS 304	SS	50 pcs / ctn	120.00

NOBLE DOOR LOCK


VSPA-6800

Strike Plate




VSPA-6801

Strike U-Shape




VSPA-6802

Strike Flat Shape




VSPA-6803

Strike V-Shape



VSPA-6804

Strike Semi-Circle Shape



KEY SET




Code	Material	Finishing	Packing	(RM) / Unit
VSPA-6800	S.Steel SUS 304	SS	100 pcs / ctn	22.00
VSPA-6801	S.Steel SUS 304	SS	100 pcs / ctn	12.00
VSPA-6802	S.Steel SUS 304	SS	100 pcs / ctn	12.00
VSPA-6803	S.Steel SUS 304	SS	100 pcs / ctn	12.00
VSPA-6804	S.Steel SUS 304	SS	100 pcs / ctn	12.00
KEY SET SD-1	Brass	PB	100 pcs / ctn	38.00
KEY SET 601	Brass	PB	100 pcs / ctn	38.00

LUXURY DOOR LOCK

SD-1


Sliding Door Lock Single with Key / without Key



Strike Plate Options


SD-3

Sliding Door Lock Single with Key / without Key



SD-2


Sliding Door Lock Double with Key / without Key



Strike Plate Options

SD-4

Sliding Door Lock Double with Key / without Key




Code	Material	Finishing	Packing	(RM) / Unit
SD-1 with KEY	Zinc Alloy	White / Black	10 sets / ctn	180.00
SD-2 with KEY	Zinc Alloy	White / Black	10 sets / ctn	200.00
SD-3 with KEY	Zinc Alloy	White / Black	10 sets / ctn	150.00
SD-4 with KEY	Zinc Alloy	White / Black	10 sets / ctn	175.00
SD-1 without KEY	Zinc Alloy	White / Black	10 sets / ctn	168.00
SD-2 without KEY	Zinc Alloy	White / Black	10 sets / ctn	188.00
SD-3 without KEY	Zinc Alloy	White / Black	10 sets / ctn	138.00
SD-4 without KEY	Zinc Alloy	White / Black	10 sets / ctn	163.00

STRIKE PLATE


SD-1002

SD-Strike V-Shape




SD-1003

SD-Strike U-Shape




SD-1004

SD-Strike Flat-Plate



SD-1005

SD-Strike Semi-Circle Shape



Code	Material	Finishing	Packing	(RM) / Unit
SD-1002	S.Steel SUS 304	SS	100 pcs / ctn	12.00
SD-1003	S.Steel 201	SS	100 pcs / ctn	12.00
SD-1004	S.Steel SUS 304	SS	100 pcs / ctn	12.00
SD-1005	S.Steel SUS 304	SS	100 pcs / ctn	12.00

LEVER MORTISE HANDLE


99-DH

Lever Mortise Handle




203-DH

Lever Mortise Handle



217-DH

Lever Mortise Handle



322-DH

One Size Lever Mortise Handle Set 30 x 85mm



Code	Material	Finishing	Packing	(RM) / Unit
99-DH	Zinc / Aluminium	White / Black	20 sets / ctn	58.00
203-DH	Zinc Alloy	White / Black	20 sets / ctn	80.00
217-DH	Zinc / Aluminium	White / Black	20 sets / ctn	65.00
322-DH	Zinc / Aluminium	White / Black	20 sets / ctn	128.00

LEVER MORTISE HANDLE


219-DH

Lever Mortise Dummy Handle




126-DH

Lever Mortise Handle




218-DH

Lever Mortise Dummy Handle



228-DH

Lever Mortise Handle




Code	Material	Finishing	Packing	(RM) / Unit
219-DH	Aluminium	White / Black / SN	20 sets / ctn	80.00
126-DH	Aluminium	White / Black / SN	20 sets / ctn	80.00
218-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	66.00
228-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	66.00

LEVER MORTISE LOCKSET

LOTO-229-S70

Lever Handle Set



Code	Function	Description	Finishing	Backset
30 x 85	Mortise Lock	With latch bolt & deadbolt. Outside cylinder retracts latch bolt & lock or unlock deadbolt. Inside thumbturn or cylinder retracts latch bolt and lock or unlock deadbolt. Outside and inside handle/knob always retracts latch bolt.	SS	30 x 85

Code	Function	Features	Finishing	Length (mm)	Material
70-S	Cylinder Lock	Single Key & Thumbturn	SN	70	Brass

Code	Material	Finishing	Packing	(RM) / Unit
LOTO-229-S70 SET	Aluminium / S.Steel 304	White / Black	20 sets / ctn	140.00

SLIDING DOOR HANDLE


HE-3A

Sliding Door Handle




HE-1E

Sliding Door Handle



HE-2A

Sliding Door Handle



HE-5A-SQ

Sliding Door Handle




Code	Material	Finishing	Packing	(RM) / Unit
HE-3A	Aluminium	White / Black	20 pairs / ctn	240.00
HE-1E	Zinc Alloy	White / Black	50 pcs / ctn	32.00
HE-2A	Aluminium	White / Black	50 pcs / ctn	26.00
HE-5A-SQ	Aluminium	White / Black	50 pcs / ctn	30.00

SLIDING DOOR LOCK


HESL-13S

Sliding Door Single Door Lock





HESL-15A

Sliding Door Lock without Key 25 / 32mm



HESL-16A

Sliding Door Lock with Key 25 / 32mm




Code	Size	Material	Finishing	Packing	(RM) / Unit
HESL-13S	-	Zinc Alloy	White / Black / Silver	50 pcs / ctn	18.00
HESL-15A	25mm 32mm	Aluminium / Zinc Alloy	White / Black / Silver	50 pcs / ctn	22.00
HESL-16A	25mm 32mm	Aluminium / Zinc Alloy	White / Black / Silver	50 pcs / ctn	23.00
PT03	32mm	PVC	Black	200 pcs / ctn	4.00

SLIDING DOOR LOCK


HESL-28S

Sliding Door Single Door Lock




HESL-27D

Sliding Door Lock Dummy




HESL-25J

Sliding Door Lock without Key 32mm



HESL-26J

Sliding Door Lock with Key 32 / 40mm




Code	Size	Material	Finishing	Packing	(RM) / Unit
HESL-28S	-	Zinc Alloy	White / Black	50 pcs / ctn	45.00
HESL-27D	32mm	Zinc Alloy	White / Black	50 pcs / ctn	45.00
HESL-25J	32mm 40mm	Zinc Alloy	White / Black	50 pcs / ctn	48.00
HESL-26J	32mm 40mm	Zinc Alloy	White / Black	50 pcs / ctn	50.00

SLIDING DOOR LOCK


HE-5D

Sliding Door Lock without Key 32mm




HE-6D

Sliding Door Lock with Key 32 / 40mm




HE-7D

Sliding Door Lock without Key



HE-8D

Sliding Door Lock with Key



Code	Size	Material	Finishing	Packing	(RM) / Unit
HE-5D	32mm	Zinc Alloy	White / Black	50 pcs / ctn	25.40
HE-6D	32mm 40mm	Zinc Alloy	White / Black	50 pcs / ctn	28.00
					30.00
HE-7D	32- 45mm	Zinc Alloy	White / Black	50 pcs / ctn	70.00
HE-8D	32- 45mm	Zinc Alloy	White / Black	50 pcs / ctn	93.00

SLIDING DOOR LOCK

VSP A-6

Sliding Door Lock with Key 25 / 32mm



VSP J-6

Sliding Door Lock with Key




4420

Sliding Door Lock with Key



DLK-200

Sliding Door Lock



Code	Size	Feature	Material	Finishing	Packing	(RM) / Unit
A-6	25mm 32mm	With Key	Zinc Alloy	White / Black / Silver	100 pcs / ctn	16.00 18.00
A-5	25mm 32mm	Without Key	Zinc Alloy	White / Black / Silver	100 pcs / ctn	15.00 17.00
J-6	32mm 40mm	With Key	Zinc Alloy	White / Black / Silver	50 pcs / ctn	45.00
J-5	32mm 40mm	Without Key	Zinc Alloy	White / Black / Silver	50 pcs / ctn	40.00
4420	25mm 32mm	With Key	Aluminium	Silver / Brown	100 pcs / ctn	33.00
DLK-200	-	-	Zinc Alloy	White / Black	50 pcs / ctn	41.50
PT01	32mm	-	Zinc Alloy	SS	200 pcs / ctn	2.30


SLIDING DOOR LOCK

HE-9D KEY / HE10D

Sliding Door Lock with Key / without Key



*Required to use with
SL Sliding Door Locking Bar



SDH-150C-32 / 36mm

Sliding Door Hook



SDH-150-32 / 36 / 40mm

Sliding Door Hook



HE-L1

Multi Lock Hook



Code	Material	Finishing	Packing	(RM) / Unit
HE-9D KEY	Zinc Alloy	White / Black	10 sets / ctn	248.00
HE-10D	Zinc Alloy	White / Black	10 sets / ctn	238.00
SDH-150-32mm	Stainless Steel 201	SS	1000 pcs / ctn	2.00
SDH-150C-32mm	Stainless Steel 201	SS	1000 pcs / ctn	2.00
SDH-150-36mm	Stainless Steel 201	SS	1000 pcs / ctn	2.00
SDH-150C-36mm	Stainless Steel 201	SS	1000 pcs / ctn	2.00
SDH-150-40mm	Stainless Steel 201	SS	1000 pcs / ctn	2.60
HE-L1	Stainless Steel 201	SS	1000 pcs / ctn	7.00

Louver Window

Louver window is a window blind or shutter with horizontal slats that are angled to admit light and air, but to keep out rain and direct sunshine. The angle of the slats may be adjustable, usually in blinds and windows, or fixed.



- Excellent vision and ventilation.
- Lever action handle firmly locks the blades in the closed position.
- Top quality accessories for better movement of roller and heavier load.
- Strong material carriage for better life-cycle.
- Easy to install and maintain.

LOUVER WINDOW

ALUMINIUM ALLOY ADJUSTABLE LOUVER



PP ADJUSTABLE LOUVER



PVC GLASS CLIP



ALUMINIUM GLASS CLIP



Code	Size	Material	Finishing	Packing	(RM) / Unit
PVC GLASS CLIP	6"	PP / PVC	White / Black	200 pairs / ctn	3.60
ALUMINIUM GLASS CLIP	6"	Aluminium Alloy	Silver / Brown	100 pairs / ctn	2.00
WLA-04/6"	580mm	Aluminium Alloy	Silver / Brown	10 pairs / ctn	32.00
WLA-08/6"	1140mm	Aluminium Alloy	Silver / Brown	10 pairs / ctn	60.00
WLA-04/6"	580mm	PP	White / Black	10 pairs / ctn	50.00
WLA-05/6"	724mm	PP	White / Black	10 pairs / ctn	65.00
WLA-06/6"	864mm	PP	White / Black	10 pairs / ctn	73.00
WLA-07/6"	1004mm	PP	White / Black	10 pairs / ctn	90.00
WLA-08/6"	1143mm	PP	White / Black	10 pairs / ctn	100.00
WLA-09/6"	1283mm	PP	White / Black	10 pairs / ctn	112.00
WLA-10/6"	1422mm	PP	White / Black	10 pairs / ctn	124.00
WLA-11/6"	1562mm	PP	White / Black	10 pairs / ctn	136.00
WLA-12/6"	1701mm	PP	White / Black	10 pairs / ctn	148.00
WLA-13/6"	1842mm	PP	White / Black	10 pairs / ctn	160.00
WLA-14/6"	1981mm	PP	White / Black	10 pairs / ctn	172.00
WLA-15/6"	2121mm	PP	White / Black	10 pairs / ctn	186.00
WLA-16/6"	2261mm	PP	White / Black	10 pairs / ctn	200.00
KING KONG	8-Blade	Steel 201	NA	10 sets / ctn	25.00

Mortise Lock

Our range of mortise locks feature advanced design concepts for extreme reliability where the Latch, the Dead Bolt and the Strike Plate are manufactured using high quality material grade for exceptional durability.




- Excellent durability.
- Tested and certified.
- Double-turn door locks for better safety.
- Easy to install and maintain.
- Manufactured with the highest quality of material.



MORTISE LOCK

SGSL-85

25mm / 30mm / 35mm / 40mm



- A - Forend Plate
- B - Latch Bolt
- C - Dead Bolt
- D - Screw Channel for Cylinder
- E - Lockcase
- F - Action-Arm
- G - Follower
- H - Turning Device
- I - Spring
- J - Backset
- K - Distance
- L - Lockcase Width
- M - Lockcase Height
- N - Forend Length
- O - Forend Width
- P - Lockcase Thickness
- Q - Forend Thickness



Specification

- Stainless Steel SUS 304 3mm thickness Forend plate (Square)
- Stainless Steel SUS 304 1.5mm thickness Striker plate (Square)
- Stainless Steel SUS 304 1 x Curve Design Latch Bolt
- Stainless Steel SUS 304 1 x Square Dead Bolt
- Electrolytic steel 1.2mm Lockcase
- 8mm x 8mm Follower.

Features

- 25, 30, 35, 40 Backset of door
- 85mm Center distance of lock
- Sash Lock Function
- Reversible Latch Lock


Code	J	K	L	M	N	O	P	Q
25 x 85	25	85	42	172	240	23	15	3
30 x 85	30	85	47	172	240	23	15	3
35 x 85	35	85	52	172	240	23	15	3
40 x 85	40	85	67	172	240	23	15	3

Code	Material	Finishing	Packing	(RM) / Unit
SGSL-85 25mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	59.00
SGSL-85 30mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	74.00
SGSL-85 35mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	79.00
SGSL-85 40mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	84.00

MORTISE LOCK

SGSL-85

45mm / 50mm / 60mm



- A - Forend Plate
- B - Latch Bolt
- C - Dead Bolt
- D - Screw Channel for Cylinder
- E - Lockcase
- F - Action-Arm
- G - Follower
- H - Turning Device
- I - Spring
- J - Backset
- K - Distance
- L - Lockcase Width
- M - Lockcase Height
- N - Forend Length
- O - Forend Width
- P - Lockcase Thickness
- Q - Forend Thickness



Specification

- Stainless Steel SUS 304 3mm thickness Forend plate (Square)
- Stainless Steel SUS 304 1.5mm thickness Striker plate (Square)
- Stainless Steel SUS 304 1 x Curve Design Latch Bolt
- Stainless Steel SUS 304 1 x Square Dead Bolt
- Electrolytic steel 1.2mm Lockcase
- 8mm x 8mm Follower.

Features

- 45, 50, 60 Backset of door
- 85mm Center distance of lock
- Sash Lock Function
- Reversible Latch Lock


Code	J	K	L	M	N	O	P	Q
45 x 85	45	85	72	172	240	23	15	3
50 x 85	50	85	76	172	240	23	15	3
60 x 85	60	85	87	172	240	23	15	3

Code	Material	Finishing	Packing	(RM) / Unit
SGSL-85 45mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	99.00
SGSL-85 50mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	105.00
SGSL-85 60mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	109.00

MORTISE LOCK


MPL-3070A

Mortise Passage Lock




MPL-3085BB

Mortise Passage Lock




SLC-181

Sliding Mortise Lock - Double Hook



ML-182


Mortise Lock Hook




Code	Backset	Material	Finishing	Packing	(RM) / Unit
MPL-3070A	30	S.Steel SUS 304	SS	40 pcs / ctn	53.00
MPL-3085BB	30	S.Steel SUS 304	SS	20 pcs / ctn	60.00
SLC-181	40	S.Steel SUS 304	SS	20 pcs / ctn	50.00
ML-182	30	S.Steel SUS 304	SS	20 pcs / ctn	70.00

TSL-183


Twin Sliding Lock

**TLB-389 R/L**

Transmission Lock Box


**THL-0013**

Twin Sliding Door Lock




TML-1123

Twin Multi Lock




Code	Backset	Material	Finishing	Packing	(RM) / Unit
TSL-183	30	S.Steel SUS 304	SS	20 pcs / ctn	76.00
TLB-389 R/L	-	Zinc Alloy	SS	20 pcs / ctn	44.60
THL-0013	26.5	S.Steel SUS 304	SS	20 pcs / ctn	96.00
TML-1123	-	S.Steel SUS 304	SS	20 pcs / ctn	100.00

Single Mortise Hook Lock




Single Mortise Hook Lock



Single Mortise Hook Lock



Twin Mortise Hook Lock




Code	Backset	Material	Finishing	Packing	(RM) / Unit
SML-119	30	S.Steel SUS 304	SS	40 pcs / ctn	41.00
SML-178	30	S.Steel SUS 304	SS	40 pcs / ctn	43.60
SML-185	40	S.Steel SUS 304	SS	40 pcs / ctn	44.00
TML-186	18	S.Steel SUS 304	SS	40 pcs / ctn	75.00

MORTISE LOCK


TML-0015

Twin Mortise Lock




TML-187

Twin Multi Lock




TML-390

Twin Multi Lock



TML-391

Twin Multi Lock




Code	Backset	Material	Finishing	Packing	(RM) / Unit
TML-0015	25.5	S.Steel SUS 304	SS	40 pcs / ctn	110.00
TML-187	25	S.Steel SUS 304	SS	20 pcs / ctn	168.00
TML-390	35	S.Steel SUS 304	SS	20 pcs / ctn	118.00
TML-391	35	S.Steel SUS 304	SS	20 pcs / ctn	180.00
TML-3591	35	S.Steel SUS 304	SS	20 pcs / ctn	180.00

MORTISE LOCK


MBD-385

Bifold Door 2-Point



MBD-386

Bifold Door 2-Point




MBD-387

Bifold Door 2-Point



MBD-388

Bifold Door 2-Point




Code	Backset	Material	Finishing	Packing	(RM) / Unit
MBD-385	27.5	Zinc Alloy	Black	50 pcs / ctn	110.00
MBD-386	27.5	Zinc Alloy	Black	50 pcs / ctn	95.00
MBD-387	27.5	Zinc Alloy	Black	50 pcs / ctn	105.00
MBD-388	27.5	Zinc Alloy	Black	50 pcs / ctn	105.00

PROFILE CYLINDER LOCK


VSP 70-D

Cylinder Double Key



VSP 70-S

Cylinder Single Key / Thumbturn




Code	(L)	A	B	Function	Material	Finishing	Packing	(RM) / Unit
VSP 60-D	60	30	30	Double Key	Brass	SN	40 pcs / ctn	55.00
VSP 70-D	70	35	35	Double Key	Brass	SN	40 pcs / ctn	58.00
VSP 90-D	90	45	45	Double Key	Brass	SN	40 pcs / ctn	138.00
VSP 60-S	60	30	30	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	57.00
VSP 70-S	70	35	35	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	62.00
VSP 90-S	90	45	45	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	142.00

PROFILE CYLINDER LOCK


VSP DEAP 70-P

Emergency Slot / Thumbturn




VSP 45-T

One Sided Thumbturn




VSP 100-S

Cylinder 100mm - Single Key / Thumbturn



VSP 45-HC

One Sided Key



Code	(L)	A	B	Function	Material	Finishing	Packing	(RM) / Unit
VSP DEAP 70-P	70	35	35	Privacy	Brass	SN	40 pcs / ctn	60.00
VSP 45-T	45	10	35	Half Cylinder with Thumbturn	Brass	SN	40 pcs / ctn	55.00
VSP 100-S	100	50	50	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	160.00
VSP 100-D	100	50	50	Double Key	Brass	SN	40 pcs / ctn	150.00
VSP 45-HC	45	10	35	Single Key	Brass	SN	40 pcs / ctn	55.00

MORTISE ESCUTCHEON

DUMMY COVER

For Profile Cylinder



F-33B

Oval Escutcheon



F-34R

Round Escutcheon



F-88E

Oval Escutcheon



F-99C

Square Escutcheon



F-34S

Square Escutcheon




Code	Material	Finishing	Packing	(RM) / Unit
DUMMY COVER	Zinc Alloy	White / Black / SS	60 pairs / ctn	24.00
F-33B	S.Steel SUS 304	SS	200 sets / ctn	30.00
F-34R	S.Steel SUS 304	SS	200 sets / ctn	30.00
F-88E	Zinc Alloy	White / Black	400 sets / ctn	24.00
F-99C	Zinc Alloy	White / Black	200 sets / ctn	20.00
F-34S	S.Steel SUS 304	SS	200 sets / ctn	35.00

MORTISE DEADLOCK

MSL-61055

Single Mortise Hook Lock




VSP-192

Showcase Lock



5128-ST

Mortise Dead Lock with Single Key / Thumbturn



5128-D

Mortise Hook Lock with Double Key




Code	Material	Finishing	Packing	(RM) / Unit
MSL-61055	Zinc Alloy	SN	50 pcs / ctn	30.00
VSP-192	S.Steel 201	SS	200 box / ctn	15.00
5128-ST	Mix Steel	SN	20 pcs / ctn	90.00
5128-D	Mix Steel	SN	20 pcs / ctn	90.00

MORTISE LOCK STEEL PLATE


SGSL-85 SP

25 / 30 / 35 x 85
Steel Plate




SGSL-85 SP

40 x 85 Steel Plate




SGSL-85 SP


45 / 50 / 60 x 85
Steel Plate




181 SP




119 SP




343 SP



345 SP



TML-3591




Code	Material	Finishing	Packing	(RM) / Unit
SGSL-85 SP (25/30/35)	S.Steel SUS 304	SS	100 pcs / ctn	6.80
SGSL-85 SP (40)	S.Steel SUS 304	SS	100 pcs / ctn	8.00
SGSL-85 SP (45/50/60)	S.Steel SUS 304	SS	100 pcs / ctn	8.00
181 SP	S.Steel SUS 304	SS	100 pcs / ctn	6.80
119 SP	S.Steel SUS 304	SS	100 pcs / ctn	6.00
343 SP	S.Steel 201	SS	100 pcs / ctn	5.80
345 SP	S.Steel 201	SS	100 pcs / ctn	5.80
TML-3591	S.Steel SUS 304	SS	100 pcs / ctn	10.00

MORTISE DEADLOCK


41054 SINGLE / DOUBLE

Dead Lock



41055 SINGLE / DOUBLE

Hook Lock



55mm-CYL

Single Key / Thumbturn



55mm-CYL

Double Key




Code	Material	Finishing	Packing	(RM) / Unit
41054 SINGLE	Brass / Zinc Alloy	SN	50 pcs / ctn	22.00
41054 DOUBLE	Brass / Zinc Alloy	SN	50 pcs / ctn	22.00
41055 SINGLE	Brass / Zinc Alloy	SN	50 pcs / ctn	22.00
41055 DOUBLE	Brass / Zinc Alloy	SN	50 pcs / ctn	22.00
55mm-CYL (S/T)	Brass / Zinc Alloy	SS	100 pcs / ctn	14.00
55mm-CYL (D)	Brass / Zinc Alloy	SS	100 pcs / ctn	14.00
41054 SINGLE Master Key	Brass / Zinc Alloy	SN	50 pcs / ctn	24.00
41055 DOUBLE Master Key	Brass / Zinc Alloy	SN	50 pcs / ctn	24.00
55mm-CYL (S/T) Master Key	Brass / Zinc Alloy	SS	100 pcs / ctn	14.00
55mm-CYL (D) Master Key	Brass / Zinc Alloy	SS	100 pcs / ctn	14.00

Turbular Lever & Cylinder Knob Lock

This lock has a unique feature that allows you to turn the key on either of the knobs 360 degrees so the lock will remain unlocked at all times or if only turned to unlock for entry or exit the lock will remain locked at all times upon closing.



- Suitable for most doors.
- Simple and precise operation.
- Precise lock cylinder system.
- Corrosion resistance.
- Deadlocking latchbolt operated by lever from either side.
- Great strength and durability.
- Turning the key in either lever locks or unlocks its own lever independently.



This lever will fit 35mm to 45mm door thickness

TURBULAR LEVER LOCK


VTL-0600

Turbular Lever with Key / Thumbturn




VTL-7017

Turbular Lever with Key / Thumbturn




VTL-8007

Turbular Lever with Key / Thumbturn



VTL-8009

Turbular Lever with Key / Thumbturn



Code	Function	Backset	Material	Finishing	Packing	(RM) / Unit
VTL-0600	With Key & Thumbturn	60 - 70 Adjustable	S.Steel SUS 304	SN AB	10 pcs / ctn	70.00
						75.00
VTL-0610	Privacy	60 - 70 Adjustable	S.Steel SUS 304	SN AB	10 pcs / ctn	68.00
						72.00
VTL-7017	With Key & Thumbturn	60 - 70 Adjustable	Zinc Alloy	SN AB	10 pcs / ctn	138.00
						142.00
VTL-7018	Privacy	60 - 70 Adjustable	Zinc Alloy	SN AB	10 pcs / ctn	134.00
						138.00
VTL-8007	With Key & Thumbturn	60 - 70 Adjustable	Zinc Alloy	SN AB	10 pcs / ctn	130.00
						134.00
VTL-8008	Privacy	60 - 70 Adjustable	Zinc Alloy	SN AB	10 pcs / ctn	126.00
						130.00
VTL-8009	With Key & Thumbturn	60 - 70 Adjustable	Zinc Alloy	SN AB	10 pcs / ctn	135.00
						139.00
VTL-8010	Privacy	60 - 70 Adjustable	Zinc Alloy	SN AB	10 pcs / ctn	132.00
						136.00

LEVER HANDLE


9001-SN

Entrance Handle Set




9100-B

Entrance Handle Set



Installation Diagram



Code	Backset	Material	Finishing	Packing	(RM) / Unit
9001-N	60 - 70 Adjustable	Zinc Alloy	SN	4 sets / ctn	390.00
9100-B	60 - 70 Adjustable	Zinc Alloy	SN	4 sets / ctn	450.00

STAINLESS STEEL HOLLOW LEVER HANDLE

GL-01-F33

Lever Handle



GL-02-F33

Lever Handle




GL-04-F33

Lever Handle



GL-05-F33

Lever Handle




Code	Material	Finishing	Packing	(RM) / Unit
GL-01-F33	S.Steel SUS 304	SS	20 sets / ctn	81.00
GL-02-F33	S.Steel SUS 304	SS	20 sets / ctn	81.00
GL-04-F33	S.Steel SUS 304	SS	20 sets / ctn	81.00
GL-05-F33	S.Steel SUS 304	SS	20 sets / ctn	81.00

STAINLESS STEEL HOLLOW LEVER HANDLE

GL-06-F33

Lever Handle




GL-07-F33

Lever Handle




GL-08-F33

Lever Handle



GL-09-F33

Lever Handle




Code	Function	Backset	Material	Finishing	Packing	(RM) / Unit
GL-06-F33	-	-	S.Steel SUS 304	SS	20 sets / ctn	100.00
GL-07-F33	-	-	S.Steel SUS 304	SS	20 sets / ctn	88.00
GL-08-F33	Privacy	60	S.Steel SUS 304	SS	20 sets / ctn	141.00
GL-09-F33	Privacy	60	S.Steel SUS 304	SS	20 sets / ctn	141.00

LEVER HANDLE WITH PLATE

LH-230

Entrance Handle Set



LH-231

Entrance Handle Set



Code	Material	Finishing	Packing	(RM) / Unit
LH-230	S.Steel SUS 304	SP	12 sets / ctn	260.00
LH-231	S.Steel SUS 304	SP	12 sets / ctn	240.00

DEADBOLT LOCK

DB-8011

Double Cylinder with Key



DB-8013

Deadbolt Lock with Key



DB-8015

One Side Thumbturn




LOTO VCL-3871

Cylinder Knob with Key / No Key




Code	Feature	Material	Finishing	Packing	(RM) / Unit
DB-8011	Double Key	S.Steel SUS 304	SN AB	20 sets / ctn	50.00
					53.00
DB-8013	With Key & Thumbturn	S.Steel SUS 304	SN AB	20 sets / ctn	48.00
					51.00
DB-8015	One Sided Thumbturn	S.Steel SUS 304	SN AB	20 sets / ctn	40.00
					43.00
LOTO VCL-3871	With Key & Thumbturn	S.Steel 201	SN	30 sets / ctn	28.00
LOTO VCL-3871	Privacy	S.Steel 201	SN	30 sets / ctn	26.00

Lever Mortise Handle with Mortise Lock /
60D Double Key Profile Cylinder



Lever Mortise Handle with 25 x 70mm Mortise
Lock / 60D Double Key Profile Cylinder



Lever Mortise Handle with 25 x 70mm Mortise
Lock / 60D Double Key Profile Cylinder



Code	Feature	Material	Finishing	Packing	(RM) / Unit
LML-4085-60D	Double Key	Zinc Alloy / Steel	SN	20 sets / ctn	140.00
LML-4085-60D	Double Key	Zinc Alloy / Steel	AB	20 sets / ctn	150.00
LML-2570-60D	Double Key	Zinc Alloy	SN	20 sets / ctn	130.00
LML-2570-60D	Double Key	Zinc Alloy	AB	20 sets / ctn	140.00
LML-2580-60D	Double Key	Zinc Alloy	SN	20 sets / ctn	146.00
LML-2580-60D	Double Key	Zinc Alloy	AB	20 sets / ctn	155.00

DOOR FITTING ACCESSORIES


DS-0021


Sliding Flush Pull


DS-0023

Sliding Door Flush Pull with Lock



Installation
Diagram


DS-0022

Lock Case



Code	Material	Finishing	Packing	(RM) / Unit
DS-0021 (SET)	Zinc Alloy	SN	10 sets / box, 20 pairs / ctn	150.00
DS-0022 (SET)	Zinc Alloy	SN	100 pcs (20pcs / box) / ctn	38.00
DS-0023	Zinc Alloy	SN	100 pcs (20pcs / box) / ctn	120.00

DOOR FITTING ACCESSORIES

DS-0020

Dome Stopper



DS-0025

Door Stopper



DS-0026

Wall Door Stopper




DS-0027

Wall Door Stopper




DS-0028

Hat And Coat Hook Door Stopper



DS-0029

Door Stopper



Code	Material	Finishing	Packing	(RM) / Unit
DS-0020	S.Steel SUS 304	SS	100 pcs / ctn	15.00
DS-0025	S.Steel SUS 304	SS	100 pcs / ctn	18.00
DS-0026	S.Steel SUS 304	SS	72 pcs / ctn	16.00
DS-0027	S.Steel SUS 304	SS	72 pcs / ctn	20.00
DS-0028	S.Steel SUS 304	SS	72 pcs / ctn	18.00
DS-0029	S.Steel SUS 304	SS	20 pcs / ctn	55.00

DOOR FITTING ACCESSORIES

DS-0035

Heavy Duty Door Holder



DS-0032

Dust Socket 13mm



DG-0033

Door Guard Ball Bearing 3"



MS-019

Magnetic Door Holder




DS-0034

Dust Socket 12mm



CENTRE PIVOT HINGE - HD (360°)

Heavy Duty Pivot Hinge




Code	Material	Finishing	Packing	(RM) / Unit
DS-0035	S.Steel SUS 304	SS	72 pcs / ctn	40.00
MS-019	S.Steel SUS 304	SS	100 pcs / ctn	38.00
DS-0032	S.Steel SUS 304	SS	100 pcs / ctn	20.00
DS-0034	S.Steel 201	SS	100 pcs / ctn	8.00
DG-0033 3"	Zinc Alloy	SS	100 pcs / ctn	22.00
CENTRE PIVOT HINGE	Zinc Die-Cast	SS	150 pairs / ctn	58.00

DOOR FITTING ACCESSORIES

DS-0024

Square Flush Pull 4" x 2"



DS-0030

Oval Flush Pull



SB-0031

Swing Bolt



VSP-777 2" / 3"

Square Bolt



VFP-132

Flush Pull Ring



VCF-133

Circle Flush Pull



Code	Material	Finishing	Packing	(RM) / Unit
DS-0024	S.Steel SUS 304	SS	10 box, 200 / ctn	16.00
DS-0030	S.Steel SUS 304	SS	10 box, 200 / ctn	16.00
SB-0031 2"	S.Steel SUS 304	SS	240 pcs / ctn	19.60
SB-0031 3"	S.Steel SUS 304	SS	240 pcs / ctn	21.00
VSP-777 2"	S.Steel SUS 304	SS	240 pcs / ctn	10.00
VSP-777 3"	S.Steel SUS 304	SS	240 pcs / ctn	14.00
LOTO-778 2"	S.Steel 201	SS	240 pcs / ctn	7.00
VFP-132	S.Steel SUS 304	SS	100 pcs / ctn	26.00
VCF-133	S.Steel SUS 304	SS	10 box, 200 / ctn	16.00

DOOR BOLT LATCH

DS-0036-S

Door Latch (Big)




DS-0037-R

Door Latch (Small)




DB-775 6"

Door Latch




DB-775 4"

Door Latch



DB-776 6"

Door Latch



DB-0139

Door Latch




Code	Material	Finishing	Packing	(RM) / Unit
DS-0036-S	S.Steel SUS 304	SS	24 pcs / ctn	84.00
DS-0037-R	S.Steel SUS 304	SS	72 pcs / ctn	40.00
DB-775 6"	S.Steel 201	SS	80 pcs / ctn	22.00
DB-775 4"	S.Steel 201	SS	80 pcs / ctn	19.50
DB-776 6"	S.Steel 201	SS	120 pcs / ctn	14.00
DB-776 8"	S.Steel 201	SS	120 pcs / ctn	16.00
DB-0139	S.Steel SUS 304	SS	100 pcs / ctn	38.00

FLUSH BOLT

T-301

Flush Bolt



T-303

Flush Bolt



T-304

Flush Bolt Lever Style



T-305

Flush Bolt



Code	Material	Finishing	Packing	(RM) / Unit
T-301	Zinc Alloy	White / Black / NA / MB	120 pcs / ctn	16.00
T-303	Zinc Alloy	White / Black	100 pcs / ctn	24.50
T-304 8"	S.Steel SUS 304	SS	100 pcs / ctn	24.00
T-304 12"	S.Steel SUS 304	SS	100 pcs / ctn	33.00
T-305 5"	S.Steel SUS 304	White / Black	100 pcs / ctn	22.30
T-305 10"	S.Steel SUS 304	White / Black	100 pcs / ctn	34.50
Iron Bar 3 Meter	Mix Steel	Steel	10 pcs / ctn	18.80
Plastic Cover T-303	PVC	White / Black	100 pcs / ctn	2.20

DOOR HINGE


DH-125

Bi-Fold Hinge with Handle




DH-126

Bi-Fold Hinge




DH-129

Door Hinge



4" GRILLE HINGE

Door Hinge




Code	Size (mm)	Material	Finishing	Packing	(RM) / Unit
DH-125	102 x 74 x 2.5	S.Steel SUS 304	SS	50 pcs / ctn	46.00
DH-126	102 x 74 x 2.5	S.Steel SUS 304	SS	50 pairs / ctn	48.00
DH-129	102 x 76 x 2.5	S.Steel SUS 304	SS	50 pairs / ctn	30.00
4" GRILLE HINGE	102 x 76 x 2.5	S.Steel SUS 304	SS	50 pairs / ctn	26.00

DOOR HINGE


GKY-DH-123

Door Hinge 3" / 4"




DH-130

Door Hinge




DH-131

Door Hinge



ALUMINIUM 4" GRILLE HINGE

Door Hinge



Code	Size (mm)		Finishing	Packing	(RM) / Unit
GKY-DH-123 3"	76 x 50 x 1.5	S.Steel SUS 304	SS	96 pairs / ctn	14.60
GKY-DH-123 3"	76 x 50 x 1.5	S.Steel 201	SS	96 pairs / ctn	13.80
GKY-DH-123 4"	102 x 72 x 2.0	S.Steel SUS 304	SS	96 pairs / ctn	25.80
GKY-DH-123 4"	102 x 72 x 2.0	S.Steel 201	SS	96 pairs / ctn	17.00
DH-130	100 x 86 x 3.0	S.Steel SUS 304	SS	50 pairs / ctn	53.40
DH-131	102 x 76 x 3.0	S.Steel SUS 304	SS	50 pairs / ctn	50.00
ALUM. 4" GRILLE HINGE	100 x 83 x 3.5	Aluminium	White / Black	50 pairs / ctn	20.00

Door Closer

A door closer is a mechanical device that closes a door, in general after someone opens it, or after it was automatically opened. Door closers are most commonly installed on fire doors, which need to be closed in case of fire, to help prevent the spread of fire and smoke.



- Flexible and easy to install.
- Super aluminium alloy casting machine and the three layers of brightness painting will protect it from oxygenation.
- Adjustable tension, closing speed and latch speed.
- Non-hold open standard, hold open optional.
- Great strength and durability.
- The painting plastic moving arm can protect from eroding : the excellent closing can protect from oil leakage.




DOOR CLOSER

VSPDC-062



Fire Rated



- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.

Product Classification


4	8	4	1	1	3
3		2			

	EN2	EN3	EN4
Max Door Width (mm)	< 850	< 950	< 1100
Max Door Weight (kg)	40	60	80
Delayed Action	-		
Backcheck Function	-		
Max Open Angle	180°		130°
Hold Open	NO		
Closing Speed Adjustment	Speed 1 (180°- 15°)		(130°- 10°)
	Speed 2 (15°- 0°)		
Applicable Temperature	-20°C - 45°C		
Applicability	Pedestrian Access Door		
Fire Rated	YES		
Dimension of Main Body	Length - 218		
	Overall Depth- 52		
	Height- 42.5		
Weight (kg)	0.785		
Durability Test	500,000 cycles		

Code	Material	Finishing	Packing	(RM) / Unit
VSPDC-062	Aluminium	Silver	10 sets / ctn	138.00

DOOR CLOSER

VSPDC-082



- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.

Closing Force	EN3
Max Door Width (mm)	< 950
Max Door Weight (kg)	< 65
Delayed Action	-
Backcheck Function	-
Max Open Angle	180°
Hold Open	-
Closing Speed Adjustment	Speed 1 (180° - 15°)
	Speed 2 (15° - 0°)
Applicable Temperature	-25°C - 45°C
Applicability	Pedestrian Access Door
Fire Rated	-
Dimension of Main Body	Length - 200
	Overall Depth- 50.5
	Height- 37
Weight (kg)	1.4
Durability Test	500,000 cycles


Code	Material	Finishing	Packing	(RM) / Unit
VSPDC-082	Aluminium	Silver	10 sets / ctn	180.00

DOOR CLOSER

VSPDC-51 / 51H



Fire Rated



- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.

Product Classification

4	8	3	1	1	3
---	---	---	---	---	---




	51	51H
Closing Force	EN2 - EN3	
Max Door Width (mm)	< 850 - < 950	
Max Door Weight (kg)	< 40 - < 60	
Delayed Action	-	
Backcheck Function	-	
Max Open Angle	180°	
Hold Open	-	✓
Closing Speed Adjustment	Speed 1 (180°- 15°)	
	Speed 2 (15°- 0°)	
Applicable Temperature	-30°C - 40°C	
Applicability	Pedestrian Access Door	
Fire Rated	YES	
Dimension of Main Body	Length - 179	Length - 179
	Overall Depth- 41.5	Overall Depth- 41.5
	Height- 63.5	Height- 63.5
Weight (kg)	0.905kg	0.905kg
Durability Test	500,000 cycles	

Code	Material	Finishing	Packing	(RM) / Unit
VSPDC-51	Aluminium	Silver	10 sets / ctn	90.00
VSPDC-51H	Aluminium	Silver	10 sets / ctn	108.00

DOOR CLOSER ACCESSORIES


VSP-066

Slide Arm (For 082)



VSP-067

Parallel Arm Bracket



VSP-068

Adjustable D Arm (Hold Open Arm)




Code	Material	Finishing	Packing	(RM) / Unit
VSP-066	Aluminium	Silver	10 sets / ctn	70.00
VSP-067	Steel	Silver	10 sets / ctn	27.00
VSP-068	Steel	Silver	10 sets / ctn	48.00

DOOR CLOSER

D-061



- The max width of door is 600 - 1200mm, suitable for the door weight of 45-60kg.
- The adjustable section of closing speed is 180° - 20° the adjustable section to locking is 20° - 0°.
- The painting plastic moving arm can protect from eroding : the excellent closing can protect from oil leakage.
- Super aluminium alloy casting machine and the three layers of brightness painting will protect is from oxygenation.
- Two hydraulic pressure valves control two sections of door closing separately the speed of locking have been control by the whole section of hydraulic pressure.
- The high-carbon steel axis and rack work smart and less transfigure after being managed through high channel adjusting.
- With a function of stopping at angle point of 90° and no angle point of 180°.
- Distance : 162mm x 19mm.




Code	Material	Finishing	Packing	(RM) / Unit
D-061	Aluminium	Silver	10 pcs / ctn	68.00
D-061H (NON-HOLD)	Aluminium	Silver	10 pcs / ctn	60.00

S.STEEL SECURITY SCREEN MESH & ALUMINIUM NETTING

SECURITY SCREEN MESH NET DOOR & WINDOW

The Stainless Steel Screen Mesh security system has been researched, designed and developed by VSP® to set a new standard in security doors and windows. With advanced engineering technology, researchers have achieved a unique and stylish design that also exceeds all relevant standards.



Code	Material	Finishing	Packing	(RM) / Unit
1200mm x 2400mm x 0.9mm	S.Steel SUS 304	Black	1 pcs / roll	1100.00
1500mm x 3000mm x 0.9mm	S.Steel SUS 304	Black	1 pcs / roll	1350.00

ALUMINIUM INSECT NET

Aluminium Insect Net is our coloured aluminium insect netting using advanced technology from the U.S.A. The material is greatly durable, designed to keep out small insects and tends to reduce glare for allowing an improved outward visibility.



UNIVERSE
ALUMINIUM

Black Aluminium Insect Net is available in 48" Only

Wire Mesh Per Inch (Mesh)	Wire Diameter (mm)	Length (m)
18 x 14	0.25	30

18 x 14 Mesh

Width Inch / (cm)	Approx. Weight (kg)
36" (91.4)	5.46
48" (121.9)	7.28




Made in Thailand

Code	Size	Material	Finishing	Packing	(RM) / Unit
ALUMINIUM INSECT NET	36'' (91.4cm)	Aluminium	Silver	1 roll / ctn	400.00
	48'' (121.9cm)				460.00
ALUMINIUM INSECT NET	48'' (121.9cm)	Aluminium	Black	1 roll / ctn	630.00
FIBREGLASS SCREENING	4ft x 100ft	Fibre Glass	Black / Grey	1 roll / ctn	380.00
	5ft x 100ft		Grey		475.00
	6ft x 100ft				550.00

SURFACE PROTECTION TAPE

PROTECTION TAPE



Made in Taiwan



Made in Taiwan

Physical Usage

It is use to protect surface against dirt, scratches during production handling, transporting and storing, specially for Aluminium, Stainless Steel, Plastic windows and door frame.

Material Surface Application

Surface to be applied must be clean, dry and do not have chemical and water marks.
The film must be applied without bubbles and excessive tension.

Storage

The tape must be apply within 6 months from date of delivery.

Physical Properties

Backing	SPVC
Adhesive	Rubber-Base Adhesive (non-corrosive)
Colour	Black
Total Thickness	110 micron +/- 2%
Width	1200 mm +/- %
Adhesive	100 gm / 25mm
Tensile Strength	6 kg / 25mm (min)
Elongation	150% (min)

*all statements, technical information and recommendations contained in our literature are base on test we believe to be reliable.

Code	Material	Finishing	Packing	(RM) / Unit
NIKEE 45 Meter	PVC	Black	1 roll / ctn	300.00
WONDER 65 Meter	PVC	Black	1 roll / ctn	455.00



Glass Surface
Protection Blue Tape



L216
Frosted Film

Code	Material	Finishing	Packing	(RM) / Unit
Glass Blue Tape x 200 meter	UV / PVC	Blue	2 rolls / ctn	562.00
L216 4' x 15 meter	PVC	White	2 rolls / ctn	300.00

VSP Floor Spring Certificate

Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.






- Proven, robust unit for higher door weight.
- Adjustable closing speed and latching speed.
- Quality valves mechanism to prevent oil leakage.
- High durability.
- Concealed installation for maximum visual elegance.




Installation Diagram

The diagram shows a three-bay portal frame structure. The left end is a fixed support. The first bay has a roller support at the bottom left and a vertical release at the top left. The second bay has a roller support at the bottom left and a vertical release at the top left. The third bay has a roller support at the bottom left and a vertical release at the top left. The right end is a fixed support. The diagram is labeled with 'V-30', 'V-40', 'V-20', 'V-10', and 'V-50' at various points, indicating specific values or conditions. The structure is supported by three 'Floor Spring' units at the bottom.



FLOOR SPRING

V-84







1. Closing range 130° - 0°
2. Closing range 130° - 25°
3. Hold open at 90°

Certificate No. : 0359-CPR-000534

Product Classification

3	8	3	1 ^c	1	3
---	---	---	----------------	---	---




Technical Info / Function	V-84			
Spring Tension	EN2	EN3	EN4	EN5
Closing Force (N m) 0° - 4°	13 - 18	18 - 26	26 - 37	37 - 54
Max Door Width (mm)	800	900	1100	1200
Max Door Weight (kg)	80	100	120	150
Max Open Angle	130°			
Hold Open	105° / 90°			
Closing Speed Adjustment	90° - 25°(A)		25° - 0°(B)	
Applicable Temperature	-20° - 45°C			
Product Weight (kg)	5.1	5.2	5.3	5.4
Durability Test	500,000 Cycles			
Tested EN 1154 / CE Mark	Yes			
Dimension of Cement Box (mm)	L	305 (319)		
	W	108		
	H	40.5		
Max Glass Thickness (mm)	12			

Code	Material	Finishing	Packing	(RM) / Unit
V84-EN2 A/L	S.Steel SUS 304	PSS	4 pcs / ctn	400.00
V84-EN3	S.Steel SUS 304	PSS	4 pcs / ctn	400.00
V84-EN4	S.Steel SUS 304	PSS	4 pcs / ctn	460.00
V84-EN5	S.Steel SUS 304	PSS	4 pcs / ctn	740.00
V84-EN3 NON-HOLD OPEN	S.Steel SUS 304	PSS	4 pcs / ctn	440.00

V-75V





Spindles



1. Adjustable closing speed 70° - 0°
2. Adjustable closing speed 15° - 0°
3. Fixed hold open at 90° or 105° optional
4. Closing force adjustment EN2 - EN4

Product Classification

3	8	4	1 ^c	1	3
		2 ^b			




Technical Info / Function		V-75V	
Spring Tension		EN2	EN4
Closing Force (N m) 0° - 4°		13 - 37	13 - 37
Max Door Width (mm)		1200	1200
Max Door Weight (kg)		150	150
Max Open Angle		180°	
Hold Open		105° / 90°	
Closing Speed Adjustment		70° - 15°	15° - 0°
Applicable Temperature		-20° - 45°C	
Product Weight (kg)		4.55	4.55
Durability Test		500,000 Cycles	
Tested EN 1154 / CE Mark		Yes	
Dimension of Cement Box (mm)		L	285 (309)
		W	82 (108)
		H	49.5
Max Glass Thickness (mm)		12	




Code	Material	Finishing	Packing	(RM) / Unit
V75V-EN2-4	S.Steel SUS 304	PSS	2 pcs / ctn	900.00

FLOOR SPRING

V-80



1. Max opening range 180° - 0°
2. Multiple hold area
3. Optional hold open range
4. Adjustable closing speed 70° - 15° / 15° - 0°




Technical Info / Function		V-80	
Spring Tension		EN4	EN6
Closing Force (N m) 0° - 4°		26 - 37	54 - 87
Max Door Width (mm)		1400	1400
Max Door Weight (kg)		300	300
Max Open Angle		180°	
Hold Open		105° / 90° Optional	140° / 180° Multiple Hold
Closing Speed Adjustment		70° - 15°	15° - 0°
Applicable Temperature		-20° - 45°C	
Product Weight (kg)		4.55	4.55
Durability Test		500,000 Cycles	
Tested EN 1154 / CE Mark		Yes	
Dimension of Cement Box (mm)	L	341 (359)	
	W	78 (105)	
	H	60	
Max Glass Thickness (mm)		12	

Code	Material	Finishing	Packing	(RM) / Unit
V80-EN4	S.Steel SUS 304	PSS	2 pcs / ctn	2000.00
V80-EN6	S.Steel SUS 304	PSS	2 pcs / ctn	2000.00

PATCH FITTINGS


VSP-V10

Door Bottom Fitting




VSP-V20

Door Top Fitting




VSP-V30

Door Frame Top Fitting



VSP-V40

Door Frame Top Fitting



Code	Material	Finishing	Packing	(RM) / Unit
VSP-V10	S.Steel / Zinc Die-Cast	PSS	8 pcs / ctn	70.00
VSP-V20	S.Steel / Zinc Die-Cast	PSS	8 pcs / ctn	70.00
VSP-V30	S.Steel / Zinc Die-Cast	PSS	20 pcs / ctn	130.00
VSP-V40	S.Steel / Zinc Die-Cast	PSS	20 pcs / ctn	160.00

P147

Hydraulic Floor Door Closer

New innovation for self closing frameless glass door. The hydraulic closer mechanism which fits within the patch fitting, and allows closing adjustment like a floor spring.



- Removes the need for pre-casting or cutting floor spring boxes, which creating concrete dust.
- Highly durable.
- Allows closing adjustment like a floor spring.
- Easy to install and maintain.
- Mounted directly to the floor making it more cost effective option for doors.

HYDRAULIC FLOOR DOOR CLOSER

VSP-V1


Hydraulic Floor Door Closer




Features

1. No need to make cavity on the ground, easy installation and saving labor.
2. Suitable for both indoor and outdoor use.
Maximum anti-wind rating up to grade 5, maximum load capacity: 150kgs.
3. Re-usable and maintenance free. It can be easily uninstalled without damage to the floor.
4. EN 1154 certified.
5. No water and dust accumulation, easy to clean.
6. SUS304 cover plate, rust resisting.


Product dimension



Base dimension




Drilling hole size



Glass cutout



Functional diagram



Items	Technical data
Dimension	177x94x55 mm
Maximum opening angle	340°double action
Material of hydraulic main part	Aluminium die-casting
Finish	Satin or Mirror
Closing force	EN 2#, EN 3#
Working temperature	-30°C ~ 60°C
Lifespan	500,000 cycles

Model Selection

Model No.	Finish	Material	Door Weight (kg)	Door Height (mm)	Door width (mm)	Door Thickness (mm)	Application	Remark
VSP-V1(S)	Satin	Hydraulic main part : aluminium die-casting Cover plate: SUS304	≤90	≤2200	≤900	10 ~ 15	Frameless tempered glass door	Matching selection : top patch, transom, side patch, top-pivot, patch lock etc.
VSP-V1(M)	Mirror							
VSP-V2(S)	Satin		≤130	≤2400	≤1200			
VSP-V2(M)	Mirror							

Code	Material	Finishing	Packing	(RM) / Unit
VSP-V1 (90kg)	S.Steel SUS 304	PSS	20 pcs / ctn	490.00
VSP-V2 (130kg)	S.Steel SUS 304	PSS	20 pcs / ctn	600.00

FLOOR SPRING


BTS-60

Spring Strength : EN4




BTS-75V

Spring Strength : EN2 - EN4 (Adjustable)
with Backcheck Function




BTS-80

Spring Strength : EN3 / EN4 / EN6 with
Backcheck & Delayed Action Function (Adjustable)



BTS-84

Spring Strength : EN2 / EN3 / EN4



Code	Material	Max. Door Weight (kg)	Max. Door Width (mm)	Packing	(RM) / Unit
BTS-60	Stainless Steel	80	900	4 pcs / ctn	590.00
BTS-75V	Stainless Steel	120	1100	4 pcs / ctn	1440.00
BTS-80	Stainless Steel	300	1400	4 pcs / ctn	3800.00
BTS-84	Stainless Steel	100	950	4 pcs / ctn	800.00

PATCH FITTINGS

US 10 CORNER LOCK



PT 10 BOTTOM PATCH



PT 20 TOP PATCH



A/L ACCESSORIES (100KG)



7421 BOTTOM STRAP (300KG)




PC 91

Double Cylinder



Code	Material	Finishing	Packing	(RM) / Unit
US 10	S. Steel 304	PSS	4 pcs / ctn	1077.00
PT 10	S. Steel 304	PSS	4 pcs / ctn	597.00
PT 20	S. Steel 304	PSS	4 pcs / ctn	597.00
A/L ACCS. 100KG	Zinc Die-Cast	PSS	20 pcs / ctn	210.00
7421	Zinc Die-Cast	PSS	20 pcs / ctn	280.00
PC 91	Solid Brass	CP	20 pcs / ctn	120.00

VVP FLOOR SPRING



Code	Door Size (mm)	Spring Tension
VVP 15	Up to 800	Light
VVP 20	Up to 1000	Medium
VVP 25	Up to 1200	Heavy
VVP 30	Up to 1500	Extra Heavy

VVP PATCH FITTING & ACCESSORIES



FT-10
Bottom Patch Fitting



FT-20
Top Patch Fitting



FT-50
Patch Lock with Cylinder



FT-40
Side Panel To Over Panel
Fitting with Pivot



A/L ACCS.
Top Centre with 15mm Pivot



AT-18

Code	Material	Finishing	Packing	(RM) / Unit
VVP 15mm FLOOR SPRING	S.Steel SUS 304	PSS	4 pcs / ctn	510.00
VVP 20mm FLOOR SPRING	S.Steel SUS 304	PSS	4 pcs / ctn	840.00
VVP 25mm FLOOR SPRING	S.Steel SUS 304	PSS	4 pcs / ctn	600.00
VVP 30mm FLOOR SPRING	S.Steel SUS 304	PSS	4 pcs / ctn	1100.00
FT-10	S.Steel SUS 304	PSS	40 pcs / ctn	80.00
FT-20	S.Steel SUS 304	PSS	40 pcs / ctn	80.00
FT-50	S.Steel SUS 304	PSS	20 pcs / ctn	260.00
FT-40	S.Steel SUS 304	PSS	20 pcs / ctn	260.00
A/L ACCESSORIES	S.Steel SUS 304	SS	20 pcs / ctn	80.00
AT-18	S.Steel SUS 304	SS	20 pcs / ctn	178.00

Spider Fittings

Spider glass building are a whole system of metal connector and fastener to connect between glass and spider fitting of modular building structure.

Reference Design Load Of Spider Fittings

Model	Design axial load capability of single arm (N) (Negative windload)	Design radial load capability of single arm (N) (Dead load)
S200-4	2000	1200

Point-fixed glass wall

Typical finish for stainless steel spider fittings

Instruction to the material of point-fixed glass wall fittings


The material of spider is stainless steel grade, the material of routel is stainless steel 304

The base of connectors is made of steel Q235


Suspension clamps and embedded parts for glass wall are made of steel ZG230-450H

Reference Design Load Of Spider Routel


Type	Model	Design axial load capability of single arm (N) (Negative windload)	Design radial load capability of single arm (N) (Dead load)	L
Flat Cap	TF-15	4500	2000	60
Countersunk	TF-11	4500	2000	64




Spider Fitting




Spider Fitting



Spider Fitting



Spider Fitting

P154

SPIDER FITTINGS

S200-3

Spider Fitting




S200-4

Spider Fitting



F210-4F

Spider Fitting



F210-2F

Spider Fitting




Code	Material	Finishing	Packing	(RM) / Unit
S200-3 ARM	S.Steel SUS 304	SS	5 pcs / ctn	156.00
S200-4 ARM	S.Steel SUS 304	SS	8 pcs / ctn	196.00
F210-4F ARM	S.Steel SUS 304	SS	6 pcs / ctn	262.00
F210-2F ARM	S.Steel SUS 304	SS	7 pcs / ctn	200.00

SPIDER FITTINGS


TC11

Routel (Countersunk)




TF-15

Routel (Flat Cap)




TF-82

Routel (Flat Cap-Fixed)



Z-14

Connector 70H



Code	Material	Finishing	Packing	(RM) / Unit
TC-11	S.Steel SUS 304	SS	24 pcs / ctn	68.00
TF-15	S.Steel SUS 304	SS	30 pcs / ctn	68.00
TF-82	S.Steel SUS 304	SS	36 pcs / ctn	60.00
Z-14	S.Steel SUS 304	SS	24 pcs / ctn	60.00

Shower Hinge

Increasingly for bath and shower enclosures, designers and homeowners look for a more modern, sleek and clean look in their bathrooms.



- Modern & contemporary design.
- Corrosion resistance.
- Solid build ensure higher durability.
- Easy to install and maintain.
- Designed for 90°, 135° and 180° cubicle.




SHOWER GLASS DOOR *HINGE*

TECHNICAL SPECIFICATIONS



Installation Instruction :

- Fix up the position of the glass door hinge and mark the incision position on the glass.
- Incising the glass according to the specification of the glass door hinge (As the glass Incision Illustration below:).
- Fill up the gap between the fixure and the active board of glass door hinge with the asbestos cushion in turn to clamp the glass.
- Tighten the screws.



Installation Standards :

- Max. Capacity : 45kgs
- Glass Material : Tempered Glass
- On-off Frequency : 100k times
- Glass Thickness : 8mm to 12mm
- Feature : The door returns to self-closing state while the distance between the door frame and the door is 30°
- Note : Do not go beyond maximum door weight or width when choosing proper quality hinges



Maximum Capacity	8mm (5/16")		10mm (3/8")	
	Weight	Door Width	Weight	Door Width
Using 2 Hinges	36kg (80 lbs)	711mm (28")	36kg (80 lbs)	711mm (28")
Using 3 Hinges	54kg (120 lbs)	813mm (32")	54kg (120 lbs)	813mm (32")

BRASS SHOWER GLASS DOOR *HINGE*

SH-01

Glass To Glass (90°)



SH-02

Glass To Glass (135°)



SH-03

Glass To Glass (180°)



SH-04

Glass To Wall (90°)



Code	Material	Finishing	Packing	(RM) / Unit
SH-01	Brass	CP	20 pcs / ctn	165.00
SH-02	Brass	CP	20 pcs / ctn	165.00
SH-03	Brass	CP	20 pcs / ctn	160.00
SH-04	Brass	CP	20 pcs / ctn	96.00

BRASS SHOWER GLASS DOOR *HINGE*


SH-05

Glass To Wall (90°)



SH-06

Glass To Wall (135°)



Code	Material	Finishing	Packing	(RM) / Unit
SH-05	Brass	CP	20 pcs / ctn	96.00
SH-06	Brass	CP	20 pcs / ctn	108.00

BRASS SHOWER GLASS DOOR *HINGE*

SH-401

Glass To Glass (90°)



SH-402

Glass To Glass (135°)



SH-403

Glass To Glass (180°)



SH-404

Glass To Wall (90°)



Code	Material	Finishing	Packing	(RM) / Unit
SH-401	Brass	CP	20 pcs / ctn	165.00
SH-402	Brass	CP	20 pcs / ctn	165.00
SH-403	Brass	CP	20 pcs / ctn	160.00
SH-404	Brass	CP	20 pcs / ctn	96.00

S/STEEL SHOWER GLASS DOOR *HINGE*

SH-201-S

Glass To Glass (90°)



SH-202-S

Glass To Glass (135°)



SH-203-S

Glass To Glass (180°)







SH-204-S


Glass To Wall (90°)



Code	Material	Finishing	Packing	(RM) / Unit
SH-201-S	S.Steel SUS 304	SS	20 pcs / ctn	160.00
SH-202-S	S.Steel SUS 304	SS	20 pcs / ctn	160.00
SH-203-S	S.Steel SUS 304	SS	20 pcs / ctn	158.00
SH-204-S	S.Steel SUS 304	SS	20 pcs / ctn	92.00
SH-9003-P	S.Steel SUS 304	PSS	20 pcs / ctn	165.00
SH-9004-P	S.Steel SUS 304	PSS	20 pcs / ctn	96.00





PVC SEALING STRIPS


WS-01

WS-02

WS-03

WS-04

WS-05

WS-06


Code	Size	Material	Finishing	Packing	(RM) / Unit
WS-01	10mm x 2.5m	PVC	Clear	140 pcs / ctn	18.00
WS-02	10mm x 2.5m	PVC	Clear	140 pcs / ctn	17.00
WS-02	12mm x 2.5m	PVC	Clear	140 pcs / ctn	28.00
WS-03	10mm x 2.5m	PVC	Clear	140 pcs / ctn	17.00
WS-03	12mm x 2.5m	PVC	Clear	140 pcs / ctn	28.00
WS-04	10mm x 2.5m	PVC	Clear	140 pcs / ctn	18.00
WS-05	10mm x 2.5m	PVC	Clear	140 pcs / ctn	18.00
WS-05	12mm x 2.5m	PVC	Clear	140 pcs / ctn	28.00
WS-06	10mm x 2.5m	PVC	Clear	140 pcs / ctn	20.00

SHOWER HEADER & ACCESSORIES

WS-07

WS-08

WS-09

WS-10

WS-11

WS-12


Code	Size	Material	Finishing	Packing	(RM) / Unit
WS-07	10mm x 2.5m	Magnet / PVC	Clear	50 pairs / ctn	76.00
WS-08	10mm x 2.5m	Magnet / PVC	Clear	50 pairs / ctn	76.00
WS-09	10mm x 2.5m	Magnet / PVC	Clear	50 pairs / ctn	76.00
WS-10	10mm x 2.5m	PVC	Clear	100 pcs / ctn	18.00
WS-11	10mm x 2.5m	PVC	Clear	50 pcs / ctn	54.00
WS-12	10mm x 2.5m	PVC	Clear	50 pcs / ctn	18.00

BRASS SHOWER *STABILIZER*

SS-901

Shower Glass Clip



Size	A	B	C
SS-901-19	Ø 19	Ø 32	Ø 32

SS-902

Shower Glass Clip



Size	A	B	C
SS-902-19	Ø 19	Ø 26	Ø 55

SS-903

Shower Glass Clip



Size	A	B	C
SS-903-19	Ø 19	Ø 26	Ø 53

SS-904

Shower Glass Clip




Size	A	B	C
SS-904-19	Ø 19	Ø 26	Ø 60

Code	Material	Finishing	Packing	(RM) / Unit
SS-901-B	Zinc Alloy	CP	100 pcs / ctn	22.50
SS-901	Solid Brass	CP	100 pcs / ctn	24.00
SS-902	Solid Brass	CP	100 pcs / ctn	46.00
SS-903-B	Zinc Alloy	CP	100 pcs / ctn	24.00
SS-903	Solid Brass	CP	100 pcs / ctn	26.00
SS-904	Solid Brass	CP	100 pcs / ctn	32.00

BRASS SHOWER *STABILIZER*

SS-905

Shower Glass Clip



Size	A	B	C
SS-905-19	Ø 19	Ø 26	Ø 53

SS-906


Shower Adjustable Glass Clip



Size	A
SS-906-19	Ø 19

SS-907

Shower Glass Clip



Size	A	B	C
SS-907-19	Ø 19	Ø 26	Ø 53



SS-908

Shower Glass Clip



GCT-101

T-Shape Glass Clip



Code	Material	Finishing	Packing	(RM) / Unit
SS-905	Solid Brass	CP	100 pcs / ctn	28.00
SS-906-B	Zinc Alloy	CP	100 pcs / ctn	34.00
SS-906	Solid Brass	CP	100 pcs / ctn	39.40
SS-907	Solid Brass	CP	100 pcs / ctn	27.00
SS-908	Solid Brass	CP	100 pcs / ctn	25.00
GCT-101	Stainless Steel	SS	50 pcs / ctn	58.00

BRASS GLASS CONNECTORS

GC-01

GTW 90°



GC-02

GTG 90°



GC-03

GTG 135°



GC-04

GTG 180°



GC-05

GTG 180°



GC-06

GTG 90°



Code	Material	Finishing	Packing	(RM) / Unit
GC-01	Solid Brass	CP	100 pcs / ctn	32.00
GC-02	Solid Brass	CP	100 pcs / ctn	30.00
GC-03	Solid Brass	CP	100 pcs / ctn	40.00
GC-04	Solid Brass	CP	100 pcs / ctn	30.00
GC-05	Solid Brass	CP	100 pcs / ctn	40.00
GC-06	Solid Brass	CP	100 pcs / ctn	40.00

GLASS CLIP

GC-07

Glass Clip (Round)



GC-08

Glass Clip



GC-09

Glass Clip



Code	Size	Material	Finishing	Packing	(RM) / Unit
GC-07	12mm	Zinc Alloy	CP	200 pcs / ctn	8.80
GC-08	12mm	Zinc Alloy	CP	300 pcs / ctn	5.20
GC-08	12mm	Brass	CP	300 pcs / ctn	14.00
GC-09	12mm	Zinc Alloy	CP	150 pcs / ctn	9.00

GLASS CLIP

GC-171

Glass Clip (90°) (L-Shape)



GC-172

Glass Clip (H-Shape)



GC-175

Glass Clip (180°) (T-Shape)



GC-176

Glass Clip (Cross Shape)




Code	Material	Finishing	Packing	(RM) / Unit
GC-171	Aluminium	Silver	100 pcs / ctn	20.00
GC-172	Aluminium	Silver	100 pcs / ctn	20.00
GC-175	Aluminium	Silver	100 pcs / ctn	22.00
GC-176	Aluminium	Silver	100 pcs / ctn	25.00

GLASS DOOR LOCK


DL-04-GR

Shower Door Latch




DL-04A-WR

Shower Door Latch




DL-05-GS

Shower Door Latch



DL-05A-WS

Shower Door Latch



Code	Material	Finishing	Packing	(RM) / Unit
DL-04-GR	Brass	CP	100 sets / ctn	110.00
DL-04A-WR	Brass	CP	100 sets / ctn	90.00
DL-05-GS	S.Steel SUS 304	PSS	100 sets / ctn	110.00
DL-05A-WS	S.Steel SUS 304	PSS	100 sets / ctn	90.00

SHOWER HEADER & ACCESSORIES


HEADER ROUND GROOVE



Length

12ft / 19ft


HEADER SQUARE GROOVE




Length

12ft / 19ft

HEADER ADJUSTABLE BRACKET



FIXED ANGLE



Code	Size	Material	Finishing	Packing	(RM) / Unit
HEADER ROUND GROOVE	12 ft	Aluminium	CP	10 pcs / ctn	200.00
HEADER ROUND GROOVE	19 ft	Aluminium	CP	10 pcs / ctn	310.00
HEADER SQUARE GROOVE	12 ft	Aluminium	CP	10 pcs / ctn	180.00
HEADER SQUARE GROOVE	19 ft	Aluminium	CP	10 pcs / ctn	290.00
HEADER ADJUSTABLE BRACKET	-	Mix Steel	SS	1000 pcs / ctn	5.60
FIXED ANGLE	-	Mix Steel	SS	1000 pcs / ctn	3.00

SHOWER HEADER & ACCESSORIES

ALUMINIUM U CHANNEL



Length

12ft

STAINLESS STEEL U CHANNEL

Stainless Steel U Channel
(Hairline & Polished)



Length

8ft

HEADER U CHANNEL



Length

6ft

S/STEEL TUBE



Length

20ft

4" U CHANNEL



Length

20ft



Code	Size	Material	Finishing	Packing	(RM) / Unit
ALUMINIUM U CHANNEL	12 ft	Aluminium	CP	24 pcs / ctn	68.00
STAINLESS STEEL U CHANNEL	8 ft	Aluminium	PSS	10 pcs / ctn	46.00
STAINLESS STEEL U CHANNEL	8 ft	Aluminium	SS	10 pcs / ctn	46.00
HEADER U CHANNEL	6 ft	Aluminium	CP	50 pcs / ctn	24.30
STAINLESS STEEL ROUND TUBE	20 ft	Stainless Steel	CP	20 pcs / ctn	150.00
4" U CHANNEL	20 ft	Aluminium	SS	5 pcs / ctn	240.00

GLASS DOOR LOCK

VSP-014

Glass To Wall



VSP-014K

Glass To Glass



Code	Material	Finishing	Packing	(RM) / Unit
VSP-014	Brass	CP	20 pcs / ctn	194.00
VSP-014K	Brass	CP	20 pcs / ctn	260.00

GLASS DOOR LOCK

DL-01

Glass To Glass Single / Double Key



DL-01-A

Glass To Wall (Side) Single / Double Key



DL-02

Bathroom Lock Thumbturn



DL-02-A

Bathroom Lock (Side)



DL-03

Glass Door Lock Single / Thumbturn



DL-03-A

Glass Door Lock (Side) Single / Double Key




Code	Type	Material	Finishing	Packing	(RM) / Unit
DL-01	Single Key	S.Steel SUS 304	SS	20 pcs / ctn	131.20
	Double Key				131.20
DL-01-A	Single Key	S.Steel SUS 304	SS	20 pcs / ctn	89.30
	Double Key				89.30
DL-02	Thumbturn	SS / Zinc Alloy	CP	40 pcs / ctn	131.20
DL-02-A	Thumbturn	SS / Zinc Alloy	CP	40 pcs / ctn	89.30
DL-03	Single & Thumbturn	S.Steel SUS 304	SS	20 pcs / ctn	131.20
DL-03-A	Single Key	S.Steel SUS 304	SS	20 pcs / ctn	89.30
	Double Key				89.30

BRASS DOOR *KNOB*

DK-01


Door Knob



Hole Size Ø10

DK-02


Door Knob



Hole Size Ø10

DK-03


Door Knob



Hole Size Ø10

DK-04

Door Knob



Hole Size Ø10

DK-05


Door Knob



Hole Size Ø10

DK-06

Door Knob



Hole Size Ø10

Code	Material	Finishing	Packing	(RM) / Unit
DK-01	Solid Brass	CP	100 pcs / ctn	30.00
DK-02	Solid Brass	CP	100 pcs / ctn	44.00
DK-03	Solid Brass	CP	100 pcs / ctn	44.00
DK-04	Solid Brass	CP	100 pcs / ctn	44.00
DK-05	Solid Brass	CP	100 pcs / ctn	44.00
DK-06	Solid Brass	CP	100 pcs / ctn	44.00

Modern Sliding Glass Door

Modern sliding doors are commonly used as shower doors, glass doors, screen doors, and wardrobe doors.



MODERN SLIDING GLASS DOOR

SLIDING GLASS DOOR

Sliding Glass Door Installation Details





Daylight Opening	Entry Width	Door Width	Overpanel Width
910 - 1010mm	800 - 900mm	960 - 1060mm	2038mm
910 - 1010mm	900 - 1010mm	1060 - 1160mm	2238mm
910 - 1010mm	1000 - 1100mm	1160 - 1260mm	2438mm
910 - 1010mm	1100 - 1200mm	1260 - 1360mm	2638mm

Attentions

The distance for clamp fixing for track, wall fixing:

1. Weight 80kg max-distance between the clamps
= **1/2 the width of the door.**
2. Weight 80kg - 120kg max-distance between the clamps
= **1/3 the width of the door.**
3. Weight 120kg - 150kg max-distance between the clamps
= **1/4 the width of the door.**


Open Hole Measurements



MODERN SLIDING GLASS DOOR

SA-83G-1


Sliding Door Hanger - Glass Max. Weight 300kg



Hole Size Ø26mm

SA-83A-1B

Sliding Door Roller - Glass Max. Weight 150kg



Hole Size Ø26mm

SA-83A-1C

Shower Door - Glass Max. Weight 150kg



Hole Size Ø26mm

Installing

SA-83G-1



SA-83A-1B



SA-83A-1C



Code	Material	Finishing	Packing	(RM) / Unit
SA-83G-1	S.Steel SUS 304	SS	20 pcs / ctn	700.00
SA-83A-1B	S.Steel SUS 304	SS	20 pcs / ctn	340.00
SA-83A-1C	S.Steel SUS 304	SS	20 pcs / ctn	400.00

MODERN SLIDING GLASS DOOR


SA-83A-2

Clamp For Pipe / Tube - The Connection with Wall




SA-83A-4-R/L

Stopper



SA-83A-6

Vertical Fixing Connector




SA-83A-3

Clamp For Pipe / Tube - The Connection with Wall




SA-83A-5A

Sliding Door Guide



SA-83A-7


Fixing Connector Between Tube And Wall




SA-83A-2



SA-83A-3



SA-83A-4-R/L




SA-83A-5A



SA-83A-6



SA-83A-7



Code	Material	Finishing	Packing	(RM) / Unit
SA-83A-2	S.Steel SUS 304	SS	50 pcs / ctn	60.00
SA-83A-3	S.Steel SUS 304	SS	50 pcs / ctn	70.00
SA-83A-4-R/L	S.Steel SUS 304	SS	50 pcs / ctn	60.00
SA-83A-5A	S.Steel SUS 304	SS	200 pcs / ctn	22.00
SA-83A-6	S.Steel SUS 304	SS	10 pcs / ctn	100.00
SA-83A-7	S.Steel SUS 304	SS	50 pcs / ctn	84.00

MODERN SLIDING GLASS DOOR

SA-83A-8

Cover For The Ends Of Tube



SA-83A-8A

Tube



Size 2.5 4.0 6.0 Meter

SA-83A-10

Double-Clamp For Pipe / Tube - The Connection with Wall



SA-83A-12

Glass To Tube Support Bracket Insert STD



Hole Size Ø28mm

SA-83A-15

Top 90 Degrees Glass / Tube Connector



SA-83A-16

Top Tee Glass / Tube Connector



SA-83A-8


SA-83A-8A

SA-83A-10

SA-83A-12

SA-83A-15

SA-83A-16



Code	Material	Finishing	Packing	(RM) / Unit
SA-83A-8	S.Steel SUS 304	SS	100 pcs / ctn	23.00
SA-83A-8A 2.5m	S.Steel SUS 304	SS	-	400.00
SA-83A-8A 4.0m	S.Steel SUS 304	SS	-	560.00
SA-83A-8A 6.0m	S.Steel SUS 304	SS	-	840.00
SA-83A-10	S.Steel SUS 304	SS	10 pcs / ctn	200.00
SA-83A-12	S.Steel SUS 304	SS	10 pcs / ctn	82.00
SA-83A-15	S.Steel SUS 304	SS	50 pcs / ctn	220.00
SA-83A-16	S.Steel SUS 304	SS	50 pcs / ctn	68.00

MODERN SLIDING SHOWER ENCLOSURE

SA-83A-17

Sliding Door Stop For Anti Jump



SA-83A-20

Glass To Tube Support Bracket Insert STD



Hole Dimension Ø28

SA-83A-23

Sliding Door Stop For Wheel



SA-83A-18

Sliding Door Stop For Wheel



SA-83A-21

Tube Corner Insert




SA-83D-2

Curving Fixing Connector



Hole Dimension Ø26

SA-83A-17



SA-83A-18



SA-83A-20



SA-83A-21



SA-83A-23



SA-83D-2



Code	Material	Finishing	Packing	(RM) / Unit
SA-83A-17	S.Steel SUS 304	SS	50 pcs / ctn	132.00
SA-83A-18	S.Steel SUS 304	SS	50 pcs / ctn	108.00
SA-83A-20	S.Steel SUS 304	SS	200 pcs / ctn	110.00
SA-83A-21	S.Steel SUS 304	SS	30 pcs / ctn	168.00
SA-83A-23	S.Steel SUS 304	SS	10 pcs / ctn	228.00
SA-83D-2	S.Steel SUS 304	SS	5 pcs / ctn	218.00

MODERN SLIDING GLASS DOOR *FITTINGS*

SA-86A-1

Sliding Glass Door Roller Hanger



SA-86A-3

Track Mounted Door Stop



SA-86A-4

Single Track End Cap



SA-86B-1

Aluminium Track






SA-83A-5A

Sliding Door Guide



SET 1



Note : TW=Tube Length / DW=Door Width / EW=Entry Width

Code	Size	Necessary Acc. No.	(RM) / Unit
SA-86A-1 SET	2.5 mtr	SA-86A-1 x 2 / SA-86A-3 x 2 / SA-86A-4 x 2 / SA-83A-5A x 1 / SA-86B-1 x 1	480.00
	4.0 mtr	SA-86A-1 x 4 / SA-86A-3 x 4 / SA-86A-4 x 2 / SA-83A-5A x 2 / SA-86B-1 x 1	740.00
	6.0 mtr	SA-86A-1 x 4 / SA-86A-3 x 4 / SA-86A-4 x 2 / SA-83A-5A x 2 / SA-86B-1 x 1	820.00

SLIDING DOOR TIMBER MOVING GATE

SA-86C-3

Sliding Glass Door Top Roller



SA-86A-3

Track Mounted Door Stop



SA-86A-4

Single Track End Cap



SA-86B-1

Aluminium Track




SA-86G-8

Bottom Guide






SET 2



Code	Size	Necessary Acc. No.	(RM) / Unit
SA-86C-3 SET	2.5 mtr	SA-86C-3 x 2 / SA-86A-3 x 2 / SA-86A-4 x 2 / SA-86G-8 x 1 / SA-86B-1 x 1	480.00
	4.0 mtr	SA-86C-3 x 4 / SA-86A-3 x 4 / SA-86A-4 x 2 / SA-86G-8 x 2 / SA-86B-1 x 1	740.00
	6.0 mtr	SA-86C-3 x ? / SA-86A-3 x 4 / SA-86A-4 x 2 / SA-86G-8 x 2 / SA-86B-1 x 1	820.00

MODERN SLIDING GLASS DOOR *FITTINGS*



Hole Dimension of Glass

SA-86C-1

Track Mounted Door Stop



105kg

SA-86B-4

Track



SA-86A-4A/L

Track End Cap Left



SA-86A-4A/R

Track End Cap Right



SA-86A-3

Track Mounted Door Stop




SA-83A-5A

Sliding Door Guide



Note : TW=Tube Length / DW=Door Width / EW=Entry Width
Aluminium Top Track / Size : 25meter / 4.0 meter




Code	Size	Necessary Acc. No.	(RM) / Unit
SA-86C-1 SET	2.5 mtr	SA-86C-1 x 2 / SA-86B-4 x 1 / SA-86A-4A/L x 1 / SA-86A-4A/R x 1 / SA-86A-3 x 2 / SA-83A-5A x 1	610.00
	4.0 mtr	SA-86C-1 x 4 / SA-86B-4 x 1 / SA-86A-4A/L x 1 / SA-86A-4A/R x 1 / SA-86A-3 x 4 / SA-83A-5A x 2	1080.00

Code	Size	Material	Finishing	Packing	(RM) / Unit
SA-86B-4	2.5 mtr	Aluminium	Silver	10 pcs / ctn	233.00
	4.0 mtr				362.00

MODERN SLIDING GLASS DOOR

SA-86B-1

Single Track




SA-86B-2

Double Track



SA-86B-3

Single Track For Fixed Side Panel



Code	Size	Material	Finishing	Packing	(RM) / Unit
SA-86B-1	2.5 mtr	Aluminium	Silver	10 pcs / ctn	223.00
	4.0 mtr				320.00
	6.0 mtr				480.00
SA-86B-2	2.5 mtr	Aluminium	Silver	6 pcs / ctn	283.00
	4.0 mtr				398.00
	6.0 mtr				562.00
SA-86B-3	2.5 mtr	Aluminium	Silver	8 pcs / ctn	249.00
	4.0 mtr				378.00
	6.0 mtr				498.00

MODERN SLIDING GLASS DOOR


SA-86A-4

Single Track End Cap




SA-86A-5

Track To Wall Bracket



SA-83A-5A

Sliding Door Guide



SA-86A-13

Track Mounted Door Stop with Hold Open / Closed



SA-86A-14

Single 90 Degrees Track Connector



SA-86A-15

Single Wall To Track Connector



Code	Material	Finishing	Packing	(RM) / Unit
SA-86A-4	PVC	Black	100 pcs / ctn	19.00
SA-86A-5	Stainless Steel	SS	100 pcs / ctn	23.50
SA-83A-5A	S.Steel SUS 304	SS	200 pcs / ctn	22.00
SA-86A-13	PVC	White	100 pcs / ctn	18.00
SA-86A-14	PVC	White	100 pcs / ctn	18.00
SA-86A-15	PVC	White	100 pcs / ctn	16.00

PULL HANDLE

SA-86A-7

Sliding Door Handle



SA-86A-8

Sliding Door Lock (Glass To Glass)



SA-86A-9

Sliding Door Lock (Wall To Glass)



SA-86A-19

Sliding Door Handle



SA-86A-9S

Sliding Door Handle




A-17

Sliding Door Handle




Code	Material	Finishing	Packing	(RM) / Unit
SA-86A-7	S.Steel SUS 304	SS	100 sets / ctn	74.00
SA-86A-8	S.Steel SUS 304	SS	100 sets / ctn	246.00
SA-86A-9	S.Steel SUS 304	SS	100 sets / ctn	246.00
SA-86A-19	S.Steel SUS 304	SS	100 sets / ctn	88.00
SA-86A-9S	S.Steel SUS 304	SS	100 sets / ctn	60.00
A-17	S.Steel SUS 304	SS	100 sets / ctn	60.00

MODERN GLASS DOOR LOCK




SA-86A-13D

Lock Keeper




SA-86A-13A

Outside Glass Door Lock



SA-86A-13C

Lock Keeper




SA-86A-13A

Outside Glass Door Lock



Hole Dimension - Outside Glass Door Lock



Code	Material	Finishing	Packing	(RM) / Unit
SA-86A-13D + SA-86A-13A	S.Steel SUS 304 / Zinc Alloy	SS	10 sets / ctn	593.00
SA-86A-13A + SA-83A-13C	S.Steel SUS 304 / Zinc Alloy	SS	10 sets / ctn	284.00
SA-86A-13A + SA-83A-13B	S.Steel SUS 304 / Zinc Alloy	SS	10 sets / ctn	473.00



Sliding Shower Glass Door

Sliding glass shower doors feature thick tempered glass. Take advantage of our modern accessories which come in 90° and 180° options.



- Modern & contemporary design.
- Corrosion resistance.
- Easy to install and maintain.
- Designed for 90° and 180° cubicle.
- Unique systems.

S.STEEL SLIDING SHOWER DOOR



30 x 10 Installation of square pipe with jumping-proof pillar.

A002-1-2

Top Roller



A002-2-2

Hollow Locator



A002-5-2

Stopper



A-001-3-1

Connector



A002-4-2

Fix Connector



A002-3-2

Glass Locator



A002-8-1

S.Steel Hollow



SA-83A-5A

Sliding Door Guide



A-17

Door Handle



Hole Size Ø45

Code	Accs. Nos			Material	Finishing	Packing	(RM) / Unit
90° SET (60kg)	A002-1-2 x (4pcs)	A002-2-2 x (4pcs)	A002-5-2 x (4pcs)	S.Steel SUS 304	PSS	10 sets / ctn	1320.00
	A001-3-1 x (1pcs)	A002-4-2 x (2pcs)	A002-3-2 x (4pcs)				
	SA-83A-5A x (2pcs)	A17 x (2pcs)	A002-8-1 x (1pcs) <i>2.5mtr</i>				
180° SET (60kg)	A002-1-2 x (2pcs)	A002-2-2 x (2pcs)	A002-5-2 x (2pcs)	S.Steel SUS 304	PSS	10 sets / ctn	686.00
	A002-4-2 x (2pcs)	A002-3-2 x (2pcs)	SA-83A-5A x (1pcs)				
	A17 x (1pcs)	A002-8-1 x (1pcs) <i>1.8mtr</i>					



Aluminium Top Track



Stopper R/L



Top Roller



Hole Size Ø14

Bracket



Floor Guide





PVC Connector



Door Handle



Hole Size Ø45




Code		Accs. Nos		Size / Material	Finishing	Packing	(RM) / Unit
SD-200 90° SET	ASD-100 x (1pcs)	ASD-102 x (4pcs)	ASD-103 x (4pcs)	2 mtr	CP	5 sets / ctn	510.00
	ASD-104 x (2pcs)	ASD-105 x (2pcs)	ASD-101 x (1pcs)	3 mtr			626.00
SD-100 180° SET	ASD-100 x (1pcs)	ASD-102 x (2pcs)	ASD-103 x (2pcs)	2 mtr	CP	8 sets / ctn	430.00
	ASD-104 x (2pcs)	ASD-105 x (1pcs)		3 mtr			520.00
A-17				S.Steel SUS 304	SS	20 pcs / ctn	60.00
ASD-100 (2 meter)				Aluminium	CP	4 pcs / ctn	196.00
ASD-100 (3 meter)				Aluminium	CP	4 pcs / ctn	300.00

MOVABLE GLASS PARTITION SYSTEM

SA-87C-1

Top Track



Folding door clip
equipped with
pulley and
bottom lock.

Max. Door
Leaf Height
2500mm

Max. Door
Leaf Width
900mm

Max. Door
Leaf Load
90kg

Folding door leaf
equipped with
pulley and
bottom bolt

Max. Door
Leaf Height
2500mm

Max. Door
Leaf Width
900mm

Max. Door
Leaf Load
90kg

Folding door leaf
equipped with
pulley and
bottom bolt.

Max. Door
Leaf Height
2500mm

Max. Door
Leaf Width
900mm

Max. Door
Leaf Load
90kg

End door leaf
equipped with
wall fixation hinge
and bottom bolt.

Max. Door
Leaf Height
2500mm


Max. Door
Leaf Width
900mm

Code	Size	Material	Finishing	Packing	(RM) / Unit
SA-87C-1	2.5 mtr	Aluminium	SS	10 pcs / ctn	380.00
	4.0 mtr				570.00
	6.0 mtr				860.00

MOVABLE GLASS PARTITION SYSTEM


SA-85H-7

Glass To Glass Hinge




SA-85H-8

Glass To Wall Hinge



SA-87B-1

Folding Door Top Roller




SA-7060

Corner Lock




SA-7123

Glass Door Bolt



SA-7124

Bolt Sleeve




Code	Material	Finishing	Packing	(RM) / Unit
SA-85H-7	S.Steel SUS 304	SS	10 pcs / ctn	358.00
SA-85H-8	S.Steel SUS 304	SS	10 pcs / ctn	198.00
SA-87B-1	S.Steel SUS 304	SS	10 pcs / ctn	310.00
SA-7060	S.Steel SUS 304	SS	10 pcs / ctn	298.00
SA-7123	S.Steel SUS 304	SS	10 pcs / ctn	198.00
SA-7124	S.Steel SUS 304	SS	10 pcs / ctn	36.00

MOVABLE GLASS PARTITION SYSTEM

FOLDING PARTITION

Folding Partition Details And Diagram



Folding door clip equipped with pulley, lower column clip and lock catch.

Max. Door Leaf Height
2500mm

Max. Door Leaf Width
900mm

Max. Door Leaf Load
90kg

Folding door leaf equipped with pulley, lower column clip and lock latch.

Max. Door Leaf Height
2500mm

Max. Door Leaf Width
900mm

Max. Door Leaf Load
90kg

Folding door leaf equipped with pulley and bottom bolt.

Max. Door Leaf Height
2500mm

Max. Door Leaf Width
900mm

Max. Door Leaf Load
90kg

End door leaf equipped with upper and lower fixing clips and bottom bolt

Max. Door Leaf Height
2500mm

Max. Door Leaf Width
900mm


Max. Door Leaf Load
90kg



MOVABLE GLASS PARTITION SYSTEM

SA-87A-6

Glass Door Hinge




SA-87A-11

Folding Door Side Roller



SA-87A-13

Glass Door Bolt




SA-87A-10

Folding Door Mid Roller



SA-87A-12

Lower Column Clip



SA-87A-14

Lower Column Clip




Code	Material	Finishing	Packing	(RM) / Unit
SA-87A-6	S.Steel SUS 304	SS	10 pcs / ctn	402.00
SA-87A-10	S.Steel SUS 304	SS	10 pcs / ctn	556.00
SA-87A-11	S.Steel SUS 304	SS	10 pcs / ctn	358.00
SA-87A-12	S.Steel SUS 304	SS	10 pcs / ctn	425.00
SA-87A-13	S.Steel SUS 304	SS	10 pcs / ctn	578.00
SA-87A-14	S.Steel SUS 304	SS	10 pcs / ctn	231.00

MOVABLE GLASS PARTITION SYSTEM

SA-87A-16

Upper Fixing Clip



SA-87A-17

Lower Fixing Clip



SA-87A-18R

Glass Door Bolt



SA-87A-18L

Glass Door Bolt



SA-87C-1

Top Track



SA-87A-15

Bottom Track




Code	Size	Material	Finishing	Packing	(RM) / Unit
SA-87A-16	-	S.Steel SUS 304	SS	10 pcs / ctn	300.00
SA-87A-17	-	S.Steel SUS 304	SS	10 pcs / ctn	312.00
SA-87A-18R	-	S.Steel SUS 304	SS	10 pcs / ctn	345.00
SA-87A-18L	-	S.Steel SUS 304	SS	10 pcs / ctn	345.00
SA-87C-1	2.5 mtr	Aluminium	SS	10 pcs / ctn	380.00
	4.0 mtr				570.00
	6.0 mtr				860.00
SA-87A-15	2.5 mtr	S.Steel SUS 304	SS	10 pcs / ctn	400.00
	4.0 mtr				600.00
	6.0 mtr				900.00

HANDRAIL SERIES

VSP-LQ-05

VSP-LQ-07

VSP-LQ-03


Code	Standard Height (mm)	Material	Finishing	Packing	(RM) / Unit
VSP-LQ-05	1050	S.Steel SUS 304	SS	10 pcs / ctn	223.00
VSP-LQ-07	1050	S.Steel SUS 304	SS	10 pcs / ctn	248.00
VSP-LQ-03 (H)	750	S.Steel SUS 304	SS	10 pcs / ctn	292.00
VSP-LQ-03 (C)	750	S.Steel SUS 304	SS	10 pcs / ctn	292.00
VSP-LQ-03 (E)	750	S.Steel SUS 304	SS	10 pcs / ctn	348.00

HANDRAIL SERIES

VSP-1805

VSP-1810

VSP-1802


VSP-1814


Code	Material	Finishing	Packing	(RM) / Unit
VSP-1805	S.Steel SUS 304	SS	50 pairs / ctn	68.00
VSP-1810	S.Steel SUS 304	SS	50 pairs / ctn	68.00
VSP-1802	S.Steel SUS 304	SS	50 pairs / ctn	40.00
VSP-1814	S.Steel SUS 304	SS	50 pairs / ctn	40.00
VSP-1512	S.Steel SUS 304	SS	50 pairs / ctn	32.00

HANDRAIL SERIES

VSP-800-A

Double Side Connector (180°)



Hole Size Ø15

VSP-800-B


Single Side Connector



Hole Size Ø15

VSP-800-C

Double Side Connector (90°)



Hole Size Ø15




Code	Material	Finishing	Packing	(RM) / Unit
VSP-800-A	S.Steel SUS 304	SS	50 pairs / ctn	40.00
VSP-800-B	S.Steel SUS 304	SS	50 pairs / ctn	37.00
VSP-800-C	S.Steel SUS 304	SS	50 pairs / ctn	40.00

BALUSTRADE SPIGOTS

VSP-BS-R-210


Glass Fencing Spigots



Hole Size Ø15


VSP-BS-R-1000

Glass Fencing Spigots - Non Open Hole



VSP-BS-S-220


Glass Fencing Spigots




Hole Size Ø15

VSP-BS-S-1500

Glass Fencing Spigots - Non Open Hole



VSP-BS-I-358




Code	Material	Finishing	Packing	(RM) / Unit
VSP-BS-R-210	S.Steel SUS 304	PSS	6 pcs / ctn	262.00
VSP-BS-R-1000	S.Steel SUS 304	PSS	8 pcs / ctn	346.00
VSP-BS-S-220	S.Steel SUS 304	SS	6 pcs / ctn	346.00
VSP-BS-S-1500	S.Steel SUS 304	PSS	8 pcs / ctn	386.00
VSP-BS-I-358	S.Steel SUS 304	PSS	6 pcs / ctn	260.00

GLASS CONNECTOR

SA-83G-04



Adjustable 8mm



Hole Size Ø28

SA-83A-9C



Adjustable 6mm



Hole Size Ø28

SA-83A-9G



Adjustable 12mm



Hole Size Ø28

SA-83T

Installation Tool



Code	Material	Finishing	Packing	(RM) / Unit
SA-83G-04	Stainless Steel	SS	100 pcs / ctn	68.00
SA-83A-9C	Stainless Steel	SS	50 pcs / ctn	80.00
SA-83A-9G	Stainless Steel	SS	50 pcs / ctn	100.00
SA-83T	S.Steel SUS 304	SS	10 pcs / ctn	30.00

SUCKING TOOLS

VSP - SUCKING-1

Single Sucker Lifter 30kg



VSP - SUCKING-2

2 Way Sucker Lifter 80kg



VSP - SUCKING-3

3 Way Sucker Lifter 210kg



KD SUCKING-3 (210KG)

3 Way Sucker Lifter



GERMANY 3 WAY (210KG)

3 Way Sucker Lifter



VSP- 3 WAY (145KG)

3 Way Sucker Lifter



Code	Max Lifting Capacity	Material	Finishing	Packing	(RM) / Unit
SUCKING-1	30kg	Zinc Alloy	Black	18 pcs / ctn	98.40
SUCKING-2	80kg	Zinc Alloy	SN	10 pcs / ctn	136.00
SUCKING-3	210kg	Zinc Alloy	Black	10 pcs / ctn	268.00
KD SUCKING-3	210kg	Zinc Alloy	Black	5 pcs / ctn	324.00
GERMANY 3 WAY	210kg	Zinc Alloy	SN	10 pcs / ctn	684.00
3 WAY	145kg	Zinc Alloy	SN	10 pcs / ctn	174.00

CUTTING TOOLS

T-CUTTER (KD)



Type	Max. Cutting Width	Cutting Thickness
BLD-T-60	60 (24")	6 - 12
BLD-T-120	120 (48")	6 - 12

BP-11



BP-12



BP-13



BLQ-15



CIRCLE CUTTER (KD)



Type	Max. Cutting Width	Cutting Thickness
BLD-T-60A	Ø10 - 60	6 - 12

BP-18



BP-20



Y-B710



Code	Material	Finishing	Packing	(RM) / Unit
T-CUTTER 60cm	Aluminium	Silver	6 pcs / ctn	480.00
T-CUTTER 120cm	Aluminium	Silver	6 pcs / ctn	538.00
CIRCLE CUTTER 60cm	Aluminium	Silver	6 pcs / ctn	390.00
BP-11 ROLLER	Nylon	Black	100 pcs / ctn	20.00
BP-12 CUTTING	Stainless Steel	Silver	6 pcs / ctn	42.00
BP-13 OIL CUTTING	Zinc Alloy	SS	6 pcs / ctn	150.00
BLQ-15 CUT PLIER	Stainless Steel	SS	10 pcs / ctn	500.00
BP-18 SUCKING	Nylon	SS	6 pcs / ctn	96.00
BP-20 OIL CUTTING	Zinc Alloy	SS	6 pcs / ctn	150.00
Y-B710 SUCKING	Nylon	SS	10 pcs / ctn	120.00

CUTTING TOOLS

YL-845



L \ B	-	-	25	30	40	50	60	70	80	100	120	150-400
19	15	20	25	30	40	50	60	70	80	100	120	150-400
25	15	20	25	30	40	50	60	70	80	100	120	150-400

GLASS CONNECTOR M8 x 25



Hole Size Ø12

BX-4



Code	Size	Material	Finishing	Packing	(RM) / Unit
YL-845	18 x 30mm	S.Steel SUS 304	SS	100 pcs / ctn	17.20
	25 x 30mm			100 pcs / ctn	22.00
	25 x 50mm			100 pcs / ctn	26.00
	25 x 75mm			60 pcs / ctn	32.00
	25 x 100mm			60 pcs / ctn	38.00
	25 x 150mm			40 pcs / ctn	43.00
BX-4	6mm	Mix Steel	SS		10.00
	8mm				13.20
	10mm				16.60
	12mm				20.00
	16mm				26.50
	19mm				31.50
	20mm				33.00
	25mm				41.00
	32mm				53.00
	35mm				58.00
	38mm				63.00
	40mm				66.00
	50mm				83.00
	60mm				99.50
	75mm				124.50
	100mm				166.00
	130mm				215.00
M8 x 25		S.Steel SUS 304	SS		10.80





Pull Handle

Handles are suitable for use on timber doors, aluminium doors and glass doors. They are commonly used on hinged doors, pivot doors and sliding doors making them the ideal choice for your commercial or residential project.



- The used of quality manufacturing materials.
- Suitable for most doors.
- Elegant and style.
- Ergonomic design.
- Easy to install.
- Corrosion resistance.
- Great strength and durability.

PULL HANDLE

VSP-720

VSP-721

VSP-714-MB

VSP-714


Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
VSP-720	38	1000	650	90	Ø15	S.Steel 201	Black	10 pairs / ctn	512.00
VSP-721	50	1000	500	90	Ø15	S.Steel 201	AB	10 pairs / ctn	988.00
VSP-714-MB	25 x 38	600	575	90	Ø15	S.Steel 201	Black	10 pairs / ctn	240.00
VSP-714-MB	25 x 38	900	875	90	Ø15	S.Steel 201	Black	10 pairs / ctn	360.00
VSP-714-MB	25 x 38	1200	1175	90	Ø15	S.Steel 201	Black	10 pairs / ctn	480.00
VSP-714	25 x 38	600	575	90	Ø15	S.Steel SUS 304	SS	10 pairs / ctn	240.00
VSP-714	25 x 38	900	875	90	Ø15	S.Steel SUS 304	SS	10 pairs / ctn	360.00
VSP-714	25 x 38	1200	1175	90	Ø15	S.Steel SUS 304	SS	10 pairs / ctn	480.00

PULL HANDLE


81-D (ROUND)

Thumbturn And Key




82-D1 (ROUND)


Thumbturn And Key



Open Hole Dimension
1500mm



Open Hole Dimension
2100mm





Squating is not required
for larger handles to open
the glass door.





Code	Size (mm)	Material	Finishing	Packing	(RM) / Unit
81-D (ROUND)	35 x 2100	Stainless Steel SUS 304	SS	10 pcs / ctn	1480.00
82-D1 (ROUND)	35 x 1500	Stainless Steel SUS 304	SS	10 pcs / ctn	960.00
648 (SQUARE)	25 x 38 x 1500	Stainless Steel SUS 304	SS	10 pcs / ctn	960.00
WOODEN DOOR ACCS.- 50mm	-	Brass	AB	50 sets / box	130.00

PULL HANDLE

711-B

711-H

711-J


Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
711-B	38 x 600	600	275	75	Ø15	Stainless Steel	SP	20 pairs / ctn	100.00
	38 x 600	600	400	75	Ø15			20 pairs / ctn	100.00
	38 x 900	900	600	75	Ø15			10 pairs / ctn	150.00
	38 x 1200	1200	900	75	Ø15			10 pairs / ctn	200.00
	38 x 1500	1500	1200	80	Ø15			10 pairs / ctn	250.00
	38 x 1800	1800	1500	80	Ø15			10 pairs / ctn	300.00
711-H	32 x 600	600	275	75	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	168.00
	32 x 900	900	600	75	Ø15			10 pairs / ctn	252.00
	32 x 1200	1200	900	75	Ø15			10 pairs / ctn	336.00
711-J	38 x 600	600	275	95	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	247.00
	38 x 900	900	600	95	Ø15			10 pairs / ctn	370.00

PULL HANDLE

713

713-MB

711-C


Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
713	25 x 38	600	562	73	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	193.00
	25 x 38	900	862	73	Ø15			10 pairs / ctn	288.00
	25 x 38	1200	1162	73	Ø15			10 pairs / ctn	384.00
	25 x 38	1500	1462	73	Ø15			6 pairs / ctn	500.00
713-MB	25 x 38	600	562	73	Ø15	S.Steel 201	Matt Black	20 pairs / ctn	193.00
	25 x 38	900	862	73	Ø15			10 pairs / ctn	288.00
	25 x 38	1200	1162	73	Ø15			10 pairs / ctn	384.00
	25 x 38	1500	1462	73	Ø15			6 pairs / ctn	500.00
711-C	32 x 600	600	275	64	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	212.00
	32 x 600	600	340	67	Ø15				212.00


PULL HANDLE

713-B




712-I


Shower Handle



712-D



173



Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
713-B	30 x 30 x 600	600	575	70	Ø15	S.Steel SUS 304	SS / Woodlike	20 pairs / ctn	246.00
712-I	25 x 450	450	275	70	Ø15	S.Steel SUS 304	PSS	30 pairs / ctn	72.00
712-D	35 x 300	280	265	63	Ø15	S.Steel SUS 304	SS	50 pairs / ctn	44.00
173	38 x 600	600	400	75	Ø15	S.Steel SUS 304	SS	10 pairs / ctn	234.00

PULL HANDLE


799 SQUARE

Shower Handle (Polished / Hairline)




712-S

Shower Handle (Polished / Hairline)



789-I

Handle









185-I

Handle




Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
799 (SQUARE)	25 x 300 x 450	275	425	70	Ø15	S.Steel SUS 304	PSS	20 pairs / ctn	128.00
	25 x 300 x 450	275	425	70	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	118.00
712-S	25 x 300 x 450	275	425	70	Ø15	S.Steel SUS 304	PSS	20 pairs / ctn	70.00
	25 x 300 x 450	275	425	70	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	68.00
	25 x 300 x 500	275	475	70	Ø15	S.Steel SUS 304	PSS	20 pairs / ctn	80.00
	25 x 300 x 450	275	425	70	Ø15	S.Steel 201	PSS	20 pairs / ctn	50.00
789-I	25 x 500		475	70	Ø15	S.Steel SUS 304	SS	40 pcs / ctn	108.00
185-I	25 x 500		450	70	Ø15	S.Steel SUS 304	PSS	40 pcs / ctn	100.00

PULL HANDLE

712

712-HAIRLINE

712-C1

712-C2

712-E1

712-N


Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
712	25 x 300	300	275	70	Ø15	Stainless Steel	SP	60 pairs / ctn	33.00
712-HAIRLINE	25 x 300	300	275	70	Ø15	Stainless Steel	SP	60 pairs / ctn	34.00
712-C1	25 x 300	300	275	70	Ø15	Stainless Steel	SP	20 pairs / ctn	46.00
712-C2	25 x 300	300	275	70	Ø15	Stainless Steel	SP	10 pairs / ctn	96.00
712-E1	25 x 300	300	275	70	Ø15	Stainless Steel	SP	20 pairs / ctn	78.00
712-N	25 x 300	300	275	70	Ø15	Stainless Steel	SP	20 pairs / ctn	81.00

PULL HANDLE

D186

AD-711B-900mm

716-SQUARE


723-N


Code	Size (mm)	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
D-186	25 x 300	300	275	25	Ø15	S.Steel SUS 304	PSS	20 pairs / ctn	104.00
AD-711B-900mm	32 x 900	900	ADJ	32x32	Ø15	S.Steel SUS 304	PSS	20 pairs / ctn	166.00
716-SQUARE	38 x 600	600	275	38x38	Ø15	S.Steel SUS 304	SS	20 pairs / ctn	202.00
	38 x 900	900	600	38x38	Ø15			10 pairs / ctn	300.00
	38 x 1200	1200	900	38x38	Ø15			10 pairs / ctn	400.00
	38 x 1500	1500	1200	38x38	Ø15			10 pairs / ctn	500.00
	38 x 1800	1800	1500	38x38	Ø15			10 pairs / ctn	600.00
	38 x 2100	2100	1800	38x38	Ø15			5 pairs / ctn	700.00
723-N	32 x 525	525	500	32x32	Ø15	S.Steel SUS 304	PSS	20 pairs / ctn	146.00

PULL HANDLE


A-13

12" Swing Door Handle




A-16


12" Swing Door Handle



A-18



A-19



Code	Size (mm)	A	B	C	D	Material	Finishing	Packing	(RM) / Unit
A-13	35 x 300	300	134	55	35	Aluminium	White / NA / MB	50 pairs / ctn	28.00
A-16	35 x 280	280	134	55	32	Aluminium	White / NA / Black	50 pairs / ctn	34.00
A-18	80 x 300	300	150	80	1.5	S.Steel SUS 304	SS	20 pairs / ctn	80.00
A-19		300	-	80	1.5				

Trademarks & Copyrights

Trademarks and Copyrights:

- You acknowledge Vimax Trading Sdn Bhd's exclusive right, title, and interest in and to the trademark rights in The Logos below; You agree that You shall not acquire any right of any kind in The Logos as a result of your use of it, and You agree that all such uses shall inure to the benefit of Vimax Trading Sdn Bhd.
- You agree that You shall not: (i) use The Logos in any manner likely to diminish its commercial value; (ii) knowingly use any name, logo or icon likely to cause confusion with The Logos; (iii) make any representation to the effect that The Logos is owned by You rather than Vimax Trading Sdn Bhd; (iv) challenge either the validity or Vimax Trading Sdn Bhd ownership of any trademark rights which incorporate The Logos; or (v) attempt to register, register or own in any country: a) The Logos; b) any domain name incorporating in whole or in part The Logos or c) any name, domain name, keyword or mark confusingly similar to The Logos.
- As between Vimax Trading Sdn Bhd and You, You acknowledge Vimax Trading Sdn Bhd exclusive right, title and interest in and to the copyright in The Logos, and You agree that You will not contest or assist another in contesting that copyright or Vimax Trading Sdn Bhd's ownership of it.
- All materials, if any, provided by Vimax Trading Sdn Bhd to You under this Agreement, and all proprietary rights in and to all such materials shall remain the sole and exclusive property of Vimax Trading Sdn Bhd, subject only to the non-exclusive rights granted to You under this Agreement.

VIMAX®

VM®

VSP®

LOTO®

NIKEE®

UNIVERSE
ALUMINIUM

HyDA®

NOTES

[illegible]



www.vsp.com.my

INNOVATIVE CREATIVE PRODUCTS

VIMAX TRADING SDN BHD

No.3 Jalan TPP 14, Taman Perindustrian Putra,
47130 Puchong, Selangor Darul Ehsan, Malaysia.

TEL : +603 8066 7587 / 6003 / 6880

FAX : +603 8066 9112

EMAIL : vimax@vsp.com.my

