





Vimax Trading Sdn Bhd is an Architectural Ironmongery Specialist and premier importer of aluminium and glass accessories for Malaysia market since year of 2009. We are supplying innovative architectural hardware such as doors and windows accessories with professional standards and apply the basic values of quality and design in the conception.

In line with architectural hardware objective and co-operate mission, the company is pooled by a team of professional individual with its own profession is all in concern for fine tune in productivity, quality and service. The company continued to be a model employer and maintain a highly skilled, motivated and responsive staff force with high ethical standard and skill on architectural hardware.

In a concerted effort to prepare for productivity, good quality and services, The company also continue to concentrate on enhancing and upgrading its management skill. In-house training program will also focus as a guide to upgrade their management skill, staffs are also encouraged to take up professional courses to enhance their capability.

After years of rapid development, VIMAX own a high-quality range of Glass & Aluminium Accessories products named "VSP". With the excellent workmanship, innovative design & superior quality, VSP has become one of the recognized and reputable brands in the market.

**TRADEMARKS & COPYRIGHTS**



- You acknowledge Vimax Trading Sdn Bhd's exclusive right, title, and interest in and to the trademarks rights, in The Logos below; You agree that You shall not acquire any right of any kind in The Logos as a result of your use of it, and You agree that all such uses shall inure to the benefit of Vimax Trading Sdn Bhd.
- **YOU AGREE THAT YOU SHALL NOT :**
  - (i) Use the logos in any manner likely to diminish its commercial value;
  - (ii) Knowingly use any name, logo or icon likely to cause confusion with the logos;
  - (iii) Make any representation to the effect that the logos is owned by you rather than Vimax Trading Sdn Bhd;
  - (iv) Challenge either the validity or Vimax Trading Sdn Bhd ownership of any trademark rights which incorporate the logos; or
  - (v) Attempt to register, register or own in any country:
    - a) The logos;
    - b) Any domain name incorporating in whole or in part the logos or
    - c) Any name, domain name, keyword or mark confusingly similar to the logos.
- As between Vimax Trading Sdn Bhd and you, you acknowledge Vimax Trading Sdn Bhd exclusive right, title and interest in and to the copyright in the logos, and you agree that you will not contest or assist another in contesting that copyright or Vimax Trading Sdn Bhd's ownership of it.
- All materials, if any, provided by Vimax Trading Sdn Bhd to you under this agreement, and all proprietary rights in and to all such materials shall remain the exclusive property of Vimax Trading Sdn Bhd, subject only to the non-exclusive rights granted to you under this agreement.






We tend to be leading supplier for all type of aluminium and glass accessories. We promise to provide excellent service and quality with a very competitive price. Also, to expand our products to all asian countries.

- Total team commitment & involvement in achieving quality policy.
- Systematic management approach for effective quality.
- Systematic integrated technology.
- Focusing on flexible converting system for production & short lead-time adaptability.
- Establishing synchronised converter for competitive pricing to meet customer requirement.
- Establishing quality management to meet "customer satisfaction".

**COMPLIANCE WITH SIRIM & INTERTEK STANDARDS:**

- BS EN 13126-6 : 2008 (PC002071) for Friction Stay
- BS EN 13126-15 : 2008 (PC002243) for Folding Door Roller
- ANSI/BHMA A 156.13 : 2005 (PC02072) for Mortise Lock
- BS EN 1935 : 2002 (PC000411) for Shower Hinge
- BS EN 13126-3 : 2011 (PC002262) for Multipoint Handle
- BS EN 1154 : 1997 (PC003360) for Floor Spring
- BS EN 1154 : 1997 (PC003359) for Door Closer
- INTERTEK 0359-CPR-000534 for Floor Spring (EN 1154 : 1996/A1 : 2002/AC : 2006)





**CENTRAL REGION PROJECTS**



**SOUTHERN & NORTHERN REGION PROJECTS**



**LIST OF FINISHES**

-  **AB**  
ANTIQUE BRASS
-  **RG**  
ROSE GOLD
-  **BLACK**
-  **GOLD**

-  **MB**  
MATT BLACK
-  **SN**  
SATIN NICKEL
-  **SILVER**

-  **CP**  
CHROME PLATED
-  **PSS**  
POLISHED S. STEEL
-  **BROWN**

-  **MF**  
MILL FINISH
-  **SS**  
STAINLESS STEEL
-  **WHITE**

**1**

**100  
V-SERIES**



**12 - 20**

**MULTIPOINT HANDLE**

**21 - 27**

**EURO HINGE**

**2**

**200  
V-SERIES**



**28 - 46**

**MULTIPOINT  
ACCESSORIES**

**3**

**300  
V-SERIES**



**47 - 58**

**FRICTION STAY**

**4**

**400  
V-SERIES**



**59 - 74**

**FOLDING DOOR**

**5**

**500  
V-SERIES**




**75 - 86**

**PERFORMANCE  
ROLLER**

<p><b>600 V-SERIES</b></p>		<p><b>87 - 130</b></p>	<p><b>SLIDING / SWING DOOR LOCK</b></p>	<p><b>6</b></p>
<p><b>700 V-SERIES</b></p>		<p><b>131 - 137 138 - 151</b></p>	<p><b>DOOR CLOSER FLOOR SPRING</b></p>	<p><b>7</b></p>
<p><b>800 V-SERIES</b></p>		<p><b>152 - 196</b></p>	<p><b>GLASS FITTING</b></p>	<p><b>8</b></p>
<p><b>900 V-SERIES</b></p>		<p><b>197 - 205</b></p>	<p><b>PULL HANDLE</b></p>	<p><b>9</b></p>
<p><b>HARDWARE</b></p>		<p><b>206 - 228</b></p>	<p><b>HARDWARE</b></p>	<p><b>10</b></p>

**PERFORMANCE SLIDING DOOR**



**PRODUCT RANGE**

**Noble Door Lock (600VS)**



VSP 602      VSP 6900  
 VSP 603      VSP 604  
 VSP 605      VSP 606  
 VSP 6100     VSP 6400

**Water Guide (200VS)**



PVC-333

**Stopper (200VS)**



120-EOS

**Roller (500VS)**



MR-21  
 MR-22

**Sliding Door Lock (600VS)**



HE-8D  
 HESL-26J  
 HESL-16A

**Locking Bar (200VS)**



SL-300

**Corner Bracket (200VS)**



MB-911A  
 MB-914

**Sliding Door Keeper (200VS)**



SDH-131

**Interlock Cover (200VS)**




VSP-161


**ADVANTAGE**

- Range of product choices from diagram.
- Excellent combination options.
- Aluminium profiles compatible.
- Roller series base on weight requirement.


**PERFORMANCE SLIDING WINDOW - LB SERIES**




**PERFORMANCE SLIDING WINDOW - PMB SERIES**



**EXPOSED FOLDING DOOR**



**OPTIONAL COMBINATION**




**PRODUCT RANGE**





**ADVANTAGE**

- ✓ Range of product choices from diagram.
- ✓ Excellent combination options.
- ✓ Aluminium profiles compatible.
- ✓ Variety of door handles for aesthetic.

**CONCEALED FOLDING DOOR**



**OPTIONAL COMBINATION**



**PRODUCT RANGE**


Top Roller	Lock Bar / Lock Case	Concealed Door Handle	Concealed Pull Handle	Concealed Hinge	Concealed Flush Bolt	Multipoint Handle	Bottom Guide
	<b>Corner Joint Angle / Bracket</b>		<b>Optional Door Lock Set</b>				

**ADVANTAGE**


- ✓ Range of product choices from diagram.
- ✓ Excellent combination options.
- ✓ Aluminium profiles compatible.
- ✓ Roller series base on weight requirement.

**MULTIPOINT LOCKING SYSTEM**

► **Single Fork Series**



► **Double Fork Series**



**PRODUCT RANGE**

**Euro Window Hinge**



**Friction Stay**



**Multipoint Handle**



**Multipoint Accessories**





**Polyamide Rod (Slide Bar)**



**ADVANTAGE**

- Enhanced safety & security.
- Multiple locking system configurations.
- Aluminium profiles compatible,
- Variety of handles for aesthetic.

**SWING / SLIDING DOOR LOCKING SYSTEM**



1




**Rainforced multi-point handles provide durability and security strengthened. Designed for style and class.**

**ADVANTAGE**

- ✓ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ✓ To be used in inward opening, outward opening, tilt, turn and sliding.
- ✓ Attractive lines and design.
- ✓ Ergonomic handle makes it comfortable to use daily.
- ✓ A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- ✓ Sufficient circumference to distribute the force comfortably and safely over the hand.
- ✓ Easy to install and maintain.



**100VS-MH-001**  
Euro Handle with Single Accessories



**100VS-MH-003**  
Euro Handle with Double Accessories



1

**100VS-MH-002**  
Euro Handle with Key & Single Accessories




**100VS-MH-002**  
Euro Handle with Key & Double Accessories



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-MH-001	Single 30mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	RM30.00
100VS-MH-003	Double 25mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	RM31.50
100VS-MH-002 KEY	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM40.00
100VS-MH-002 KEY	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM42.00

1


**100VS-MH-004**  
Euro Handle with Single Accessories



**100VS-MH-009**  
Euro Handle 7 x 7mm Double Side with Key & without Key



**100VS-MH-013**  
Euro Handle with Single Accessories




**100VS-MH-033**  
Euro Handle with Single Accessories



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-MH-004	Single 25mm / 30mm	Aluminium	White / Black	50 pcs / ctn	RM18.00
100VS-MH-009 KEY	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	RM100.00
100VS-MH-009 w/o KEY	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	RM90.00
100VS-MH-013	Single 25mm	Zinc Alloy / Aluminium	White / Black / Silver	100 pcs / ctn	RM14.00
100VS-MH-033	Single 25mm	Aluminium	White / Black / Silver	100 pcs / ctn	RM16.00

**100VS-MH-016**

Euro Handle with Double Accessories & Button




**100VS-MH-017**

Euro Handle with Single Accessories & Button




**100VS-MH-018**

Euro Handle with Double Accessories



**100VS-MH-024**


Euro Handle with Single Accessories



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-MH-016	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM42.00
100VS-MH-017	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM40.00
100VS-MH-018	Double 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM34.00
100VS-MH-024	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM32.00

1

**100VS-MH-023**  
Euro Handle with Double Accessories



**100VS-MH-021**  
Euro Handle with Single Accessories



**100VS-MH-035**  
Euro Handle with Single Accessories



**100VS-MH-036**  
Euro Handle with Double Accessories





Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-MH-023	Double 25mm	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MH-021	Single 30mm	Aluminium	White / Black	50 pcs / ctn	RM30.00
100VS-MH-035	Single 30mm	Aluminium	White / Black	50 pcs / ctn	RM20.00
100VS-MH-036	Double 25mm	Aluminium	White / Black	50 pcs / ctn	RM22.00



1

**100VS-MH-037**  
Euro Handle with Single Accessories

**100VS-MH-038**  
Euro Handle with Double Accessories




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-MH-037	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM48.00
100VS-MH-038	Double 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM50.00

1


**100VS-ML-7172**

Euro Handle 7 x 7mm Double with One Side Key



**100VS-ML-7272**

Euro Handle 7 x 7mm Double without Key




**100VS-EH-7100**

Euro Handle 7 x 7mm Single with Key




**100VS-EH-7200**

Euro Handle 7 x 7mm Single without Key




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-ML-7172 KEY	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM100.00
100VS-ML-7272	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM90.00
100VS-EH-7100 KEY	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM45.00
100VS-EH-7200	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM32.00


**100VS-EH-8100**  
Euro Handle with Single Accessories & Key




**100VS-EH-8200**  
Euro Handle with Single Accessories



**100VS-EH-9700**  
Euro Handle 7 x 7mm with Single Accessories



**100VS-EH-9800**  
Euro Handle with Single Accessories




Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-EH-8100 KEY	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM45.00
100VS-EH-8200	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-EH-9700	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-EH-9800	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM32.00

1


**100VS-EHLS-7700**

Euro Handle 7 x 7mm with Single Accessories




**100VS-EHLS-7707**

Euro Handle 7 x 7mm Single with Key




**100VS-EHLS-8800**

Euro Handle with Single Accessories




**100VS-EHLS-8808**

Euro Handle with Single Accessories & Key



Code	Accessories Type	Material	Finishing	Packing	(RM) / Unit
100VS-EHLS-7700	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM58.00
100VS-EHLS-7707 KEY	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM70.00
100VS-EHLS-8800	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM58.00
100VS-EHLS-8808 KEY	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM70.00




1


**Enabling one or both to swing open and shut. The hinges often feature decorative detailing.**

- ✓ Impressive weight loading capability.
- ✓ Corrosion resistances.
- ✓ Suitable for inner and outer wood, iron, aluminium or steel windows and doors.
- ✓ Easy to install and maintain.


**100VS-MH-367**  
Euro Window Hinge




**100VS-MH-532**  
D-Hinge with Handle



**100VS-MH-533**  
Mid & Side Hinge




**100VS-MH-715**  
With Euro Hinge (Exposed)




Code	Material	Finishing	Packing	(RM) / Unit
100VS-MH-367	Aluminium	White / Black / Silver	200 sets / ctn	RM7.00
100VS-MH-532	Aluminium	White / Black / Silver	60 sets / ctn	RM34.00
100VS-MH-533	Aluminium	White / Black / Silver	80 sets / ctn	RM26.00
100VS-MH-715	Aluminium / S.Steel Core, Plates & Screws	White / Black	100 sets / ctn	RM16.00

**100VS-MH-805**  
Light Duty Euro Hinge ( Exposed )

1



**100VS-MH-999**  
Heavy Duty Euro Hinge ( Exposed )



**100VS-MH-916**  
Light Duty Euro Hinge ( Concealed )




**100VS-MH-888**  
Heavy Duty Euro Hinge ( Concealed )




Code	Material	Finishing	Packing	(RM) / Unit
100VS-MH-805	Aluminium / S.Steel Core, Plates & Screws	White / Black	200 sets / ctn	RM8.00
100VS-MH-999	Aluminium / S.Steel Core, Plates & Screws	White / Black	200 sets / ctn	RM16.50
100VS-MH-916	Aluminium / S.Steel Core, Plates & Screws	White / Black	200 sets / ctn	RM7.00
100VS-MH-888	Aluminium / S.Steel Core, Plates & Screws	White / Black	100 sets / ctn	RM16.00


**100VS-MH-812**  
Euro Hinge ( Exposed )



**100VS-MH-891**  
Euro Hinge ( Exposed )



**100VS-MH-9811**  
Concealed Hinge



Code	Material	Finishing	Packing	(RM) / Unit
100VS-MH-812	Aluminium	White / Black	200 sets / ctn	RM7.00
100VS-MH-891	Aluminium	White / Black	200 sets / ctn	RM7.00
100VS-MH-9811	Aluminium	White / Black	200 sets / ctn	RM16.50

**100VS-CW-M3**  
Casement Handle R/L




**100VS-CW-M4-KEY**  
Casement Handle with Key R/L



**100VS-CW-M4**  
Casement Handle R/L



**100VS-CW-M5**  
Curtain Wall Handle R/L




Code	Material	Finishing	Packing	(RM) / Unit
100VS-CW-M3	Aluminium	White / Black / Silver	200 pcs / ctn	RM7.80
100VS-CW-M4-KEY	Zinc Alloy	White / Black / Silver	200 pcs / ctn	RM17.00
100VS-CW-M4	Aluminium	White / Black / Silver	200 pcs / ctn	RM6.00
100VS-CW-M5	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM14.00

**100VS-CW-M6**  
Casement Handle R/L




**100VS-CW-M7**  
Casement Handle R/L



**100VS-CW-M8**  
Casement Handle R/L



**100VS-CW-M10**  
Casement Handle R/L




Code	Material	Finishing	Packing	(RM) / Unit
100VS-CW-M6	Aluminium	White / Black / Silver	400 pcs / ctn	RM5.00
100VS-CW-M7	Aluminium	White / Black / Silver	200 pcs / ctn	RM6.80
100VS-CW-M8	Aluminium	White / Black / Silver	200 pcs / ctn	RM5.20
100VS-CW-M10	Aluminium	White / Black / Silver	400 pcs / ctn	RM4.40

1

**100VS-MH-015**  
Casement Handle R/L



**100VS-CW-608**  
Casement Handle R/L




**100VS-MH-012**  
Casement Handle R/L



**100VS-CW-450**  
Casement Handle R/L




**100VS-CW-708**  
Casement Handle R/L



**014 Bracket for  
Curtain Wall**

Code	Material	Finishing	Packing	(RM) / Unit
100VS-MH-015	Aluminium	White / Black / Silver	100 pcs / ctn	RM11.00
100VS-CW-450	Zinc Alloy	White / Black	200 pcs / ctn	RM10.00
100VS-CW-608	Aluminium	White / Black / Silver	600 pcs / ctn	RM2.60
100VS-MH-012	Aluminium	White / Black	100 pcs / ctn	RM15.00
100VS-CW-708	Aluminium	White / Black / Silver	400 pcs / ctn	RM5.00
014 BRACKET	PVC	White / Black / Silver	100 pcs / ctn	RM3.00


**100VS-CL-330-BIG**  
Crescent Lock R/L



**100VS-CL-350-SMALL**  
Crescent Lock R/L



**100VS-CL-320-KEY**  
Crescent Lock with Key R/L



**100VS-ML-817**  
Ambidextrous Crescent Lock



Code	Material	Finishing	Packing	(RM) / Unit
100VS-CL-330-BIG	Zinc Alloy	White / Black / Silver	240 pcs / ctn	RM7.00
100VS-CL-350-SMALL	Aluminium	White / Black / Silver / Brown	240 pcs / ctn	RM3.50
100VS-CL-320-KEY	Zinc Alloy	White / Black / Silver	300 pcs / ctn	RM10.00
100VS-ML-817	Aluminium / S.Steel SUS 304	White / Silver / Black	600 pcs / ctn	RM6.00


2




**ADVANTAGE**

- ✓ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ✓ To be used in inward opening, outward opening, tilt, turn and sliding.
- ✓ Attractive lines and design.
- ✓ Ergonomic handle makes it comfortable to use daily.


**200VS-MP-2606**  
Catches 6mm (Exposed)




**200VS-MP-2610**  
Catches 10mm (Concealed)




**200VS-MP-804**  
Catches 6mm (Exposed)




**200VS-MP-8524**  
Catches 10mm (Concealed)



**200VS-MP-806-B / MP-8206-S**  
Catches : Flan Big / Small



**200VS-MP-814-N**  
Catches : Nylon




Code	Size	Material	Finishing	Packing	(RM) / Unit
200VS-MP-2606	6mm	Aluminium	SS	1000 pcs / ctn	RM2.40
200VS-MP-2610	10mm	Aluminium	SS	1000 pcs / ctn	RM2.60
200VS-MP-804	6mm	Aluminium	SS / Black	1000 pcs / ctn	RM2.80
200VS-MP-8524	10mm	Aluminium	SS / Black	1000 pcs / ctn	RM3.00
200VS-MP-806-B	11mm	Zinc Alloy	SS	1000 pcs / ctn	RM2.40
200VS-MP-8206-S	11mm	Zinc Alloy	SS	1000 pcs / ctn	RM2.00
200VS-MP-814-N	12mm	PVC	Black	1000 pcs / ctn	RM3.00

2


**200VS-MP-8207**

Catches : Flan Big




**200VS-MP-810**

Catches 11mm / 14mm




**200VS-MP-807**

Lock Cam : 10mm / 12mm / 16mm




**200VS-MP-808**

Push Rod : 15mm / 20mm / 25mm / 30mm / 35mm / 53mm



**200VS-MP-809**

Aluminium U Slide Gear & Slide Fork




**200VS-MP-812**

Push Rod : 30mm




Code	Size	Material	Finishing	Packing	(RM) / Unit
200VS-MP-8207	13.5mm	Zinc Alloy	SS	1000 pcs / ctn	RM5.00
200VS-MP-810	11mm	S.Steel SUS 304	SS	2000 pcs / ctn	RM2.20
200VS-MP-810	14mm	S.Steel SUS 304	SS	2000 pcs / ctn	RM2.40
200VS-MP-807	10mm / 12mm	S.Steel SUS 304	SS	3300 pcs / ctn	RM3.00
200VS-MP-807	16mm	S.Steel SUS 304	SS	2000 pcs / ctn	RM3.50
200VS-MP-808	15mm / 20mm / 25mm / 30mm	S.Steel SUS 304	SS	2400 pcs / ctn	RM2.20
200VS-MP-808	35mm / 53mm	S.Steel SUS 304	SS	1000 pcs / ctn	RM5.40
200VS-MP-809	30mm	Aluminium	SS	1000 pcs / ctn	RM2.00
200VS-MP-812	30mm	S.Steel SUS 304	SS	2400 pcs / ctn	RM3.60

**200VS-MP-811**  
Exchange




**200VS-VIMAX-25111**  
Catches ( Concealed )




2


**200VS-MSW-111**  
Catches ( Concealed )




**200VS-MSW-112**  
Catches



**200VS-MSW-115**  
Catches ( Exposed )




**200VS-MSW-142**  
Euro Adjustable Catches




Code	Size	Material	Finishing	Packing	(RM) / Unit
200VS-MP-811	-	Zinc Alloy	Silver	400 pcs / ctn	RM9.00
200VS-VIMAX-25111	10.5	S.Steel SUS 304	SS	2000 pcs / ctn	RM7.00
200VS-MSW-111	10.5	Zinc Alloy	SS	3000 pcs / ctn	RM3.00
200VS-MSW-112	9.0	Zinc Alloy	SS	1000 pcs / ctn	RM3.00
200VS-MSW-115	9.0	Zinc Alloy	SS	1600 pcs / ctn	RM3.00
200VS-MSW-142	9.0	Zinc Alloy	Black	1000 pcs / ctn	RM12.00

2


**200VS-MSW-113**  
End Transmission 8.5mm / 6.5mm



**200VS-MSW-114**  
Adjustable Lock Cam ( 6.5mm / 8.5mm )



**200VS-MSW-116**  
Euro Corner Transmission



**200VS-MSW-8112**  
Latch Bolt



**200VS-MSW-121 R/L**  
Latch Bolt R/L




**200VS-SDH-141**  
Sliding Door Keeper with ( SD1 / SD2 )




Code	Size	Material	Finishing	Packing	(RM) / Unit
200VS-MSW-113	6.5mm / 8.5mm	Zinc Alloy	SS	800 pcs / ctn	RM8.00
200VS-MSW-114	6.5mm	Brass	SS	2000 pcs / ctn	RM3.40
	8.5mm			3200 pcs / ctn	RM3.60
200VS-MSW-116	8mm	Zinc Alloy	Silver	100 pcs / ctn	RM33.00
200VS-MSW-8112	18.4mm	Zinc Alloy	SS	150 pairs / box	RM16.00
200VS-MSW-121 R/L	18.4mm	Zinc Alloy	SS	200 pairs / ctn	RM16.00
200VS-SDH-141	12.5mm	Zinc Alloy	Black / White	100 pcs / ctn	RM22.00

**200VS-SDH-124**  
Sliding Door Keeper




Thickness = 1.2mm

**200VS-SDH-125**  
Sliding Door Keeper




Thickness = 1.0mm

**200VS-SDH-126**  
Sliding Door Striker



Thickness = 2.0mm

**200VS-SDH-131**  
Sliding Door Striker




Thickness = 1.5mm

**200VS-SDH-143**  
Sliding Door Striker



Thickness = 1.75mm

**200VS-SDH-122**  
Sliding Door Striker



Thickness = 1.5mm


Code	Material	Finishing	Packing	(RM) / Unit
200VS-SDH-124	Stainless Steel	SS	2000 pcs / ctn	RM5.00
200VS-SDH-125	Stainless Steel	SS	2000 pcs / ctn	RM4.00
200VS-SDH-126	Stainless Steel	SS	1000 pcs / ctn	RM3.20
200VS-SDH-131	Stainless Steel	SS	2000 pcs / ctn	RM3.20
200VS-SDH-143	Stainless Steel	SS	1000 pcs / ctn	RM3.20
200VS-SDH-122	Stainless Steel	SS	1000 pcs / ctn	RM3.60

2

**200VS-SDH-127**  
Sliding Door Hook




**200VS-SDH-123**  
Euro Adjustable Catches




Thickness = 1.3mm

**200VS-SDH-133**  
Sliding Door Striker




Thickness = 1.2mm


**200VS-SDH-135**  
Sliding Door Striker



**200VS-SDH-139**  
Casement Handle Hook




**200VS-SDH-1377**  
Sliding Door Stopper ( for PMB )




Code	Material	Finishing	Packing	(RM) / Unit
200VS-SDH-127	Stainless Steel	SS	2000 pcs / ctn	RM4.50
200VS-SDH-123	Stainless Steel	SS	2000 pcs / ctn	RM2.50
200VS-SDH-133	Stainless Steel	SS	1000 pcs / ctn	RM2.50
200VS-SDH-135	Aluminium	White / Black / Silver	1000 pcs / ctn	RM2.70
200VS-SDH-139	Aluminium	White / Black / Silver	500 pcs / ctn	RM3.00
200VS-SDH-1377	PVC	SS	500 sets / ctn	RM10.00

**200VS-SDH-136**  
Sliding Door Hook 37mm / 40mm




Thickness = 1.0mm

**200VS-350 STEEL PLATE**  
Sliding Door Hook




Thickness = 0.9mm

**200VS-25001**  
Sliding Door Hook 37mm



Thickness = 1.0mm

**200VS-161**  
Interlock Cover




**200VS-163**  
Interlock Cover



	A	B	C
<b>PMB VSP</b>	17.5	27.3	5.00
<b>LB</b>	19	27	4
<b>SUPERB</b>	16.50	27	5.30

**200VS-162**  
Skider




Code	Material	Finishing	Packing	(RM) / Unit
200VS-SDH-136 (37mm)	S.Steel 201	SS	1000 pcs / ctn	RM1.60
200VS-SDH-136 (40mm)	S.Steel 201	SS	3000 pcs / ctn	RM1.60
200VS-350 Steel Plate	Steel	White / Black / Silver / MB	2000 pcs / ctn	RM1.20
200VS-25001 (37mm)	S.Steel 201	SS	1000 pcs / ctn	RM2.00
200VS-161 Interlock Cover	PVC	Black	1000 pcs / ctn	RM2.60
200VS-163 Interlock Cover	PVC	Black	1000 pcs / ctn	RM2.60
200VS-162 Skid	PVC	Black	500 pcs / ctn	RM0.60

2


**200VS-MP-920**  
Water Guide




**200VS-MP-921**  
Latch Keeper




**200VS-MP-923 BIG / SMALL**  
Latch Bolt




**200VS-MP-926**  
Center Bracket R/L ( Concealed )



**200VS-MP-927**  
Latch Stopper ( Concealed )




**200VS-PVC-333**  
Water Guide





Code	Material	Finishing	Packing	(RM) / Unit
200VS-MP-920	PVC	Black	1000 pairs / ctn	RM2.00
200VS-MP-921	PVC / S.Steel	Black	500 pairs / ctn	RM6.00
200VS-MP-923 Small (18.5mm)	PVC / S.Steel	White / Black	500 pairs / ctn	RM6.00
200VS-MP-923 Big (19.6mm)	PVC / S.Steel	White / Black	500 pairs / ctn	RM12.00
200VS-MP-926	Nylon	Black	2000 pairs / ctn	RM10.00
200VS-MP-927	PVC	White / Black	400 pairs / ctn	RM3.20
200VS-PVC-333	Nylon	Black	2000 pcs / ctn	RM2.00

**200VS-MP-924**  
Side Stopper - LB



**200VS-MP-925**  
Top Stopper - LB



2

**CORNER JOINT**




A metal plate mounted on the corners of the window casement / sash to strengthen it.



**200VS-MB-913**



**200VS-LB-7057**




**200VS-MB-9133**


Code	Width (mm)	Thickness (mm)	Material	Finishing	Packing	(RM) / Unit
200VS-MP-924	-	-	Nylon	White	2000 pcs / ctn	RM1.40
200VS-MP-925	-	-	Nylon	White	2000 pcs / ctn	RM1.40
200VS-MB-913	15.6mm	1.5mm	S.Steel SUS 304	SS	2000 pcs / ctn	RM1.20
	16.3mm	1.5mm			2000 pcs / ctn	RM1.20
200VS-LB-7057	8.5mm	1.0mm	S.Steel SUS 304	SS	2000 pcs / ctn	RM1.00
200VS-MB-9133	8.8mm	1.0mm	S.Steel SUS 304	SS	5000 pcs / ctn	RM0.90
	13.0mm	1.0mm			2500 pcs / ctn	RM1.00
	17.5mm	1.0mm			2000 pcs / ctn	RM1.00
	20.4mm	1.0mm			2000 pcs / ctn	RM1.00

2


**200VS-120-EOS**  
Sliding Stopper




**200VS-MB-914**  
VSP Sliding Door Bracket




**200VS-MB-942**  
LB Sliding Door Bracket




**200VS-MB-943**  
LB Sliding Door Bracket



**200VS-MB-802**  
Inner Corner Bracket : LB




**200VS-MB-803**  
Corner Bracket : LB




Code	Size	Material	Finishing	Packing	(RM) / Unit
200VS-120-EOS	28.5 x 47.5	Zinc Alloy	White / Black	300 pcs / ctn	RM14.00
200VS-MB-914	29 x 14	Aluminium Die-Cast	SS	250 pcs / ctn	RM6.50
200VS-MB-942	35.5 x 14	Aluminium Die-Cast	SS	256 pcs / ctn	RM8.50
200VS-MB-943	20 x 14	Aluminium Die-Cast	SS	512 pcs / ctn	RM8.00
200VS-MB-802	19.2 x 10.5	Aluminium Die-Cast	SS	512 pcs / ctn	RM6.00
200VS-MB-803	35 x 10.5	Aluminium Die-Cast	SS	320 pcs / ctn	RM6.20

**200VS-MB-5011**  
Corner Bracket 19.5mm x 8.5mm




**200VS-MB-5012**  
Corner Bracket 30.5mm x 8.5mm




**200VS-MB-5013**  
Corner Bracket 36.5mm x 8.5mm




**200VS-MB-5014**  
Corner Bracket 26.5mm x 10mm



**200VS-MB-5015**  
Corner Bracket 30.5mm x 10mm




**200VS-MB-5016**  
Corner Bracket 36.5mm x 10mm



Code	Size	Material	Finishing	Packing	(RM) / Unit
200VS-MB-5011	19.5 x 8.5	Aluminium	Silver	500 pcs / ctn	RM4.00
200VS-MB-5012	30.5 x 8.5	Aluminium	Silver	500 pcs / ctn	RM4.00
200VS-MB-5013	36.5 x 8.5	Aluminium	Silver	500 pcs / ctn	RM4.00
200VS-MB-5014	26.5 x 10	Aluminium	Silver	500 pcs / ctn	RM4.00
200VS-MB-5015	30.5 x 10	Aluminium	Silver	500 pcs / ctn	RM4.00
200VS-MB-5016	36.5 x 10	Aluminium	Silver	500 pcs / ctn	RM4.00


2

**200VS-MB-ALUMINIUM**  
Corner Bracket x 9mm




Code	A = Size	Packing	(RM) / Unit
200VS-MB-9057	26mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-91A	28mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9055A	31.5mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9060	34mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9011A	36.5mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-911A	38mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-5590	40mm x 9mm	1000 pcs / ctn	RM2.20

**200VS-MB-ALUMINIUM**  
Corner Bracket x 11mm




Code	A = Size	Packing	(RM) / Unit
200VS-MB-9012	30.5mm x 11mm	1000 pcs / ctn	RM2.20
200VS-MB-9058	32mm x 11mm	1000 pcs / ctn	RM2.20
200VS-MB-912	37.5mm x 11mm	1000 pcs / ctn	RM2.20

**200VS-MB-ALUMINIUM**  
Corner Bracket x 9mm ( Concealed )




Code	A = Size	Packing	(RM) / Unit
200VS-MB-911B	34mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9013B	38mm x 9mm	1000 pcs / ctn	RM2.20

**200VS-MB-ALUMINIUM**  
Corner Bracket x 9mm ( T4 )




Code	A = Size	Packing	(RM) / Unit
200VS-MB-9056	36.5mm ( T4 ) x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9054	31.5mm ( T4 ) x 9mm	1000 pcs / ctn	RM2.20

**200VS-MB-ALUMINIUM**  
Corner Bracket x 8mm



Code	A = Size	Packing	(RM) / Unit
200VS-MB-9059	31.5mm x 8mm	1000 pcs / ctn	RM2.20


**200VS-MB900**  
Corner Bracket



Code	A = Size	Packing	(RM) / Unit
200VS-MB-900	11.5mm x 10mm	1000 pcs / ctn	RM1.00

**BRAND - NEW YARN STRIPS WITH LAMINATE SHEETS**

- A polypropylene laminate sheet in the middle of the strips allows an over five-fold increase in their degree of seal, together with those common features possessed by ordinary yarn strips.
- A closed protective layer prevents air, water, noise and insect from passing through the strips.
- The yarn strips penetration performance is superior to the highest first level of standard.
- With reduced friction and extended life-span.
- Packaged in large rolls to avoid deformity of laminate sheets.



2

**IMPORTANT NOTE :**

- The speed of aging will depend on the climatic conditions in different location and the amount of use in such as UV degradation, Humidity Issue (Heavy sun or Rain wind).



Apply weather stripping around door frame / stop.

Apply weather stripping at top and bottom of window sash.





Code	Size	Material	Finishing	Packing	(RM) / Unit
0.48 x 4.5mm	550 meters	Siliconezed	Grey	4 roll / ctn	RM340.00
0.48 x 5mm	500 meters	Siliconezed	Black / Grey	4 roll / ctn	RM300.00
0.48 x 6mm	450 meters	Siliconezed	Grey	4 roll / ctn	RM270.00
0.48 x 7mm	400 meters	Siliconezed	Black / Grey	4 roll / ctn	RM240.00
0.48 x 8mm	350 meters	Siliconezed	Grey	4 roll / ctn	RM240.00
0.48 x 10mm	225 meters	Siliconezed	Black / Grey	4 roll / ctn	RM180.00
0.58 x 8mm	300 meters	Siliconezed	Grey	4 roll / ctn	RM240.00
0.68 x 8mm	300 meters	Siliconezed	Grey	4 roll / ctn	RM240.00
0.98 x 12mm	150 meters	Siliconezed	Grey	4 roll / ctn	RM140.00
0.48 x 7mm	400 meters	Siliconezed / PP	Grey	3 roll / ctn	RM360.00
0.68 x 8mm	300 meters	Siliconezed Self-Adhesive	Grey	4 roll / ctn	RM280.00
0.48 x 5mm	50 meters	Siliconezed	Grey	10 roll / ctn	RM60.00
0.48 x 6mm	50 meters	Siliconezed	Grey	16 roll / ctn	RM60.00
0.48 x 7mm	50 meters	Siliconezed	Grey	16 roll / ctn	RM60.00
0.48 x 8mm	50 meters	Siliconezed	Grey	16 roll / ctn	RM64.00
0.48 x 10mm	50 meters	Siliconezed	Grey	10 roll / ctn	RM70.00
0.58 x 8mm	50 meters	Siliconezed	Grey	10 roll / ctn	RM70.00

**200VS-VF ALUMINIUM FLAT BAR**

**200VS-VS STAINLESS STEEL BAR 1**



2



Code	Length (mm)	Material	Finishing	Packing	(RM) / Unit
200VS-VF-300 (2 point)	300	Aluminium	Silver	100 pcs / ctn	RM7.40
200VS-VF-600 (2 point)	600	Aluminium	Silver	100 pcs / ctn	RM8.70
200VS-VF-1000 (2 point)	1000	Aluminium	Silver	100 pcs / ctn	RM16.00
200VS-VF-1200 (2 point)	1200	Aluminium	Silver	100 pcs / ctn	RM20.00
200VS-VS-300 (2 point)	300	S.Steel SUS 304	SS	50 pcs / ctn	RM20.00
200VS-VS-600 (2 point)	600	S.Steel SUS 304	SS	50 pcs / ctn	RM28.00
200VS-VS-1000 (2 point)	1000	S.Steel SUS 304	SS	50 pcs / ctn	RM35.00
200VS-VS-1300 (2 point)	1300	S.Steel SUS 304	SS	50 pcs / ctn	RM44.00

**200VS-WLD CURTAIN WALL FLAT BAR**

**200VS-SL SLIDING DOOR LOCKING BAR**



2

Code	Lenght (mm)	Material	Finishing	Packing	(RM) / Unit
200VS-WLD-300 (2 point)	300	Aluminium	Silver	50 pcs / ctn	RM8.00
200VS-WLD-600 (2 point)	600	Aluminium	Silver	50 pcs / ctn	RM10.00
200VS-WLD-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	RM15.00
200VS-SL-300 (2 point)	300	S.Steel SUS 304	SS	50 pcs / ctn	RM20.00
200VS-SL-600 (2 point)	600	S.Steel SUS 304	SS	50 pcs / ctn	RM28.00
200VS-SL-1000 (2 point)	1000	S.Steel SUS 304	SS	50 pcs / ctn	RM32.00
200VS-SL-1500 (4 point)	1500	S.Steel SUS 304	SS	50 pcs / ctn	RM44.00

2







**VSP POLYAMIDE ROD (SLIDE BAR)**

VSP Polyamide Rod (Slide Bar) are made from the finest special nylon which do not fade in colour and not easily oxidized. This slide bar are highly durable which are very flexible, effectively protects and avoid surface friction between aluminium.

Ensures smooth, quiet operations and environmental product.



**200VS-POLYAMIDE ROD ( SLIDE BAR )**



Code	Lenght (meter)	Material	Finishing	Packing	(RM) / Unit
200VS-Polyamide Rod (Slide Bar) 18.6mm	150	Nylon	Black	1 roll / ctn	RM900.00
200VS-Polyamide Rod (Slide Bar) 19.5mm	150	Nylon	Black	1 roll / ctn	RM900.00



2

**Louwer window is a window blind or shutter with horizontal slats that are angled to admit light and air, but to keep out rain and direct sunshine. The angle of the slats may be adjustable, usually in blinds and windows, or fixed.**

**ADVANTAGE**

- Excellent vision and ventilation.
- Lever action handle firmly locks the blades in the closed position.
- Top quality accessories for better movement of roller and heavier load.
- Strong material carriage for better life-cycle.
- Easy to install and maintain.

2


**200VS-ALUMINIUM ALLOY  
ADJUSTABLE LOUVER**




**200VS-PP  
ADJUSTABLE LOUVER**



**200VS-PVC GLASS CLIP**



**200VS-ALUMINIUM GLASS CLIP**



Code	Size		Material	Finishing	Packing	(RM) / Unit
	Length (mm)	Clip				
200VS-PVC Glass Clip	155 mm	6"	PP	White / Black	10 pairs / ctn	RM4.00
200VS-Aluminium Glass Clip	155 mm	6"	Aluminium	Silver / Brown	10 pairs / ctn	RM2.00
200VS-Aluminium Glass Clip	155 mm	6"	Aluminium	White / Black	10 pairs / ctn	RM3.60
200VS-WLA-04	580 mm	6"	Aluminium	Silver / Brown	10 pairs / ctn	RM32.00
200VS-WLA-08	1140 mm	6"	Aluminium	Silver / Brown	10 pairs / ctn	RM60.00
200VS-WLA-04	580 mm	6"	PP	White / Black	10 pairs / ctn	RM50.00
200VS-WLA-05	724 mm	6"	PP	White / Black	10 pairs / ctn	RM65.00
200VS-WLA-06	864 mm	6"	PP	White / Black	10 pairs / ctn	RM73.00
200VS-WLA-07	1004 mm	6"	PP	White / Black	10 pairs / ctn	RM90.00
200VS-WLA-08	1143 mm	6"	PP	White / Black	10 pairs / ctn	RM100.00
200VS-WLA-09	1283 mm	6"	PP	White / Black	10 pairs / ctn	RM112.00
200VS-WLA-10	1422 mm	6"	PP	White / Black	10 pairs / ctn	RM124.00
200VS-WLA-11	1562 mm	6"	PP	White / Black	10 pairs / ctn	RM136.00
200VS-WLA-12	1701 mm	6"	PP	White / Black	10 pairs / ctn	RM148.00
200VS-WLA-13	1842 mm	6"	PP	White / Black	10 pairs / ctn	RM160.00
200VS-WLA-14	1981 mm	6"	PP	White / Black	10 pairs / ctn	RM172.00
200VS-WLA-15	2121 mm	6"	PP	White / Black	10 pairs / ctn	RM186.00
200VS-WLA-16	2261 mm	6"	PP	White / Black	10 pairs / ctn	RM200.00
200VS-King Kong-08	1140 mm	6"	Metal	Silver	10 pairs / ctn	RM25.00



**Unique 6mm  
Pivot**



**Safety Edge  
Circumference  
on Supporting  
Arms**



**Quality  
Stainless Steel  
Slide Pallet with  
PVC Coating**

**3**

**A complete range of friction stays manufactured from different grade austenitic stainless steel. Used for residential and commercial. Available in a range of stack heights & is suitable for both top hung & side Hung standard applications.**



**ADVANTAGE**

- ✓ A comprehensive range to cater for most applications.
- ✓ Manufactured with the unique feature.
- ✓ Simple and precise operations.
- ✓ Precise lock cylinder system.
- ✓ Easy to install.
- ✓ Corrosion resistance.
- ✓ Great durability.



3

**300VS-18 SQUARE GROOVE SIDE / TOP HUNG**  
Stainless Steel Friction Stay - SUS 304



Unique 6mm Pivot




Quality Stainless Steel Slide Pallet with PVC Coating



Safety Edge Circumference on Supporting Arms



BS EN 13126-6:2008  
PC 002071



**SIDE HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	18	55° ± 2°	500	1000	14 ± 0.5	10
12" / 2.0mm	4	18	88° ± 2°	600	1200	14 ± 0.5	16
16" / 2.0mm	4	18	88° ± 2°	650	1500	14 ± 0.5	18
16" / 2.5mm	5	18	80° ± 2°	700	1500	15.8 ± 0.5	24


**TOP HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
12" / 2.0mm	4	18	35° ± 2°	1000	1000	14 ± 0.5	26
16" / 2.5mm	4	18	35° ± 2°	1200	1100	15.8 ± 0.5	32
18" / 2.5mm	4	18	32° ± 2°	1150	1150	15.8 ± 0.5	42
20" / 3.0mm	5	18	33° ± 2°	1150	1350	16.8 ± 0.5	45
24" / 3.0mm	6	18	35° ± 2°	1250	1450	16.8 ± 0.5	55

Code	Material	Finishing	Packing	(RM) / Unit
300VS-Side Hung 8" 4 Bar	S.Steel SUS 304	SS	100 pairs / ctn	RM18.00
300VS-Side Hung 12" 4 Bar	S.Steel SUS 304	SS	100 pairs / ctn	RM20.00
300VS-Side Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM34.00
300VS-Side Hung 16" 5 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM40.00
300VS-Top Hung 12" 4 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM22.00
300VS-Top Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM38.00
300VS-Top Hung 18" 4 Bar	S.Steel SUS 304	SS	25 pairs / ctn	RM44.00
300VS-Top Hung 20" 5 Bar	S.Steel SUS 304	SS	25 pairs / ctn	RM60.00
300VS-Top Hung 24" 6 Bar	S.Steel SUS 304	SS	25 pairs / ctn	RM80.00

**300VS-19 ROUND GROOVE - SIDE / TOP HUNG**  
Stainless Steel Friction Stay - SUS 304

3



Unique 6mm Pivot only on 16" and above



Safety Edge Circumference on Supporting Arms

For 21mm Round Groove



Stainless Steel with PVC Coating Slide Pallet

For 20mm Round Groove



Brass Slide Pallet

**SIDE HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	19	55° ± 2°	500	800	13 ± 0.5	10
12" / 2.0mm	4	19	88° ± 2°	550	1200	13 ± 0.5	14
16" / 2.5mm	4	21	88° ± 2°	650	1400	15 ± 0.5	22

**TOP HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
16" / 2.5mm	4	19	33° ± 2°	1150	1050	15 ± 0.5	30

Code	Material	Finishing	Packing	(RM) / Unit
300VS-Side Hung 8" 4 Bar	S.Steel SUS 304 / PVC	SS	100 pairs / ctn	RM16.00
300VS-Side Hung 12" 4 Bar	S.Steel SUS 304 / PVC	SS	100 pairs / ctn	RM18.00
300VS-Side Hung 16" 4 Bar	S.Steel SUS 304 / PVC	SS	50 pairs / ctn	RM30.00
300VS-Top Hung 16" 4 Bar	S.Steel SUS 304 / PVC	SS	50 pairs / ctn	RM34.00

3

**300VS-22 SQUARE GROOVE SIDE / TOP HUNG**  
Heavy Duty Stainless Steel Friction Stay - SUS 304



Side Hung



Top Hung




Unique 6mm Pivot



Quality Stainless Steel Slide Pallet with PVC Coating



Safety Edge Circumference on Supporting Arms



**SIDE HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
10" / 3.0mm	4	22	86° ± 2°	400	1200	16.8 ± 0.5	17
12" / 3.0mm	4	22	86° ± 2°	650	1350	16.8 ± 0.5	23
16" / 3.0mm	4	22	88° ± 2°	700	1500	16.8 ± 0.5	30
18" / 3.0mm	5	22	80° ± 2°	750	1500	16.8 ± 0.5	35

**TOP HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
16" / 3.0mm	4	22	30° ± 2°	1200	1200	16.8 ± 0.5	50
18" / 3.0mm	4	22	30° ± 2°	1300	1400	16.8 ± 0.5	58
20" / 3.0mm	5	22	29° ± 2°	1400	1500	16.8 ± 0.5	68
24" / 3.0mm	6	22	27° ± 2°	1500	1600	16.8 ± 0.5	75

Code	Material	Finishing	Packing	(RM) / Unit
300VS-Side Hung 10" 4 Bar	S.Steel SUS 304	SS	100 pairs / ctn	RM37.00
300VS-Side Hung 12" 4 Bar	S.Steel SUS 304	SS	100 pairs / ctn	RM40.00
300VS-Side Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM48.00
300VS-Side Hung 18" 5 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM58.00
300VS-Top Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM48.00
300VS-Top Hung 18" 4 Bar	S.Steel SUS 304	SS	25 pairs / ctn	RM56.00
300VS-Top Hung 20" 5 Bar	S.Steel SUS 304	SS	25 pairs / ctn	RM80.00
300VS-Top Hung 24" 6 Bar	S.Steel SUS 304	SS	25 pairs / ctn	RM90.00

**300VS-SUS 304 - EXPOSED 2 BAR HINGE**




	<b>Size / Thickness</b>	11" x 2.5mm
	<b>Width (mm)</b>	13.5
	<b>Stack Height (mm)</b>	14

**300VS-SUS 304 - CONCEALED 2 BAR HINGE**



	<b>Size / Thickness</b>	11" x 2.5mm
	<b>Width (mm)</b>	13.5
	<b>Stack Height (mm)</b>	21

**300VS-VIMAX SUS 304 - 2 BAR HINGE**




	<b>Size / Thickness</b>	10" x 2.5mm
	<b>Width (mm)</b>	19
	<b>Stack Height (mm)</b>	20

Code	Material	Finishing	Packing	(RM) / Unit
300VS-Exposed 2 Bar Hinge	S.Steel SUS 304	SS	50 pairs / ctn	RM22.00
300VS-Concealed 2 Bar Hinge	S.Steel SUS 304	SS	50 pairs / ctn	RM22.00
300VS-10" Vimax 2 Bar Hinge	S.Steel SUS 304	SS	50 pairs / ctn	RM20.00


3

**300VS-SUS 304 - 2 BAR HINGE ( ROUND )**




	<b>Size / Thickness</b>	8" x 2.0mm	10" x 2.0mm	12" x 2.0mm
	<b>Width (mm)</b>	19	19	19
	<b>Stack Height (mm)</b>	13	13	13

**300VS-SUS 304 - 2 BAR HINGE ( SQUARE )**



	<b>Size / Thickness</b>	8" x 2.0mm	10" / 2.0mm	12" / 2.0mm
	<b>Width (mm)</b>	18	18	18
	<b>Stack Height (mm)</b>	15	15	15


**300VS-SUS 304 - RESTRICTION ARM**



	<b>Size / Thickness</b>	8" x 2.0mm	12" / 2.0mm
	<b>Width (mm)</b>	13.5	13.5
	<b>Stack Height (mm)</b>	15	15


Code	Material	Finishing	Packing	(RM) / Unit
300VS-8" 2 Bar Hinge ( Round )	S.Steel SUS 304	SS	50 pairs / ctn	RM12.00
300VS-10" 2 Bar Hinge ( Round )	S.Steel SUS 304	SS	50 pairs / ctn	RM14.00
300VS-12" 2 Bar Hinge ( Round )	S.Steel SUS 304	SS	50 pairs / ctn	RM16.00
300VS-8" 2 Bar Hinge ( Square )	S.Steel SUS 304	SS	50 pairs / ctn	RM13.00
300VS-10" 2 Bar Hinge ( Square )	S.Steel SUS 304	SS	50 pairs / ctn	RM15.00
300VS-12" 2 Bar Hinge ( Square )	S.Steel SUS 304	SS	50 pairs / ctn	RM17.00
300VS-8" Restriction Arm	S.Steel SUS 304	SS	50 pairs / ctn	RM15.00
300VS-12" Restriction Arm	S.Steel SUS 304	SS	50 pairs / ctn	RM18.00

**300VS-SUS 304 - MULTI LOCKING BAR**




	<b>Size / Thickness</b>	10" x 2.0mm
	<b>Width (mm)</b>	13.5
	<b>Stack Height (mm)</b>	15

**300VS-SUS 304 - STOPPER ARM**




	<b>Size / Thickness</b>	10" x 2.0mm
	<b>Width (mm)</b>	13.5
	<b>Stack Height (mm)</b>	15

**300VS-SUS 304 - 7" 2 BAR HINGE R/L**



	<b>Size / Thickness</b>	7" x 3.0mm
	<b>Width (mm)</b>	19
	<b>Stack Height (mm)</b>	12

**300VS-SUS 304 - 6" 2 BAR LIMIT HINGE**



	<b>Size / Thickness</b>	6" x 2.0mm
	<b>Width (mm)</b>	18
	<b>Stack Height (mm)</b>	16

Code	Material	Finishing	Packing	(RM) / Unit
300VS-10" Multi Locking Bar	S.Steel SUS 304	SS	50 pairs / ctn	RM18.00
300VS-10" Stopper Arm	S.Steel SUS 304	SS	50 pairs / ctn	RM22.00
300VS-7" 2 Bar Hinge	S.Steel SUS 304	SS	50 pairs / ctn	RM22.00
300VS-6" 2 Bar Limit Hinge	S.Steel SUS 304	SS	50 pairs / ctn	RM16.00


3

**300VS-SUPPORTING ARM ( ROUND ) R/L**  
Supporting Arm ( Round ) SUS 304



Size / Thickness	8" x 3.0mm	10" x 3.0mm	12" x 3.0mm
------------------	------------	-------------	-------------

**300VS-SUPPORTING ARM ( SQUARE ) R/L**  
Supporting Arm ( Square ) SUS 304



Size / Thickness	8" x 3.0mm	12" x 3.0mm
------------------	------------	-------------


Code	Material	Finishing	Packing	(RM) / Unit
300VS-8" Supporting Arm ( Round )	S.Steel SUS 304	SS	50 pairs / ctn	RM45.00
300VS-10" Supporting Arm ( Round )	S.Steel SUS 304	SS	50 pairs / ctn	RM47.40
300VS-12" Supporting Arm ( Round )	S.Steel SUS 304	SS	50 pairs / ctn	RM50.00
300VS-8" Supporting Arm ( Square )	S.Steel SUS 304	SS	50 pairs / ctn	RM32.00
300VS-12" Supporting Arm ( Square )	S.Steel SUS 304	SS	50 pairs / ctn	RM35.00

**300VS-KLC CURTAIN WALL STAY - TOP HUNG**




 <b>Size / Thickness</b>	13" x 2.0mm	20" x 2.0mm
 <b>Width (mm)</b>	22	22
 <b>Stack Height (mm)</b>	12	12

**300VS-NIKEE 304 - 2 BAR HINGE ( ROUND ) NIKEE®**



 <b>Size / Thickness</b>	8" x 2.0mm	12" / 2.0mm
 <b>Width (mm)</b>	19	13
 <b>Stack Height (mm)</b>	19	13

**300VS-304 - 2 BAR HINGE ( SQUARE ) LOTO®**



 <b>Size / Thickness</b>	8" x 2.0mm	12" / 2.0mm
 <b>Width (mm)</b>	18	13
 <b>Stack Height (mm)</b>	18	13


Code	Material	Finishing	Packing	(RM) / Unit
300VS-13" KLC Curtain Wall Stay	Aluminium	Black	50 pairs / ctn	RM38.60
300VS-20" KLC Curtain Wall Stay	Aluminium	Black	50 pairs / ctn	RM44.50
300VS-8" NIKEE 2 Bar Hinge ( Round )	S.Steel 201	SS	50 pairs / ctn	RM8.00
300VS-12" NIKEE 2 Bar Hinge ( Round )	S.Steel 201	SS	50 pairs / ctn	RM10.00
300VS-8" LOTO 2 Bar Hinge ( Square )	S.Steel 201	SS	50 pairs / ctn	RM8.60
300VS-12" LOTO 2 Bar Hinge ( Square )	S.Steel 201	SS	50 pairs / ctn	RM10.60

3

**300VS-WIND RESISTANCE STAY ( CONCEALED )**  
WR-13" SUS 304 - Double Slider



PI - 2018702904




	<b>Size / Thickness</b>	13" x 2.5mm
	<b>Width (mm)</b>	13.5
	<b>Stack Height (mm)</b>	25

**300VS-WIND RESISTANCE STAY ( EXPOSED )**  
WR-13" SUS 304 - Double Slider



PI - 2018702904



	<b>Size / Thickness</b>	13" x 2.5mm
	<b>Width (mm)</b>	13.5
	<b>Stack Height (mm)</b>	17.5

Code	Material	Finishing	Packing	(RM) / Unit
300VS-WR-13" 3 Bar Hinge ( Concealed )	S.Steel SUS 304	SS	50 pairs / ctn	RM33.00
300VS-WR-13" 3 Bar Hinge ( Exposed )	S.Steel SUS 304	SS	50 pairs / ctn	RM33.00

**300VS-LOTO 18 SQUARE GROOVE SIDE / TOP HUNG**  
Stainless Steel Friction Stay - 304



Side Hung



Top Hung



Unique 6mm Pivot



Quality Stainless Steel Slide Pallet with PVC Coating



Safety Edge Circumference on Supporting Arms



**SIDE HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	18	55° ± 2°	500	1000	14.5 ± 0.2	10
12" / 2.0mm	4	18	86° ± 2°	600	1200	14.5 ± 0.2	16
16" / 2.0mm	4	18	86° ± 2°	650	1500	14.5 ± 0.2	18
16" / 2.5mm	5	18	80° ± 2°	700	1500	15.8 ± 0.5	24

**TOP HUNG**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
12" / 2.0mm	4	18	25° - 35°	1000	1000	14.5 ± 0.2	26
16" / 2.5mm	4	18	25° - 35°	1200	1100	15.8 ± 0.5	32


Code	Material	Finishing	Packing	(RM) / Unit
300VS-Side Hung 8" 4 Bar	S.Steel 201	SS	100 pairs / ctn	RM10.00
300VS-Side Hung 12" 4 Bar	S.Steel 201	SS	100 pairs / ctn	RM11.00
300VS-Side Hung 16" 4 Bar	S.Steel 201	SS	50 pairs / ctn	RM18.00
300VS-Side Hung 16" 5 Bar	S.Steel 201	SS	50 pairs / ctn	RM20.00
300VS-Top Hung 12" 4 Bar	S.Steel 201	SS	50 pairs / ctn	RM14.00
300VS-Top Hung 16" 4 Bar	S.Steel 201	SS	25 pairs / ctn	RM18.80

3

**300VS-19 ROUND GROOVE - SIDE HUNG**

Stainless Steel Friction Stay - 304

**NIKEE®**




**Side Hung**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
8" / 2.0mm	4	19	65°	500	800	13 ± 0.5	10
12" / 2.0mm	4	19	90°	550	1200	13 ± 0.5	14
16" / 2.5mm	4	21	70°	650	1400	15 ± 0.5	22

**300VS-BB 19 ROUND GROOVE - SIDE HUNG**

Steel Friction Stay - 430



**Side Hung**

Size / Thickness	Bar	Arm Base Width (mm)	Opening Degree	Width (mm)	Height (mm)	Stack Height (mm)	Max Weight (kg)
6" / 2.0mm	4	19	45°	500	800	13 ± 0.5	5
8" / 2.0mm	4	19	65°	450	1000	13 ± 0.5	10
12" / 2.0mm	4	19	90°	500	1200	13 ± 0.5	14
16" / 2.5mm	4	19	70°	650	1400	15 ± 0.5	22

Code	Material	Finishing	Packing	(RM) / Unit
300VS-NIKEE Side Hung 8" 4 Bar	S.Steel 201	SS	100 pairs / ctn	RM8.40
300VS-NIKEE Side Hung 12" 4 Bar	S.Steel 201	SS	100 pairs / ctn	RM10.60
300VS-NIKEE Side Hung 16" 4 Bar	S.Steel 201	SS	50 pairs / ctn	RM15.40
300VS-BB Side Hung 6" 4 Bar	Steel 430	SS	100 pairs / ctn	RM6.00
300VS-BB Side Hung 8" 4 Bar	Steel 430	SS	125 pairs / ctn	RM6.30
300VS-BB Side Hung 12" 4 Bar	Steel 430	SS	100 pairs / ctn	RM8.00
300VS-BB Side Hung 16" 4 Bar	Steel 430	SS	50 pairs / ctn	RM14.00



4

Manufactured from quality materials, our rollers and guide ensure that the door system will consistently track in a smooth manner, with support for both the top and bottom of the system.



**ADVANTAGE**

- ✓ Ride smoothly and quiet on rails with precision single point contact.
- ✓ Easy mounting or dismounting of door panels.
- ✓ Top quality wheel bearing for better durability.
- ✓ Up to 6 wheels for smoother operation.




**CONCEALED FOLDING DOOR GUIDE**


4




**HORIZONTAL SECTIONAL DETAIL ( WITH DOOR OPENED )**



**HORIZONTAL SECTIONAL DETAIL ( WITH DOOR CLOSED )**



**VERTICAL SECTIONAL VIEWS**



**TYPICAL HARDWARE ARRANGEMENT**

**ACCESSORIES HIGH PERFORMANCE FEATURES FOR FD 55 SERIES**

The accessories listed herein are standard parts for the FD 55 series hanging & folding door. For technical support and assistance in the selection of these accessories for your particular need, please contact our sales personnel.

Type	Class	Panel Size < H x W (mm)	< Weight (kg) per Panel
CFD 55-3.6	Extra Heavy Duty	3600 x 750	90
CFD 55-3.0	Heavy Duty	3000 x 800	75
CFD 55-2.4	Light Duty	2400 x 750	60



**400VS-FD55-HD01-B**  
Top Roller with 4 Brass Wheels



**400VS-FD55-EXHD-02**  
Bottom Guide with Bearing Rollers



**400VS-FD55-HD03-N**  
Top Roller with Nylon Wheels




**400VS-FD55-HD04**  
Bottom Guide with Single Bearing Roller




Code	Material	Finishing	Packing	(RM) / Unit
400VS-FD55-HD01-B	Aluminium / Brass	SS	50 pcs / ctn	RM258.00
400VS-FD55-EXHD-02	Aluminium / Nylon	SS	100 pcs / ctn	RM100.00
400VS-FD55-HD03-N	Aluminium / Nylon	SS	50 pcs / ctn	RM120.00
400VS-FD55-HD04	Aluminium / Nylon	SS	100 pcs / ctn	RM48.00

4


**400VS-FD33-HD310-N**  
Top Roller with Nylon Wheels




**400VS-FD33-HD320**  
Bottom Guide with Bearing Rollers



**400VS-FD33-HD330-B**  
Top Roller with 4 Brass Wheels




**400VS-MH-5580**  
Concealed Heavy Duty Hinge with Cover




Code	Material	Finishing	Packing	(RM) / Unit
400VS-FD33-HD310-N	Aluminium / Nylon	SN	50 pcs / ctn	RM132.00
400VS-FD33-HD320	Aluminium / Nylon	SN	100 pcs / ctn	RM50.00
400VS-FD33-HD330-B	Aluminium / Brass	SS	50 pcs / ctn	RM176.00
400VS-MH-5580	Aluminium / Brass	White / Black	100 pcs / ctn	RM28.00

**400VS-FD33-HD340**  
Bottom Guide




**400VS-BRISTLE WEATHER**  
Weather Strip




4

**400VS-FD-5560-BIG**  
Concealed Flush Bolt



19.6mm

**400VS-FD-5560-SMALL**  
Concealed Flush Bolt



19.6mm

Code	Material	Finishing	Packing	(RM) / Unit
400VS-FD33-HD340	Aluminium / Nylon	SS	100 pcs / ctn	RM38.00
400VS-Bristle Weather	Bristle	Black	100 pcs / ctn	RM68.80
400VS-FD-5560-Big	Zinc Alloy	Black	150 pairs / ctn	RM30.00
400VS-FD-5560-Small	Zinc Alloy	Black	180 pairs / ctn	RM32.00

4



**EXPOSED FOLDING DOOR GUIDE**

The FD88 Multi Fold Door System is developed to satisfy most requirements of a flexible door access with superior performance functionality and good aesthetics.

Architectural grade alloy 6063-T5 aluminium extrusions are used to fabricate the aluminium frames which offer options to latest finishing including wood grain finishes.

The roller assembly being fabricated from either plated brass or special nylon with bearings, fitted to a stainless steel carriage designed lock pin which mounted to the top roller shaft is preventing a loosening of the carriage assembly.

We are committed to improve and widen our range of products and services to cater customers needs, with the best.



Type	Class	Recommended Panel Size H x W (mm)	Max Panel Weight (kg)
8144-TR	Extra Heavy Duty	< 3000 x 800	90
844-TR	Heavy Duty	< 2700 x 800	75
84-TR	Light Duty	< 2400 x 800	60


FD88 Multi Fold Door System are using stainless steel, high quality ball bearing, nylon & brass material for smooth, silent, durable in fold and slide operation.



BS EN 13126-15 : 2008  
PC 002243

**Rollers for horizontal sliding and sliding folding windows and doors.**


**EXPOSED FOLDING DOOR DETAILS**




**TECHNICAL SPECIFICATION AND ASSEMBLY DETAILS**

**TYPICAL HARDWARE ARRANGEMENT**  
 The accessories listed herein are standard parts for the Series Multi Fold Door.  
 For technical support and assistance in the selection of these accessories for your particular needs, please contact our sales personnel.


**HORIZONTAL SECTIONAL DETAIL ( WITH DOOR OPENED )**




**HORIZONTAL SECTIONAL DETAIL ( WITH DOOR CLOSED )**




**VERTICAL SECTIONAL VIEWS**



**Bottom Track (Concealed)**




**Bottom Track (Exposed Channel)**




**Bottom Track (Exposed Channel - Level Floor)**

4


**400VS-81SH**  
Side Hinge




**400VS-822MH**  
Mid Hinge



**400VS-833DH**  
D-Hinge with Handle



**400VS-84TR**  
Top Roller




Code	Material	Finishing	Packing	(RM) / Unit
400VS-81SH	Aluminium	White / Black	200 pcs / ctn	RM26.00
400VS-822MH	Aluminium	White / Black	200 pcs / ctn	RM26.00
400VS-833DH	Aluminium / Zinc Alloy	White / Black	100 pcs / ctn	RM32.00
400VS-84TR	Aluminium / Nylon	White / Black	50 pcs / ctn	RM110.00


**400VS-855BG**  
Bottom Guide R/L



Inside View (R)




**400VS-86TR**  
Top Roller




**400VS-877BG**  
Bottom Guide R/L




Inside View (R)



**400VS-888BG**  
Bottom Guide R/L



Inside View (R)




Code	Material	Finishing	Packing	(RM) / Unit
400VS-855BG	Aluminium	White / Black	100 pcs / ctn	RM50.00
400VS-86TR	Aluminium / Nylon	White / Black	50 pcs / ctn	RM110.00
400VS-877BG	Aluminium	White / Black	100 pcs / ctn	RM50.00
400VS-888BG	Aluminium	White / Black	100 pcs / ctn	RM50.00

4


**400VS-899BG**  
Bottom Guide R/L




Inside View (R)




**400VS-91TR-B**  
Top Roller Brass



**400VS-94TR-B**  
Top Roller Brass



**400VS-SS36C**  
Stainless Steel Cover




Code	Material	Finishing	Packing	(RM) / Unit
400VS-899BG	Aluminium	White / Black	100 pcs / ctn	RM50.00
400VS-91TR-B	Aluminium / Brass	White / Black	50 pcs / ctn	RM180.00
400VS-94TR-B	Aluminium / Brass	White / Black	50 pcs / ctn	RM180.00
400VS-SS36C	S.Steel SUS 304	White / Black	160 pcs / ctn	RM28.00

**400VS-844TR**  
Heavy Duty Top Roller 4 Nylon



**400VS-866TR**  
Heavy Duty Top Roller 4 Nylon



**400VS-8144TR-B**  
Heavy Duty Top Roller 4 Brass




**400VS-8146TR-B**  
Heavy Duty Top Roller 4 Brass




Code	Material	Finishing	Packing	(RM) / Unit
400VS-844TR	S.Steel SUS 304 / Nylon	White / Black	50 pcs / ctn	RM200.00
400VS-866TR	S.Steel SUS 304 / Nylon	White / Black	50 pcs / ctn	RM200.00
400VS-8144TR-B	S.Steel SUS 304 / Brass	White / Black	50 pcs / ctn	RM260.00
400VS-8146TR-B	S.Steel SUS 304 / Brass	White / Black	50 pcs / ctn	RM260.00

4


**400VS-J761**  
Magnet Door Stopper




**400VS-J195**  
Latch Bolt Exposed Track




**400VS-J961-K1**  
Bolt Keeper




**400VS-J961-K2**  
Double Bolt Keeper



**400VS-PL-01**  
Latch Bolt Lock




**400VS-MK-101**  
Latch Bolt Exposed Track




Code	Material	Finishing	Packing	(RM) / Unit
400VS-J761	PVC	White / Black	100 pairs / ctn	RM40.00
400VS-J195	Zinc Alloy	White / Black	50 pcs / ctn	RM11.00
400VS-J961-K1	PVC	White / Black	50 pcs / pkt	RM4.00
400VS-J961-K2	PVC	White / Black	50 pcs / pkt	RM6.00
400VS-PL-01	Zinc Alloy	White / Black	200 pcs / ctn	RM38.00
400VS-MK-101	PVC	Black	200 pairs / ctn	RM12.00

**400VS-ET-78**  
Latch Bolt




1 x 19.5mm

**400VS-15T-78**  
Latch Bolt



1 x 19.5mm


**400VS-15L-80**  
Latch Bolt



2 x 18.6mm

2 x 19.6mm


**400VS-T-20133**  
Concealed Door Handle




Code	Material	Finishing	Packing	(RM) / Unit
400VS-ET-78	Zinc Alloy	White / Black	250 pairs / ctn	RM10.00
400VS-15T-78	S.Steel SUS 304	SS	180 pairs / ctn	RM40.00
400VS-15L-80	S.Steel SUS 304	SS	180 pairs / ctn	RM43.00
400VS-T-20133	Zinc Alloy	White / Black	50 pcs / ctn	RM58.00

4


**400VS-T-31**  
Concealed Door Handle




**400VS-T-21031**  
Concealed Door Handle




**400VS-T-28**  
Collapsible Door Handle




**400VS-T-22022**  
Stainless Steel Collapsible Door Handle



**400VS-T-27**  
Lock Case




**400VS-T-30**  
Cylinder Lock Case




Code	Material	Finishing	Packing	(RM) / Unit
400VS-T-31	Zinc Alloy	White / Black	100 pcs / ctn	RM38.00
400VS-T-21031	Zinc Alloy / S.Steel SUS 304	White / Black	60 pcs / ctn	RM72.00
400VS-T-28	Zinc Alloy	White / Black / NA	100 pcs / ctn	RM23.00
400VS-T-22022	Zinc Alloy / S.Steel SUS 304	White / Black	80 pcs / ctn	RM32.00
400VS-T-27	Zinc Alloy	Silver	60 pcs / ctn	RM45.00
400VS-T-30	Zinc Alloy	Silver	50 pcs / ctn	RM57.00


**400VS-T-29**  
Lock Case




**400VS-T-21029**  
Lock Case



**400VS-T-21028**  
Transmission Lock Box (Concealed)



**INSTALLATION**



Code	Material	Finishing	Packing	(RM) / Unit
400VS-T-29	Zinc Alloy	Silver / Black	100 pcs / ctn	RM26.00
400VS-T-21029	Zinc Alloy	White / Black	100 pcs / ctn	RM40.00
400VS-T-21028	Zinc Alloy	SS	50 pcs / ctn	RM65.00

4

**400VS-ML-1616-KEY**

Door Lock Set with Key




**400VS-ML-1618**

Door Lock Set with Key




**400VS-MBD-0015**

Door Lock Cam



**INSTALLATION DIAGRAM**



Code	Material	Finishing	Packing	(RM) / Unit
400VS-ML-1616-Key	Zinc Alloy / SS	White / Black	12 sets / ctn	RM300.00
400VS-ML-1617-w/o Key	Zinc Alloy / SS	White / Black	12 sets / ctn	RM280.00
400VS-ML-1618-Key	Zinc Alloy / SS	White / Black	12 sets / ctn	RM330.00
400VS-ML-1619-w/o Key	Zinc Alloy / SS	White / Black	12 sets / ctn	RM310.00
400VS-MBD-0015	Zinc Alloy	White / Black	50 pcs / ctn	RM112.00



**Designed for ease of operation, optimum security and maximum durability. The ease of operation is also a result of our silent heavy duty roller assemblies.**

**ADVANTAGE**

- Quality rollers ensure great durability.
- Smooth and quiet operation.
- Strong assembly.
- Easy to install.
- Corrosion resistance.



**500VS-TYPICAL ELEVATIONS - 4 SLIDING PANELS**



Vertical Sectional Details

5


The **VIMAX DOOR SLD/PS 16HD** sliding door is very practical and functional white allowing very good natural light infiltration and ventilation when opened.

However, as the sliding doors get bigger, it would require more heavy duty framing as well as accessories to support it. For security and safety, the type and thickness of the glass panels are also increasing which adds to the weight of the panel on the bottom rollers and frame.


The sliding door system also incorporates a multipoint locking system which is a necessity for bigger doors thus adding to the security features of the door.




**Horizontal Sectional Details**




**500VS-1605**  
Glazing Attachment




**500VS-1606**  
Outer Frame Double Track




**500VS-1607**  
Outer Frame 3 Track




**500VS-1608**  
Inner Frame 85mm



**500VS-1609**  
Mid-Nose Joint




**500VS-1610**  
Inner Lock for 161




Code	L.W (kg/m)	AP (mm)	Length	Material	Finishing	Packing
500VS-1605	0.165	103	6.1m	Aluminium	MF	4pcs / ctn
500VS-1606	1.606	323	6.1m	Aluminium	MF	4pcs / ctn
500VS-1607	2.035	508	6.1m	Aluminium	MF	4pcs / ctn
500VS-1608	1.220	387	6.1m	Aluminium	MF	4pcs / ctn
500VS-1609	0.230	123	6.1m	Aluminium	MF	4pcs / ctn
500VS-1610	0.400	196	6.1m	Aluminium	MF	4pcs / ctn

5


**500VS-MR-001-N**  
Sliding Door Roller Standard




**500VS-MR-002-N**  
Sliding Window Roller



**500VS-VIMAX-24002**  
Heavy Duty Sliding Window Roller




**500VS-MR-004-N**  
Sliding Door Roller Economy




Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-001-N	40 kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	RM3.20
500VS-MR-002-N	15 kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	RM1.30
500VS-VIMAX-24002	40 kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	RM4.00
500VS-MR-004-N	40 kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	RM3.20


**500VS-MR-001-B**  
Sliding Door Roller Standard




**500VS-MR-002-B**  
Sliding Door Roller



**500VS-MR-004-B**  
Sliding Door Roller Economy



**500VS-MR-001-DB**  
Sliding Door Double Roller Standard




Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-001-B	50 kg	Mix Steel / Brass	Mill Finish	150 pcs / ctn	RM15.00
500VS-MR-002-B	25 kg	Mix Steel / Brass	Mill Finish	500 pcs / ctn	RM6.00
500VS-MR-004-B	50 kg	Mix Steel / Brass	Mill Finish	150 pcs / ctn	RM15.00
500VS-MR-001-DB	60 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	RM10.00

5

**500VS-MR-006-N-DB**

Sliding Door Double Roller Economy



**500VS-SC003 (MADE IN THAILAND)**

Showcase Roller with Bearing




**RED BOX**  
S/Steel

**BLUE BOX**  
Brass

**500VS-SC162**

Showcase Roller with Bearing



**500VS-MR-007-N**

Sliding Top Roller



**80kg**

**500VS-MR-5007-N**


Sliding Top Roller



**60kg**

**500VS-MR-13**

Sliding Window Roller - LB



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-006-N	60 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	RM8.00
500VS-SC003 (M.I. Thailand Red)	10 kg	Stainless Steel	SS	100 pcs x 25 box / ctn	RM2.30
500VS-SC003 (M.I. Thailand Blue)	5 kg	Brass	SS	100 pcs x 25 box / ctn	RM1.80
500VS-SC162	13 kg	Stainless Steel	SS	100 pcs x 10 box / ctn	RM3.00
500VS-MR-007-N	80 kg	Mix Steel / Nylon	SS	50 pairs / ctn	RM36.00
500VS-MR-5007-N	60 kg	Mix Steel / Nylon	SS	50 pairs / ctn	RM32.00
500VS-MR-13	25 kg	PVC / Nylon	White	1000 pcs / ctn	RM4.60


**500VS-MR-17**  
Euro Sliding Door Roller



**500VS-MR-21**  
VSP Sliding Door Roller




**500VS-MR-22**  
VSP Sliding Door Roller



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-17	200 kg	S.Steel / Nylon	SS	50 pcs / ctn	RM120.00
500VS-MR-21	150 kg	S.Steel / Nylon	SS	100 pcs / ctn	RM56.00
500VS-MR-22	100 kg	S.Steel / Nylon	SS	100 pcs / ctn	RM26.00

5


**500VS-MR-24**  
Sliding Door Roller




**500VS-MR-25**  
Sliding Door Roller



**500VS-MR-28**  
Sliding Door Roller




**500VS-MR-39**  
Sliding Door Roller



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-24	150 kg	S.Steel / Nylon	SS	100 pcs / ctn	RM40.00
500VS-MR-25	100 kg	S.Steel / Nylon	SS	200 pcs / ctn	RM24.00
500VS-MR-28	100 kg	S.Steel / Nylon	SS	200 pcs / ctn	RM24.00
500VS-MR-39	80 kg	S.Steel / Nylon	SS	100 pcs / ctn	RM24.00

**500VS-MR-36**

Sliding Window Roller with MP928 Stopper




**Profile**  
PMB SW946D

**Wheel Shape**

**500VS-5310-TE**

FAPIM Roller V - DIAM 22




**Profile**  
Superb 30760

**Wheel Shape**

**500VS-5311-TE**

FAPIM Roller V - DIAM 28




**Profile**  
LB7057

**Wheel Shape**

**500VS-MR-40-MD**

Sliding Door Roller




**Profile**  
Superb 30760

**Wheel Shape**


Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-36	36 kg	S.Steel / Nylon	SS	1000 set / ctn	RM16.00
500VS-5310-TE	150 kg	PVC / Nylon	Black	50 pcs / ctn	RM52.00
500VS-5311-TE	150 kg	PVC / Nylon	Black	50 pcs / ctn	RM52.00
500VS-MR-40-MD	100 kg	S.Steel SUS 304 / Nylon	SS	100 pcs / ctn	RM30.00

5


**500VS-MR-41-HD**  
Sliding Door Roller




**500VS-MR-44**  
Sliding Door Roller - 300kg



**500VS-MR-46**  
Sliding Door Roller



**500VS-MR-52**  
Sliding Door Roller




Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-41-HD	150 kg	S.Steel SUS 304 / Nylon	SS	100 pcs / ctn	RM65.00
500VS-MR-44	300 kg	S.Steel / Nylon	SS	50 pcs / ctn	RM120.00
500VS-MR-46	150 kg	Mix Steel / Nylon	SS	50 pcs / ctn	RM48.00
500VS-MR-52	100 kg	Aluminium / Nylon	Silver	200 pcs / ctn	RM24.00

**500VS-MR-53**  
Sliding Door Roller




**500VS-MR-55**  
Sliding Door Roller



**500VS-MR-58**  
Sliding Door Roller



**500VS-MR-59**  
Sliding Door Roller




Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-MR-53	100 kg	Aluminium / Nylon	Silver	200 pcs / ctn	RM24.00
500VS-MR-55	100 kg	Aluminium / Nylon	Silver	200 pcs / ctn	RM24.00
500VS-MR-58	100 kg	Aluminium / Nylon	Silver	200 pcs / ctn	RM24.00
500VS-MR-59	100 kg	Aluminium / Nylon	Silver	200 pcs / ctn	RM24.00

5

**500VS-2100**

Sliding Door Top Roller



- 2 Roller Set
- 2 End Stopper
- 1 Nylon Bottom Guide

**500VS-2200**

Sliding and Folding Door Top Roller



- 2 Roller Set
- 2 End Stopper
- 1 Nylon Bottom Guide



**500VS-2300**

Wall Mount Bracket



**500VS-SG-2000**

Aluminium Top Track



Code	Max. Weight Capacity for 2 Rollers / Panel	Material	Finishing	Packing	(RM) / Unit
500VS-2100	100 kg	Zinc Alloy / Nylon	SS	60 sets / ctn	RM64.00
500VS-2200	50 - 80 kg	Zinc Alloy / Nylon	SS	60 sets / ctn	RM44.00
500VS-2300	-	Steel	SS	50 pcs / ctn	RM7.00


Code	Size	Material	Finishing	Packing	(RM) / Unit
500VS-SG-2000	2 meter	Aluminium	Silver		RM60.00
	3 meter				RM90.00
	4 meter				RM120.00
	6 meter				RM176.00



**The variety of sliding door handles that are perfect for all and added security measure with precise designed.**

**ADVANTAGE**


- ✓ Aesthetics design.
- ✓ Ergonomic handle makes it comfortable to use daily.
- ✓ A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- ✓ Sufficient circumference to distribute the force comfortably and safety over the hand.
- ✓ Easy to install and maintain.
- ✓ Key-lock security and thumbturn mechanism.



**Inner View**

6

**600VS-601**  
Sliding Lock with Double Key



Strike Plate Options :



**600VS-602**  
Sliding Lock with Thumbturn & Key



Strike Plate Options :




**600VS-603**  
Sliding Lock with Thumbturn



Strike Plate Options :



**600VS-604**  
Sliding Dummy Handle




Code	Material	Finishing	Packing	(RM) / Unit
600VS-601	Zinc Die-Cast	White / Black	20 sets / ctn	RM240.00
600VS-602	Zinc Die-Cast	White / Black	20 sets / ctn	RM200.00
600VS-603	Zinc Die-Cast	White / Black	20 sets / ctn	RM180.00
600VS-604	Zinc Die-Cast	White / Black	20 sets / ctn	RM120.00

**600VS-605**  
Sliding Lock with Thumbturn & Key




Strike Plate Options :

**600VS-606**  
Sliding Dummy Handle




**600VS-6100**  
Sliding Lock with Thumbturn



Strike Plate Options :

**600VS-6400**  
Sliding Dummy Handle




Code	Material	Finishing	Packing	(RM) / Unit
600VS-605	Zinc Die-Cast	White / Black	20 sets / ctn	RM200.00
600VS-606	Zinc Die-Cast	White / Black	20 sets / ctn	RM120.00
600VS-6100	Zinc Die-Cast	White / Black	20 sets / ctn	RM160.00
600VS-6400	Zinc Die-Cast	White / Black	20 sets / ctn	RM100.00

6

**600VS-6300 / 600VS-6200 KEY**

Sliding Lock with Thumbturn / Key



Strike Plate Options :



**600VS-6900**

Sliding Lock with Thumbturn




Strike Plate Options :



**600VS-607**

Sliding Lock with Thumbturn & Key




Strike Plate Options :



**600VS-609**

Sliding Lock with Single Side Thumbturn




Strike Plate Options :



**600VS-6600**


Mortise Lockcase Backset 28mm



600VS-6500


**600VS-6700**

Mortise Lockcase Backset 37mm




Code	Material	Finishing	Packing	(RM) / Unit
600VS-6200 KEY	Zinc Die-Cast	White / Black	20 sets / ctn	RM240.00
600VS-6300	Zinc Die-Cast	White / Black	20 sets / ctn	RM200.00
600VS-6900	Zinc Die-Cast	White / Black	20 sets / ctn	RM170.00
600VS-607	Zinc Die-Cast	White / Black	20 sets / ctn	RM180.00
600VS-609	Zinc Die-Cast	White / Black	20 sets / ctn	RM160.00
600VS-6500	S.Steel SUS 304	SS	50 pcs / ctn	RM100.00
600VS-6600	S.Steel SUS 304	SS	50 pcs / ctn	RM100.00
600VS-6700	S.Steel SUS 304	SS	50 pcs / ctn	RM120.00


**600VS-6800-SP**  
Striker Plate C-Shape




**600VS-6801-SP**  
Striker Plate U-Shape




**600VS-6802-SP**  
Striker Plate Flat Shape



**600VS-6803-SP**  
Striker Plate V-Shape



**600VS-6804-SP**  
Striker Plate Semi-Circle Shape



**600VS-601-KEY SET**



For 601

Code	Material	Finishing	Packing	(RM) / Unit
600VS-6800-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM22.00
600VS-6801-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-6802-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-6803-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-6804-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-601-KEY SET	Brass	PB	50 pcs / ctn	RM38.00

6

**600VS-SD-1**

Sliding Door Lock Single with Key / without Key




Strike Plate Options :



**600VS-SD-2**

Sliding Door Lock Double with Key / without Key



Strike Plate Options :




**600VS-SD-3**

Sliding Door Lock Single with Key / without Key




**600VS-SD-4**

Sliding Door Lock Double with Key / without Key




Code	Material	Finishing	Packing	(RM) / Unit
600VS-SD-1 with KEY	Aluminium	White / Black	10 sets / ctn	RM160.00
600VS-SD-2 with KEY	Aluminium	White / Black	10 sets / ctn	RM186.00
600VS-SD-3 with KEY	Zinc Alloy	White / Black	10 sets / ctn	RM140.00
600VS-SD-4 with KEY	Zinc Alloy	White / Black	10 sets / ctn	RM170.00
600VS-SD-1 without KEY	Aluminium	White / Black	10 sets / ctn	RM148.00
600VS-SD-2 without KEY	Aluminium	White / Black	10 sets / ctn	RM175.00
600VS-SD-3 without KEY	Zinc Alloy	White / Black	10 sets / ctn	RM130.00
600VS-SD-4 without KEY	Zinc Alloy	White / Black	10 sets / ctn	RM152.00


**600VS-VSD-1002-SP**  
Striker Plate V-Shape




**600VS-SD-1003-SP**  
Striker Plate U-Shape




**600VS-SD-1004-SP**  
Striker Plate Flat Shape



**600VS-SD-1005-SP**  
Striker Plate Semi-Circle Shape



**600VS-THL-0013**  
Mortise Lockcase Backset 26.5mm



**600VS-SD1-KEY SET**




For SD-1


Code	Material	Finishing	Packing	(RM) / Unit
600VS-SD-1002-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-SD-1003-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-SD-1004-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-SD-1005-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM12.00
600VS-THL-0013	S.Steel SUS 304	SS	20 pcs / ctn	RM96.00
600VS-SD-1-KEY SET	Brass	PB	100 pcs / ctn	RM38.00

**600VS-HE-9D KEY / 600VS-HE-10D**  
Sliding Door Lock with Key / without Key


6



\* Required to use with SL Sliding Door Locking Bar




**600VS-SDH-150C-32mm / 36mm**  
Sliding Door Hook



**600VS-SDH-150-32mm / 36mm / 40mm**  
Sliding Door Hook




**600VS-HE-L1**  
Multi Lock Hook




Code	Material	Finishing	Packing	(RM) / Unit
600VS-HE-9D KEY	Zinc Alloy	White / Black	10 sets / ctn	RM248.00
600VS-HE-10D	Zinc Alloy	White / Black	10 sets / ctn	RM238.00
600VS-150-32mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150C-32mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150-36mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150C-36mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150-40mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.60
600VS-HE-L1	Stainless Steel 201	SS	1000 pcs / ctn	RM6.00


**600VS-DS-0021**  
Sliding Flush Pull




**600VS-DS-0023**  
Sliding Door Flush Pull with Lock



**600VS-DS-0022**  
Lock Case



**INSTALLATION DIAGRAM**




Code	Material	Finishing	Packing	(RM) / Unit
600VS-DS-0021	Zinc Alloy	SN	20 sets / ctn	RM150.00
600VS-DS-0022	Zinc Alloy	SN	36 sets / ctn	RM120.00
600VS-DS-0023				

6


**600VS-HE-3A**  
Sliding Door Handle




**600VS-HE-1E**  
Sliding Door Handle




**600VS-HE-2A**  
Sliding Door Handle



**600VS-HE-5A-SQ**  
Sliding Door Handle




**600VS-HE-4R**  
Sliding Door Handle




Code	Material	Finishing	Packing	(RM) / Unit
600VS-HE-3A	Aluminium	White / Black	20 pairs / ctn	RM240.00
600VS-HE-1E	Zinc Alloy	White / Black	50 pcs / ctn	RM30.00
600VS-HE-2A	Aluminium / Solid	White / Black	50 pcs / ctn	RM24.00
600VS-HE-5A-SQ	Aluminium / Solid	White / Black	50 pcs / ctn	RM28.00
600VS-HE-4R	Aluminium	White / Black	50 pcs / ctn	RM18.00


**600VS-HESL-13S**  
Sliding Door Single Door Lock



**600VS-HESL-15A**  
Sliding Door Lock without Key 25mm / 32mm



**600VS-HESL-16A**  
Sliding Door Lock with Key 25mm / 32mm



**600VS-A-7 (NO KEY) & 600VS-A-8 (KEY)**  
Sliding Door Lock 25mm / 32mm




Code	Size	Material	Finishing	Packing	(RM) / Unit
600VS-HESL-13S	-	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM18.00
600VS-HESL-15A	25 mm 32 mm	Aluminium / Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM22.00
600VS-HESL-16A	25 mm 32 mm	Aluminium / Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM23.00
600VS-HESL-16A	40 mm	Aluminium / Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM32.00
600VS-PT-03	32 mm	PVC	Black	200 pcs / ctn	RM4.00
600VS-A-7	25 mm 32 mm	Aluminium	White / Black / Silver	100 pcs / ctn	RM19.00
600VS-A-8	25 mm 32 mm	Aluminium	White / Black / Silver	100 pcs / ctn	RM20.00
600VS-PT-02	32 mm	PVC	Black	200 pcs / ctn	RM4.00

6


**600VS-A-5 (NO KEY) & 600VS-A-6 (KEY)**  
Sliding Door Lock 25mm / 32mm



**600VS-HE-78**  
Sliding Dummy Handle



**600VS-HE-7D**  
Sliding Door Lock without Key




**600VS-HE-8D**  
Sliding Door Lock with Key




Code	Size	Material	Finishing	Packing	(RM) / Unit
600VS-A-5	25 mm 32 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM15.00 RM17.00
600VS-A-6	25 mm 32 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM16.00 RM18.00
600VS-PT-01	32 mm	Zinc Alloy	SS	200 pcs / ctn	RM2.30
600VS-HE-78	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM70.00
600VS-HE-7D	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM76.00
600VS-HE-8D	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM90.00


**600VS-HESL-28S**  
Sliding Door Single Door Lock




**600VS-HESL-27D**  
Sliding Dummy Handle




**600VS-HESL-25J**  
Sliding Door Lock without Key 32mm




**600VS-HESL-26J**  
Sliding Door Lock with Key 32mm / 40mm



Code	Size	Material	Finishing	Packing	(RM) / Unit
600VS-HESL-28S	-	Zinc Alloy	White / Black	50 pcs / ctn	RM45.00
600VS-HESL-27D	32 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM45.00
600VS-HESL-25J	32 mm 40 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM48.00
600VS-HESL-26J	32 mm 40 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM50.00



**600VS-DGTL-16**  
Digital Fingerprint Lock System




**TECHNICAL PARAMETERS**


<b>Power Supply</b>	4.5V-6.5V (4 dry batteries)
<b>Typical Quiescent Current</b>	<60 microampere (Battery life can exceed one year)
<b>Working Current</b>	<250 Milliampere (Strong driving ability)
<b>Number of Fingerprints</b>	<200 groups
<b>Number of Passwords</b>	<300 groups (6 Digits)
<b>Resolution</b>	500 dpi
<b>Rejection Rate</b>	<0.15%
<b>False Rate</b>	<0.00004%
<b>Operating Temperature</b>	-10°C - 60°C
<b>Relative Humidity</b>	20% - 93%

Code	(RM) / Unit
600VS-DGTL-16	RM1395.00


**600VS-219-DH**  
Lever Dummy Handle




**600VS-126-DH**  
Lever Mortise Handle



**600VS-218-DH**  
Lever Dummy Handle




**600VS-228-DH**  
Lever Mortise Handle





Code	Material	Finishing	Packing	(RM) / Unit
600VS-219-DH	Aluminium	White / Black / SN	20 sets / ctn	RM76.00
600VS-126-DH	Aluminium	White / Black / SN	20 sets / ctn	RM76.00
600VS-218-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	RM74.00
600VS-228-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	RM74.00

6


**600VS-229-DH**  
Lever Mortise Handle




**600VS-203-DH**  
Lever Mortise Handle



**600VS-217-DH**  
Lever Mortise Handle



**600VS-322-DH**  
One Size Lever Mortise Handle Set 30mm x 85mm




Code	Material	Finishing	Packing	(RM) / Unit
600VS-229-DH	Aluminium	White / Black	20 sets / ctn	RM74.00
600VS-203-DH	Zinc Alloy	White / Black	20 sets / ctn	RM68.00
600VS-217-DH	Zinc / Aluminium	White / Black	20 sets / ctn	RM70.00
600VS-322-DH	Zinc / Aluminium	White / Black	20 sets / ctn	RM128.00

**600VS-GL-01-F33**  
Lever Handle




**600VS-GL-03-F33**  
Lever Handle



**600VS-GL-04-F33**  
Lever Handle



**600VS-GL-33-F33**  
Lever Handle





Code	Material	Finishing	Packing	(RM) / Unit
600VS-GL-01-F33	S.Steel SUS 304	SS / Black	20 sets / ctn	RM90.00
600VS-GL-03-F33	S.Steel SUS 304	SS / Black	20 sets / ctn	RM90.00
600VS-GL-04-F33	S.Steel SUS 304	SS / Black	20 sets / ctn	RM90.00
600VS-GL-33-F33	S.Steel SUS 304	SS / Black	20 sets / ctn	RM90.00

6



**600VS-LH-230**  
Entrance Handle Set

**600VS-LH-231**  
Entrance Handle Set



Code	Material	Finishing	Packing	(RM) / Unit
600VS-LH-230	S.Steel SUS 304	SS	12 sets / ctn	RM260.00
600VS-LH-231	S.Steel SUS 304	SS	12 sets / ctn	RM240.00





**600VS-LML-2570-60D**

Lever Mortise Handle with 25mm x 70mm Mortise Lock  
60D Double Key Profile Cylinder

**600VS-LML-2580-60D**

Lever Mortise Handle with 25mm x 70mm Mortise Lock  
60D Double Key Profile Cylinder



Code	Feature	Material	Finishing	Packing	(RM) / Unit
600VS-LML-2570-60D	Double Key	Zinc Alloy	SN	20 sets / ctn	RM120.00
600VS-LML-2570-60D	Double Key	Zinc Alloy	AB	20 sets / ctn	RM130.00
600VS-LML-2580-60D	Double Key	Zinc Alloy	SN	20 sets / ctn	RM128.00
600VS-LML-2580-60D	Double Key	Zinc Alloy	AB	20 sets / ctn	RM140.00

6




Our range of mortise locks feature advanced design concept for extreme reliability where the Latch, the Dead Bolt and the Strike Plate are manufactured using high quality material grade for exceptional durability.

**ADVANTAGE**

- ✓ Excellent durability.
- ✓ Tested and certified.
- ✓ Double-turn door locks for better safety.
- ✓ Easy to install and maintain.
- ✓ Manufactured with the highest quality of material.



**600VS-SGSL-85**  
25mm / 30mm / 35mm / 40mm



Code	J	K	L	M	N	O	P	Q
25 x 85	25	85	42	172	240	23	15	3
30 x 85	30	85	47	172	240	23	15	3
35 x 85	35	85	52	172	240	23	15	3
40 x 85	40	85	67	172	240	23	15	3

- A** - Forend Plate
- B** - Latch Bolt
- C** - Dead Bolt
- D** - Screw Channel for Cylinder
- E** - Lockcase
- F** - Action-Arm
- G** - Follower
- H** - Turning Device
- I** - Spring
- J** - Backset
- K** - Distance
- L** - Lockcase Width
- M** - Lockcase Height
- N** - Forend Length
- O** - Forend Width
- P** - Lockcase Thickness
- Q** - Forend Thickness

-  **SUS 304 Forend Plate & Striker Plate**
-  **SUS 304**
-  **SUS 304**
-  **SUS 304**

- SPECIFICATION**
- Stainless Steel SUS 304 3mm thickness forend plate (Square)
  - Stainless Steel SUS 304 1.5mm thickness striker plate (Square)
  - Stainless Steel SUS 304 1 x Curve design latch bolt
  - Stainless Steel SUS 304 1 x Square dead bolt
  - Electrolytic steel 1.2mm lockcase
  - 8mm x 8mm follower.


- FEATURES**
- 25, 30, 35, 40 Backset of door
  - 85mm center distance of lock
  - Sash lock function
  - Reversible latch lock



Code	Material	Finishing	Packing	(RM) / Unit
600VS-SGSL-85 25mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM59.00
600VS-SGSL-85 30mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM78.00
600VS-SGSL-85 35mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM82.00
600VS-SGSL-85 40mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM86.00

**600VS-SGSL-85**  
45mm / 50mm / 60mm

6



Code	J	K	L	M	N	O	P	Q
45 x 85	45	85	72	172	240	23	15	3
50 x 85	50	85	76	172	240	23	15	3
60 x 85	60	85	87	172	240	23	15	3

<b>A</b> - Forend Plate	<b>I</b> - Spring
<b>B</b> - Latch Bolt	<b>J</b> - Backset
<b>C</b> - Dead Bolt	<b>K</b> - Distance
<b>D</b> - Screw Channel for Cylinder	<b>L</b> - Lockcase Width
<b>E</b> - Lockcase	<b>M</b> - Lockcase Height
<b>F</b> - Action-Arm	<b>N</b> - Forend Length
<b>G</b> - Follower	<b>O</b> - Forend Width
<b>H</b> - Turning Device	<b>P</b> - Lockcase Thickness
	<b>Q</b> - Forend Thickness



SUS 304 Forend Plate & Striker Plate



SUS304



SUS304



SUS304

### SPECIFICATION

- Stainless Steel SUS 304 3mm thickness forend plate (Square)
- Stainless Steel SUS 304 1.5mm thickness striker plate (Square)
- Stainless Steel SUS 304 1 x Curve design latch bolt
- Stainless Steel SUS 304 1 x Square dead bolt
- Electrolytic steel 1.2mm lockcase
- 8mm x 8mm follower.

### FEATURES


- 45, 50, 60 Backset of door
- 85mm center distance of lock
- Sash lock function
- Reversible latch lock




ANSI/BHMA A 156.13 : 2005  
PC 002072

Code	Material	Finishing	Packing	(RM) / Unit
600VS-SGSL-85 45mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM99.00
600VS-SGSL-85 50mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM105.00
600VS-SGSL-85 60mm	S.Steel SUS 304 / Brass	SS	20 pcs / ctn	RM109.00


**600VS-MPL-3070A**  
Mortise Passage Lock




**600VS-SLC-181**  
Sliding Mortise Lock - Double Hook



**600VS-ML-182**  
Mortise Hook Lock




**600VS-TSL-183**  
Sliding Mortise Lock - Twin Hook




Code	Backset	Material	Finishing	Packing	(RM) / Unit
600VS-MPL-3070A	30	S.Steel SUS 304	SS	40 pcs / ctn	RM53.00
600VS-SLC-181	40	S.Steel SUS 304	SS	20 pcs / ctn	RM50.00
600VS-ML-182	30	S.Steel SUS 304	SS	20 pcs / ctn	RM70.00
600VS-ML-183	30	S.Steel SUS 304	SS	20 pcs / ctn	RM76.00

6


**600VS-SML-177**  
Sliding Mortise Single Hook Lock




**600VS-TML-1123**  
Twin Multi Lock




**600VS-SML-119**  
Sliding Mortise Single Hook Lock




**600VS-SML-178**  
Sliding Mortise Single Hook Lock



**600VS-SML-185**  
Sliding Mortise Single Hook Lock



**600VS-SLC-184**  
Swing Mortise Dead Lock 45mm / 100mm







Code	Backset	Material	Finishing	Packing	(RM) / Unit
600VS-SML-177	27.5	S.Steel SUS 304	SS	20 pcs / ctn	RM110.00
600VS-TML-1123	37.5	S.Steel SUS 304	SS	20 pcs / ctn	RM120.00
600VS-SML-119	30	S.Steel SUS 304	SS	40 pcs / ctn	RM41.00
600VS-SML-178	30	S.Steel SUS 304	SS	40 pcs / ctn	RM43.60
600VS-SML-185	50	S.Steel SUS 304	SS	40 pcs / ctn	RM44.00
600VS-SLC-184	45	S.Steel SUS 304	SS	40 pcs / ctn	RM52.00
600VS-SLC-184	100	S.Steel SUS 304	SS	40 pcs / ctn	RM180.00

**600VS-TML-392**  
Twin Multi Lock

**600VS-392-SP**  
Steel Plate

**600VS-392-FD**  
Folding Striker





Code	Backset	Material	Finishing	Packing	(RM) / Unit
600VS-TML-392	35	S.Steel SUS 304	SS	40 pcs / ctn	RM190.00
600VS-392-SP	-	S.Steel SUS 304	SS	120 pcs / ctn	RM20.00
600VS-392-FD	-	S.Steel SUS 304	SS	120 pcs / ctn	RM32.00

6




**600VS-TML-391**  
Twin Multi Lock



TML 3591




**600VS-TML-393**  
Mortise Lock




Code	Backset	Material	Finishing	Packing	(RM) / Unit
600VS-TML-391	35	S.Steel SUS 304	SS	20 pcs / ctn	RM180.00
600VS-TML-3591	35	S.Steel SUS 304	SS	20 pcs / ctn	RM180.00
600VS-TML-393	35	S.Steel SUS 304	SS	20 pcs / ctn	RM180.00


**600VS-MBD-385**  
Bifold Door 2-Point




**600VS-MBD-386**  
Bifold Door 2-Point



**600VS-MBD-387**  
Bifold Door 2-Point





**600VS-MBD-388**  
Bifold Door 2-Point




Code	Backset	Material	Finishing	Packing	(RM) / Unit
600VS-MBD-385	27.5	Zinc Alloy	Black	50 pcs / ctn	RM110.00
600VS-MBD-386	27.5	Zinc Alloy	Black	50 pcs / ctn	RM95.00
600VS-MBD-387	27.5	Zinc Alloy	Black	50 pcs / ctn	RM105.00
600VS-MBD-388	27.5	Zinc Alloy	Black	50 pcs / ctn	RM105.00

6

**600VS-C70-D**  
Cylinder Double Key




**600VS-C70-S**  
Cylinder Single Key / Thumbturn




Code	(L)	A	B	Function	Material	Finishing	Packing	(RM) / Unit
600VS-C60-D	60	30	30	Double Key	Brass	SN	40 pcs / ctn	RM55.00
600VS-C70-D	70	35	35	Double Key	Brass	SN	40 pcs / ctn	RM58.00
600VS-C90-D	90	45	45	Double Key	Brass	SN	40 pcs / ctn	RM138.00
600VS-C100-D	100	50	50	Double Key	Brass	SN	40 pcs / ctn	RM150.00
600VS-C115-D	115	57.5	57.5	Double Key	Brass	SN	40 pcs / ctn	RM160.00
600VS-C125-D	125	62.5	62.5	Double Key	Brass	SN	40 pcs / ctn	RM170.00
600VS-C60-S	60	30	30	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	RM57.00
600VS-C70-S	70	35	35	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	RM62.00
600VS-C90-S	90	45	45	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	RM142.00
600VS-C100-S	100	50	50	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	RM160.00
600VS-C115-S	115	57.5	57.5	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	RM170.00
600VS-C125-S	125	62.5	62.5	Single Key / Thumbturn	Brass	SN	40 pcs / ctn	RM180.00


**600VS-DEAP 70-P**  
Emergency Slot / Thumbturn



**600VS-C45-T**  
One Sided Thumbturn



**600VS-C45-HC**  
One Sided Key




Code	(L)	A	B	Function	Material	Finishing	Packing	(RM) / Unit
600VS-DEAP 70-P	70	35	35	Privacy	Brass	SN	40 pcs / ctn	RM60.00
600VS-45-T	45	10	35	Single Side Thumbturn	Brass	SN	40 pcs / ctn	RM55.00
600VS-45-HC	45	10	35	Single Side Key	Brass	SN	40 pcs / ctn	RM55.00

## 600VS-LOTO-ML3085

6




- S/Steel 201 Forend Plate & Striker Plate
- Zinc Alloy
- Zinc Alloy
- Mix Steel
- Mix Steel



Backset	A	B	C	D	E	F	G
30 x 85	30	85	47.5	172.4	238	22	3

Function	Features
Mortise Lock	<ul style="list-style-type: none"> <li>• With latch bolt &amp; deadbolt.</li> <li>• Outside cylinder retracts latch bolt &amp; lock or unlock deadbolt.</li> <li>• Inside thumbturn or cylinder retracts latch bolt and lock or unlock deadbolt.</li> <li>• Outside and inside handle / knob always retracts latch bolt.</li> </ul>

## 600VS-LOTO-S70




<b>Function</b>	Cylinder Lock
<b>Features</b>	Single Key & Thumbturn
<b>Length (mm)</b>	70
<b>A (mm)</b>	35
<b>B (mm)</b>	35
<b>C (mm)</b>	10

Code	Material	Finishing	Packing	(RM) / Unit
600VS-LOTO-ML3085	S.Steel 201	SS	20 pcs / ctn	RM70.00
600VS-LOTO-S70	Brass	SN	20 pcs / ctn	RM54.00

**600VS-DUMMY COVER**  
Profile Cylinder Cover




**600VS-F-33B**  
Oval Escutcheon




**600VS-F-34R**  
Round Escutcheon



**600VS-F-34S**  
Square Escutcheon



**600VS-F-99C**  
Square Escutcheon




**600VS-F-88E**  
Oval Escutcheon




Code	Material	Finishing	Packing	(RM) / Unit
600VS-Dummy Cover	Zinc Alloy	White / Black / SS	60 pairs / ctn	RM24.00
600VS-F-33B	S.Steel SUS 304	SS	200 sets / ctn	RM30.00
600VS-F-34R	S.Steel SUS 304	SS	200 sets / ctn	RM30.00
600VS-F-34S	S.Steel SUS 304	SS	200 sets / ctn	RM35.00
600VS-F-99C	Zinc Alloy	White / Black	200 sets / ctn	RM20.00
600VS-F-88E	Zinc Alloy	White / Black	400 sets / ctn	RM24.00

6


**600VS-3085-SP**  
Steel Plate




**600VS-4085-SP**  
Steel Plate



**600VS-3591-SP**  
Steel Plate




**600VS-181-SP**  
Steel Plate




Code	Material	Finishing	Packing	(RM) / Unit
600VS-3085-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM6.80
600VS-4085-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM8.00
600VS-3591-SP	S.Steel SUS 304	SS	100 pcs / ctn	RM10.00
600VS-181 SP	S.Steel SUS 304	SS	100 pcs / ctn	RM6.80

**600VS-MSL-61055**  
Single Mortise Hook Lock




**600VS-192**  
Showcase Lock



6

**600VS-5128-ST**  
Mortise Dead Lock with Single Key / Thumbturn




**600VS-5128-D**  
Mortise Hook Lock with Double Key




Code	Material	Finishing	Packing	(RM) / Unit
600VS-MSL-61055	Zinc Alloy	SS	50 pcs / ctn	RM30.00
600VS-192	S.Steel 201	SS	200 box / ctn	RM15.00
600VS-5128-ST	Mix Steel	SN	20 pcs / ctn	RM90.00
600VS-5128-D	Mix Steel	SN	20 pcs / ctn	RM90.00

6

**600VS-41054 SINGLE / DOUBLE**  
Dead Lock




**600VS-41055 SINGLE / DOUBLE**  
Hook Lock



**600VS-55mm-CYL**  
Single Key / Thumbturn



**600VS-55mm-CYL**  
Double Key




Code	Material	Finishing	Packing	(RM) / Unit
600VS-41054 Single	Brass / Zinc Alloy	SN	50 pcs / ctn	RM22.00
600VS-41054 Double	Brass / Zinc Alloy	SN	50 pcs / ctn	RM22.00
600VS-41055 Single	Brass / Zinc Alloy	SN	50 pcs / ctn	RM22.00
600VS-41055 Double	Brass / Zinc Alloy	SN	50 pcs / ctn	RM22.00
600VS-55mm-CYL (S/T)	Brass / Zinc Alloy	SS	100 pcs / ctn	RM14.00
600VS-55mm-CYL (D)	Brass / Zinc Alloy	SS	100 pcs / ctn	RM14.00
600VS-41054 Single Master Key	Brass / Zinc Alloy	SN	50 pcs / ctn	RM24.00
600VS-41055 Double Master Key	Brass / Zinc Alloy	SN	50 pcs / ctn	RM24.00
600VS-55mm-CYL (S/T) Master Key	Brass / Zinc Alloy	SS	100 pcs / ctn	RM14.00
600VS-55mm-CYL (D) Master Key	Brass / Zinc Alloy	SS	100 pcs / ctn	RM14.00



This lock has a unique feature that allows you to turn the key on either of the knobs 360 degrees so the lock will remain unlocked at all times or if only turned to unlock for entry or exit the lock will remained locked at all times upon closing.

**ADVANTAGE**

- ✓ Suitable for most doors.
- ✓ Simple and precise operation.
- ✓ Precise lock cylinder system.
- ✓ Corrosion resistance.
- ✓ Deadlocking latchbolt operated by lever from either side.
- ✓ Great strength and durability.
- ✓ Turning the key in either lever locks or unlocks its own lever independently.



This lever will fit 35mm to 45mm door thickness


6

**600VS-VTL-0600**

Turbular Lever with Key & Thumbturn




SUS304




**600VS-VTL-7017**

Turbular Lever with Key & Thumbturn




**600VS-VTL-8007**

Turbular Lever with Key & Thumbturn



**600VS-VTL-8009**

Turbular Lever with Key & Thumbturn




Code	Function	Backset	Material	Finishing	Packing	(RM) / Unit
600VS-VTL-0600	Key & Thumbturn	60 - 70	S.Steel SUS 304	SN	24 pcs / ctn	RM60.00
				AB		RM65.00
600VS-VTL-0610	Privacy	60 - 70	S.Steel SUS 304	SN	24 pcs / ctn	RM68.00
				AB		RM72.00
600VS-VTL-7017	Key & Thumbturn	60 - 70	Zinc Alloy	SN	10 pcs / ctn	RM138.00
				AB		RM142.00
600VS-VTL-7018	Privacy	60 - 70	Zinc Alloy	SN	10 pcs / ctn	RM132.00
				AB		RM134.00
600VS-VTL-8007	Key & Thumbturn	60 - 70	Zinc Alloy	SN	10 pcs / ctn	RM138.00
				AB		RM134.00
				Black		RM150.00
600VS-VTL-8008	Privacy	60 - 70	Zinc Alloy	SN	10 pcs / ctn	RM126.00
				AB		RM130.00
				Black		RM138.00
600VS-VTL-8009	Key & Thumbturn	60 - 70	Zinc Alloy	SN	10 pcs / ctn	RM135.00
				AB		RM139.00
600VS-VTL-8010	Privacy	60 - 70	Zinc Alloy	SN	10 pcs / ctn	RM132.00
				AB		RM136.00

# STAINLESS STEEL HOLLOW LEVER HANDLE & DEADBOLT LOCK

VSP®


## 600VS-GL-08-F33

Lever Handle with Quick Lock Release



## 600VS-GL-09-F33

Lever Handle with Quick Lock Release



## 600VS-DB-8011

Deadbolt Lock with Double Key



## 600VS-DB-8013

Deadbolt Lock with Key & Thumbturn



## 600VS-DB-8015

One Sided Thumbturn



## 600VS-VSP-VCL-3870


Cylinder Knob with Key / No Key




Code	Feature	Material	Finishing	Packing	(RM) / Unit
600VS-GL-08-F33	Privacy	S.Steel SUS 304	SS	20 sets / ctn	RM141.00
600VS-GL-09-F33	Privacy	S.Steel SUS 304	SS	20 sets / ctn	RM141.00
600VS-DB-8011	Double Key	S.Steel SUS 304	SN	20 sets / ctn	RM50.00
			AB		RM53.00
600VS-DB-8013	With Key & Thumbturn	S.Steel SUS 304	SN	20 sets / ctn	RM48.00
			AB		RM51.00
600VS-DB-8015	One Sided Thumbturn	S.Steel SUS 304	SN	20 sets / ctn	RM40.00
			AB		RM43.00
600VS-VSP-VCL-3870	With Key & Button	S.Steel SUS 304	SN	30 sets / ctn	RM38.00
600VS-VSP-VCL-3870	Privacy	S.Steel SUS 304	SN	30 sets / ctn	RM36.00
600VS-LOTO VCL-3871	With Key & Button	S.Steel 201	SN	30 sets / ctn	RM28.00
600VS-LOTO VCL-3871	Privacy	S.Steel 201	SN	30 sets / ctn	RM26.00

6



**600VS-GKY-DH-123**  
Door Hinge 2" / 3" / 4" / 5"



**600VS-DH-130**  
Door Hinge




**600VS-DH-131**  
Door Hinge




**Left Right**

**600VS-ALM4-GH**  
Door Hinge




Code	Size ( mm )	Material	Finishing	Packing	( RM ) / Unit
600VS-GKY-DH-123 2"	50 x 40 x 1.2	S.Steel SUS 304	SS	96 pairs / ctn	RM8.00
600VS-GKY-DH-123 3"	76 x 50 x 1.5	S.Steel SUS 304	SS	96 pairs / ctn	RM14.60
600VS-GKY-DH-123 3"	76 x 50 x 1.5	S.Steel 201	SS	96 pairs / ctn	RM13.80
600VS-GKY-DH-123 4"	102 x 72 x 2.0	S.Steel SUS 304	SS	96 pairs / ctn	RM25.80
600VS-GKY-DH-123 4"	102 x 72 x 2.0	S.Steel 201	SS	96 pairs / ctn	RM17.00
600VS-GKY-DH-123 5"	127 x 89 x 2.5	S.Steel SUS 304	SS	96 pairs / ctn	RM55.00
600VS-DH-130	100 x 86 x 3.0	S.Steel SUS 304	SS	40 pairs / ctn	RM53.40
600VS-DH-131	102 x 76 x 3.0	S.Steel SUS 304	SS	40 pairs / ctn	RM50.00
600VS-ALM4-GH	100 x 83 x 3.5	Aluminium	White / Black	50 pairs / ctn	RM20.00


**600VS-DH-125**  
Bi-Fold Hinge with Handle




**600VS-DH-126**  
Bi-Fold Hinge



**600VS-DH-129**  
Door Hinge ( 2BB )




**600VS-SS4-GH**  
Door Hinge




Code	Size ( mm )	Material	Finishing	Packing	( RM ) / Unit
600VS-DH-125	102 x 74 x 2.5	S.Steel SUS 304	SS	50 pcs / ctn	RM46.00
600VS-DH-126	102 x 74 x 2.5	S.Steel SUS 304	SS	40 pairs / ctn	RM48.00
600VS-DH-129	102 x 76 x 2.5	S.Steel SUS 304	SS	50 pairs / ctn	RM30.00
600VS-DH-1931	102 x 74 x 2.5	S.Steel 201	SS	50 pcs / ctn	RM15.00
600VS-SS4-GH	102 x 76 x 2.5	S.Steel SUS 304	SS	50 pairs / ctn	RM26.00

6

**600VS-T301**  
Flush Bolt




**600VS-T303**  
Flush Bolt



**600VS-T304**  
Flush Bolt Lever Style




**600VS-T305**  
Flush Bolt



Code	Material	Finishing	Packing	( RM ) / Unit
600VS-T-301	Zinc Alloy	White / Black / NA	100 pcs / ctn	RM16.00
600VS-T-303	Zinc Alloy	White / Black	100 pcs / ctn	RM24.50
600VS-T-304 8"	S.Steel SUS 304	SS	100 pcs / ctn	RM24.00
600VS-T-304 12"	S.Steel SUS 304	SS	100 pcs / ctn	RM33.00
600VS-T-305 5"	S.Steel SUS 304	White / Black	100 pcs / ctn	RM22.30
600VS-T-305 10"	S.Steel SUS 304	White / Black	100 pcs / ctn	RM34.50
600VS-Iron Bar 3 Meter	Mix Steel	Steel	10 pcs / ctn	RM18.80
600VS-Plastic Cover T-303	PVC	White / Black	100 pcs / ctn	RM2.20


**600VS-DS-0036-S**  
Door Latch




**600VS-DB-775-6"**  
Door Latch



**600VS-DB-775-4"**  
Door Latch



**600VS-DB-776-6"**  
Door Latch



**600VS-DB-0138**  
Door Latch




**600VS-DB-0139 L/R**  
Door Latch




Code	Material	Finishing	Packing	( RM ) / Unit
600VS-DS-0036-S	S.Steel SUS 304	SS	24 pcs / ctn	RM84.00
600VS-DB-775 6"	S.Steel 201	SS	80 pcs / ctn	RM22.00
600VS-DB-775 4"	S.Steel 201	SS	80 pcs / ctn	RM19.50
600VS-DB-776 6"	S.Steel 201	SS	120 pcs / ctn	RM14.00
600VS-DB-776 8"	S.Steel 201	SS	120 pcs / ctn	RM16.00
600VS-DB-0138	S.Steel SUS 304	SS	100 pcs / ctn	RM58.00
600VS-DB-0139	S.Steel 201	SS	100 pcs / ctn	RM38.00

6


**600VS-DS-0024**  
Square Flush Pull




**600VS-DS-0030**  
Oval Flush Pull




**600VS-SB-0031**  
Swing Bolt 2"




**600VS-VSP-777**  
Square Bolt 2" / 3"



**600VS-VFP-132**  
Flush Pull Ring



**600VS-VCF-133**  
Circle Flush Pull




Code	Material	Finishing	Packing	( RM ) / Unit
600VS-DS-0024	S.Steel SUS 304	SS	200 pcs / ctn	RM16.00
600VS-DS-0030	S.Steel SUS 304	SS	200 pcs / ctn	RM16.00
600VS-SB-0031 2"	S.Steel SUS 304	SS	240 pcs / ctn	RM19.60
600VS-VSP-777 2"	S.Steel SUS 304	SS	240 pcs / ctn	RM10.00
600VS-VSP-777 3"	S.Steel SUS 304	SS	240 pcs / ctn	RM14.00
600VS-LOTO-778 2"	S.Steel 201	SS	240 pcs / ctn	RM7.00
600VS-VFP-132	S.Steel SUS 304	SS	100 pcs / ctn	RM26.00
600VS-VCF-133	S.Steel SUS 304	SS	200 pcs / ctn	RM16.00

**600VS-DS-0035**  
Magnetic Door Holder



**600VS-MS-019**  
Magnetic Door Holder




6


**600VS-DS-0032**  
Dust Socket 13mm




**600VS-DS-0034**  
Dust Socket 12mm



**600VS-DG-0033**  
Door Guard Ball Bearing 3"




**600VS-PH360**  
Heavy Duty Pivot Hinge




Code	Material	Finishing	Packing	( RM ) / Unit
600VS-DS-0035	S.Steel SUS 304	SS	72 pcs / ctn	RM40.00
600VS-MS-019	S.Steel SUS 304	SS	100 pcs / ctn	RM38.00
600VS-DS-0032	S.Steel SUS 304	SS	100 pcs / ctn	RM20.00
600VS-DS-0034	S.Steel 201	SS	100 pcs / ctn	RM8.00
600VS-DG-0033	Zinc Alloy	SS	100 pcs / ctn	RM22.00
600VS-PH360	Zinc Die-Cast	SS	150 pairs / ctn	RM58.00

6


**600VS-DS-0020**  
Dome Stopper




**600VS-DS-0025**  
Door Stopper




**600VS-DS-0026**  
Wall Door Stopper




**600VS-DS-0027**  
Wall Door Stopper



**600VS-DS-0028**  
Hat And Coat Hook Door Stopper



**600VS-DS-0099**  
Door Stopper



Code	Material	Finishing	Packing	( RM ) / Unit
600VS-DS-0020	S.Steel SUS 304	SS	100 pcs / ctn	RM15.00
600VS-DS-0025	S.Steel SUS 304	SS	100 pcs / ctn	RM18.00
600VS-DS-0026	S.Steel SUS 304	SS	72 pcs / ctn	RM16.00
600VS-DS-0027	S.Steel SUS 304	SS	72 pcs / ctn	RM20.00
600VS-DS-0028	S.Steel SUS 304	SS	72 pcs / ctn	RM18.00
600VS-DS-0099	S.Steel SUS 304	SS	200 pcs / ctn	RM25.00



7

A door closer is a mechanical device that closes a door, in general after someone opens it, or after it was automatically opened. Door closers are most commonly installed on fire doors, which need to be closed in case of fire, to help prevent the spread of fire and smoke.





**ADVANTAGE**

- ✓ Flexible and easy to install.
- ✓ Super aluminium alloy casting machine and the three layers of brightness painting will protect it from oxygenation.
- ✓ Adjustable tension, closing speed and latch speed.
- ✓ Non-hold open standard, hold open optional.
- ✓ Great strength and durability.
- ✓ The painting plastic moving arm can protect from eroding : The excellent closing can protect from oil leakage.



**700VS-DC-062**

7



- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.







BS EN 1154:1997  
PC 003359

Model	700VS-DC-062		
<b>Closing Force</b>	EN2	EN3	EN4
<b>Max Door Width (mm)</b>	< 850	< 950	< 1100
<b>Max Door Weight (kg)</b>	< 40	< 60	< 80
<b>Delayed Action</b>	-		
<b>Backcheck Function</b>	-		
<b>Max Open Angle</b>	180°	130°	
<b>Hold Open</b>	Optional		
<b>Closing Speed Adjustment</b>	Speed 1 (180° - 15°)	(130° - 10°)	
	Speed 2 (15° - 0°)		
<b>Applicable Temperature</b>	-20°C - 45°C		
<b>Applicability</b>	Pedestrian Access Door		
<b>Dimension of Main Body</b>	Length - 218		
	Overall Depth - 52		
	Height - 42.5		
<b>Weight (kg)</b>	0.785		
<b>Durability Test</b>	500,000 cycles		

Code	Material	Finishing	Packing	(RM) / Unit
700VS-DC-062	Aluminium	Silver	10 sets / ctn	RM138.00

**700VS-DC-082**





- ✓ Excellence performance.
- ✓ Maintenance-free.
- ✓ High quality O-ring gasket to prevent oil leakage.
- ✓ Strong spring to guarantee powerful closing.
- ✓ Superior quality aluminium alloy body.
- ✓ Provided with 2 coating for extra protection.
- ✓ Full hydraulic control of closing speeds with the help of adjustable valves.
- ✓ With 2 speed control, closing & latching speed.
- ✓ Highly resistant to scratches.

Model	700VS-DC-082
<b>Closing Force</b>	EN3
<b>Max Door Width (mm)</b>	< 950
<b>Max Door Weight (kg)</b>	65
<b>Delayed Action</b>	-
<b>Backcheck Function</b>	-
<b>Max Open Angle</b>	180°
<b>Hold Open</b>	Optional
<b>Closing Speed Adjustment</b>	Speed 1 (180° - 15°) Speed 2 (15° - 0°)
<b>Applicable Temperature</b>	-20°C - 45°C
<b>Applicability</b>	Pedestrian Access Door
<b>Dimension of Main Body</b>	Length - 200 Overall Depth - 50.5 Height - 37
<b>Weight (kg)</b>	1.4
<b>Durability Test</b>	500,000 cycles

Code	Material	Finishing	Packing	(RM) / Unit
700VS-DC-082	Aluminium	Silver	10 sets / ctn	RM180.00

**700VS-DC-051 / 700VS-DC-052**

7



- ✓ Excellence performance.
- ✓ Maintenance-free.
- ✓ High quality O-ring gasket to prevent oil leakage.
- ✓ Strong spring to guarantee powerful closing.
- ✓ Superior quality aluminium alloy body.
- ✓ Provided with 2 coating for extra protection.
- ✓ Full hydraulic control of closing speeds with the help of adjustable valves.
- ✓ With 2 speed control, closing & latching speed.
- ✓ Highly resistant to scratches.




BS EN 1154:1997  
PC 003359


Model	700VS-DC-052	700VS-DC-051
<b>Closing Force</b>	EN2	EN3
<b>Max Door Width (mm)</b>	< 850	< 950
<b>Max Door Weight (kg)</b>	< 40	< 60
<b>Delayed Action</b>	-	
<b>Backcheck Function</b>	-	
<b>Max Open Angle</b>	180°	
<b>Hold Open</b>	Optional	
<b>Closing Speed Adjustment</b>	Speed 1 (180° - 15°)	
	Speed 2 (15° - 0°)	
<b>Applicable Temperature</b>	-30°C - 40°C	
<b>Applicability</b>	Pedestrian Access Door	
<b>Dimension of Main Body</b>	Length - 179	
	Overall Depth - 41.5	
	Height - 63.5	
<b>Weight (kg)</b>	1.19kg	1.46kg
<b>Durability Test</b>	500,000 cycles	

Code	Material	Finishing	Packing	(RM) / Unit
700VS-DC-051	Aluminium	Silver	10 sets / ctn	RM90.00
700VS-DC-052	Aluminium	Silver	10 sets / ctn	RM68.00
700VS-DC-052	Aluminium	Black / White	10 sets / ctn	RM80.00

**700VS-DC-042 CONCEALED**



7



- ✓ High quality imported gaskets to prevent oil leakage.
- ✓ Strong spring to guarantee powerful closing.
- ✓ Fine quality aluminium alloy body. Provided with 2 coating for protection.
- ✓ Full hydraulic control of closing speeds by the help of adjustable valves.
- ✓ 2 speed controls : Closing speed and latching speed.
- ✓ Closing speed adjustment range 180° - 15° .
- ✓ Door closer speed adjustment tange 15° - 0° .

Model	700VS-DC-042 Concealed
<b>Closing Force</b>	EN2
<b>Max Door Width (mm)</b>	< 850
<b>Max Door Weight (kg)</b>	< 60
<b>Delayed Action</b>	-
<b>Backcheck Function</b>	-
<b>Max Open Angle</b>	180°
<b>Hold Open</b>	-
<b>Closing Speed Adjustment</b>	Speed 1 (180° - 15°) Speed 2 (15° - 0°)
<b>Applicable Temperature</b>	-25°C - 45°C
<b>Applicability</b>	Pedestrian Access Door
<b>Dimension of Main Body</b>	Length - 220 Overall Depth - 34 Height - 60
<b>Weight (kg)</b>	2.15
<b>Durability Test</b>	500,000 cycles

Code	Material	Finishing	Packing	(RM) / Unit
700VS-DC-042	Aluminium	Silver	10 sets / ctn	RM295.00

7

**700VS-066**  
Slide Arm



**700VS-067**  
Parallel Arm Bracket



**700VS-068**  
Adjustable D Arm ( Hold Open Arm )




**700VS-YOMA SLIDING DOOR CLOSER**



Code	Size	Material	Finishing	Packing	(RM) / Unit
700VS-066	-	Aluminium	Silver	10 sets / ctn	RM70.00
700VS-067	-	Steel	Silver	10 sets / ctn	RM27.00
700VS-068	-	Steel	Silver	10 sets / ctn	RM48.00
700VS-YOMA SLIDING DOOR CLOSER	900mm	Aluminium	Silver / Black	10 sets / ctn	RM400.00
	1200mm	Aluminium	Silver / Black	10 sets / ctn	RM560.00
	1500mm	Aluminium	Silver / Black	10 sets / ctn	RM760.00

**700VS-DC-061**



7

- ✓ The max width of door is 600 - 1200mm, suitable for the door weight of 45 - 60kg.
- ✓ The adjustable section of closing speed is 180° - 20° the adjustable section to locking is 20° - 0° .
- ✓ The painting plastic moving arm can protect from eroding : The excellent closing can protect from all leakage.
- ✓ Super aluminium alloy casting machine and the three layers of brightness painting will protect is from oxygenation.
- ✓ Two Hydraulic pressure valves control two sections of door closing seperately the speed of locking have been control by the whole section of hydraulic pressure.
- ✓ The high-carbon steel axis and rack work smart and less transfigure after being managed through high channel adjusting.
- ✓ With a function of stopping at angle point of 90° and no angle point of 180° .
- ✓ Distance : 162mm x 19mm.



Code	Material	Finishing	Packing	(RM) / Unit
700VS-D-061	Aluminium	Silver	10 pcs / ctn	RM60.00
700VS-D-061 (Hold Open)	Aluminium	Silver	10 pcs / ctn	RM68.00

7



Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.




**ADVANTAGE**

- ✓ Proven, robust unit for heigher door weight.
- ✓ Adjustable closing speed and latching speed.
- ✓ Quality valves mechanism to prevent oil leakage.
- ✓ High durability.
- ✓ Concealed installation for maximum visual elegance.



**700VS-V-84**



1. Closing range 130° - 0°
2. Closing range 130° - 25°
3. Hold open at 90°





7



BS EN 1154:1997  
PC 003360



EN 1634-1 : 2014  
0359-CPR-000534





Technical Info / Function	700VS-V-84			
<b>Spring Tension</b>	EN2	EN3	EN4	EN5
<b>Closing Force (N m) 0° - 4°</b>	13-18	18-26	26-37	37-54
<b>Max Door Width (mm)</b>	< 800	< 900	< 1100	< 1250
<b>Max Door Weight (kg)</b>	< 80	< 100	< 120	< 150
<b>Max Open Angle</b>	130°			
<b>Hold Open</b>	105° / 90°			
<b>Closing Speed Adjustment</b>	90° / 25° (A)		25° / 0° (B)	
<b>Applicable Temperature</b>	-20°C / 45°C			
<b>Product Weight (kg)</b>	5.1	5.2	5.3	5.4
<b>Durability Test</b>	500,000 Cycles			
<b>Tested EN 1154 / CE Mark</b>	Yes			
<b>Dimension of Cement Box (mm)</b>	L	305 (319)		
	W	108 (129)		
	H	40.5		
<b>Max Glass Thickness (mm)</b>	12			

Code	Material	Finishing	Packing	(RM) / Unit
700VS-V84-EN2 (AVL)	S.Steel SUS 304	PSS	4 pcs / ctn	RM360.00
700VS-V84-EN3	S.Steel SUS 304	PSS	4 pcs / ctn	RM360.00
700VS-V84-EN4	S.Steel SUS 304	PSS	4 pcs / ctn	RM420.00
700VS-V84-EN4 (NON-HOLD OPEN)	S.Steel SUS 304	PSS	4 pcs / ctn	RM460.00
700VS-V84-EN5	S.Steel SUS 304	PSS	4 pcs / ctn	RM620.00

**700VS-V-75V**



7



1. Adjustable closing speed 70° - 0°
2. Adjustable closing speed 15° - 0°
3. Fixed hold open at 90° or 105° optional
4. Closing force adjustment EN2 - EN4




BS EN 1154:1997  
PC 003360



Technical Info / Function	700VS-V-75V	
Spring Tension	EN2 - EN4	
Closing Force (N m) 0° -4°	13-37	
Max Door Width (mm)	< 1200	
Max Door Weight (kg)	< 150	
Max Open Angle	180°	
Hold Open	105°/90°	
Closing Speed Adjustment	70° - 15°	15° - 0°
Applicable Temperature	20° - 45°	
Product Weight (kg)	4.55	4.55
Durability Test	500,000 Cycles	
Tested EN 1154 / CE Mark	Yes	
Dimension of Cement Box (mm)	L	285 (309)
	W	82 (108)
	H	49.5
Max Glass Thickness (mm)	12	

Code	Material	Finishing	Packing	(RM) / Unit
700VS-V75V-EN2-4 (ADJ)	S.Steel SUS 304	PSS	2 pcs / ctn	RM800.00
700VS-Spindle Head 33mm	S.Steel SUS 304	PSS	12 pcs / ctn	RM160.00
700VS-Spindle Head 38mm	S.Steel SUS 304	PSS	12 pcs / ctn	RM180.00



**700VS-V-80**



1. Max opening range 180° - 0°
2. Multiple hold area
3. Optional hold open range
4. Adjustable closing speed 70° - 15° / 15° - 0°



BS EN 1154:1997  
PC 003360



Technical Info / Function	700VS-V-80	
Spring Tension	EN4	EN6
Closing Force (N m) 0° - 4°	26-37	54-87
Max Door Width (mm)	< 1400	< 1400
Max Door Weight (kg)	300	
Max Open Angle	180°	
Hold Open	105° / 90° (Optional)	140° - 180° (Multiple Hold)
Closing Speed Adjustment	70° - 15°	15° - 0°
Applicable Temperature	20° - 45°	
Product Weight (kg)	4.55	4.55
Durability Test	500,000 Cycles	
Tested EN 1154 / CE Mark	Yes	
Dimension of Cement Box (mm)	L	341 (359)
	W	78 (105)
	H	60
Max Glass Thickness (mm)	12	

Code	Material	Finishing	Packing	(RM) / Unit
700VS-V80-EN4	S.Steel SUS 304	PSS	2 pcs / ctn	RM1600.00
700VS-V80-EN6	S.Steel SUS 304	PSS	2 pcs / ctn	RM1600.00

7

**700VS-V10**  
Door Bottom Fitting




**700VS-V20**  
Door Top Fitting



**700VS-V30**  
Door Frame Top Fitting



**700VS-V40**  
Side Panel to over Panel Fittings with Pivot



**700VS-V41**  
Side Panel with Fin R/L




**700VS-V50**  
Lock Patch Fitting



Code	Material	Finishing	Packing	(RM) / Unit
700VS-V10	S.Steel / Zinc Die-Cast	PSS	8 pcs / ctn	RM70.00
700VS-V20	S.Steel / Zinc Die-Cast	PSS	8 pcs / ctn	RM70.00
700VS-V30	S.Steel / Zinc Die-Cast	PSS	20 pcs / ctn	RM80.00
700VS-V40	S.Steel / Zinc Die-Cast	PSS	20 pcs / ctn	RM160.00
700VS-V41	S.Steel / Zinc Die-Cast	PSS	8 pcs / ctn	RM200.00
700VS-V50	S.Steel / Zinc Die-Cast	PSS	20 pcs / ctn	RM180.00

**700VS-AT-18**  
Floor Pivot Bearing




**120kg**

**700VS-V51**  
Center Patch Fitting



**7**


**700VS-AT-14-HVD**  
Oval-Panel Fitting with Pivot




**700VS-AT-14**  
Oval-Panel Fitting with Pivot



**700VS-A/L-ACCESSORIES-HVD**  
Frame & Wooden Fitting



**700VS-A/L-ACCESSORIES-LIGHT**  
Frame & Wooden Fitting



Code	Material	Finishing	Packing	(RM) / Unit
700VS-AT-18	S.Steel / Zinc Die-Cast	PSS	10 pcs / ctn	RM100.00
700VS-V51	S.Steel / Zinc Die-Cast	PSS	8 pcs / ctn	RM240.00
700VS-AT-14-HVD	S.Steel / Zinc Die-Cast	PSS	500 pcs / ctn	RM12.00
700VS-AT-14	S.Steel / Zinc Die-Cast	PSS	800 pcs / ctn	RM10.00
700VS-A/L ACCS-HVD	S.Steel / Zinc Die-Cast	PSS	20 sets / ctn	RM140.00
700VS-A/L ACCS-LIGHT	S.Steel / Zinc Die-Cast	PSS	20 pcs / ctn	RM100.00


**PATCH FITTINGS GUIDE**

Installation Diagram

Door patch fittings and lock patch fittings are used on glass door as a kind of decorative or functional accessories.

7


They can be used together with floor springs.



**V10 - DOOR BOTTOM**

Protective film  
(remove film before installing the Patch Fitting Guard)


Patch Fitting Guard



**V20 - DOOR TOP**

Protective film  
(remove film before installing the Patch Fitting Guard)


Patch Fitting Guard



**V30 - DOOR FRAME TOP**

Protective film (remove film before installing the Patch Fitting Guard)

Patch Fitting Guard




**V40 - DOOR FRAME TOP**

Protective film  
(remove film before installing the Patch Fitting Guard)

Patch Fitting Guard




**V50 - DOOR LOCK PATCH**




**INCISION DIAGRAM**


• V10, V20, V30




• V40




• V50




• V41




• V51





**FEATURES**

- Bi-directional 360° swivel action with stable movement and noiseless operation.
- Proven robust, capable of withstanding leaf weight up to 150kg.
- Adjustable closing and latching speed.
- Adjustable closing force from EN2 to EN4.
- Suitable application on bungalow, cafe terrace, club house and office.



**Specifications**

<b>Spring Tension</b>	EN2 - EN4	
<b>Closing Force (N m) 0° -4°</b>	13 - 37	
<b>Max Door Width (mm)</b>	< 1500	
<b>Max Door Weight (kg)</b>	150	
<b>Opening Angle Degree</b>	360° Swivel	
<b>Opening Direction</b>	Bi-Directional	
<b>Hold-Open</b>	90°	
<b>Closing Speed Adjustment</b>	70° - 15°	15° - 0°
<b>Application Temperature</b>	-20° C - 45° C	
<b>Max. Glass Thickness (mm)</b>	12 mm	
<b>Dimension of Cement Box (mm)</b>	L	275
	W	124
	H	60
<b>Dimension of Floor Spring Cover</b>	L	290
	W	145



Limited Warranty



Awarded as Malaysia Power Brand Accreditation Standards



7




**New innovation for self closing frameless glass door. The hydraulic closer mechanism which fits within the patch fitting, and allows closing adjustment like a floor spring.**

#### **ADVANTAGE**

- Removes the need for pre-casting or cutting floor spring boxes, which creating concrete dust.
- Highly durable.
- Allows closing adjustment like a floor spring.
- Easy to install and maintain.
- Mounted directly to the floor making it more cost effective option for doors.

## 700VS-V1 Hydraulic Floor Door Closer




### FEATURES


- No need to make cavity on the ground, easy installation and saving labor.
- Suitable for both indoor and outdoor use.  
: Maximum anti-wind rating up to grade 5, maximum load capacity : 150kg.
- Re-usable and maintenance free. It can be easily uninstalled without damage to the floor.
- EN 1154 Certified.
- No water and dust accumulation, easy to clean.
- SUS304 cover plate, rust resisting.

Item	Technical Data
Dimension	177 x 94 x 55mm
Maximum Opening Angle	140° Double Action
Material of Hydraulic Main Part	Aluminium Die Casting
Finishing	Satin or Mirror
Closing Force	EN2 , EN3
Working Temperature	-30°C ~ 60°C
Lifespan	500,000 Cycles


### Drilling Hole Size





### Product Dimension




### Base Dimension



### Drilling Hole Size



### Functional Diagram



### Model Selection

Model No.	Finish	Material	Door Weight (kg)	Door Height (mm)	Door Width (mm)	Door Thickness (mm)	Application	Remark
700VS-V1 (S)	Satin	Hydraulic main part: Aluminium die casting	≤ 90	≤ 2200	≤ 900	10 - 15	Frameless Tempered glass door	Matching selection: top patch, transom sidelite patch, top pivot, patch lock etc.
700VS-V1 (M)	Mirror							
700VS-V2 (S)	Satin	Cover plate : Stainless Steel SUS 304	≤ 130	≤ 2400	≤ 1200			
700VS-V2 (M)	Mirror							

Code	Material	Finishing	Packing	(RM) / Unit
700VS-V1 (90kg)	S.Steel SUS 304	PSS	20 pcs / ctn	RM490.00
700VS-V2 (130kg)	S.Steel SUS 304	PSS	20 pcs / ctn	RM600.00

7




Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.

**ADVANTAGE**

- ✓ Applicable for wooden door, metal aluminium door and toughened glass door.
- ✓ Adjustable closing & latching speed.
- ✓ Compliant with European standards.
- ✓ High quality casting iron floor closer body with 2 layers anti-rust coating.
- ✓ Hydraulic machine oil and sealed rings keep perfect working performance.
- ✓ Polished stainless steel cover plates.
- ✓ Quality of Thailand products.



**700VS-FC34**






1. Closing range 130° - 0°
2. Closing range 130° - 25°
3. Hold open at 90°

7



BS EN 1154:1997  
PC 003360




Technical Info / Function	700VS-FC34			
<b>Spring Tension</b>	Light	Medium	Heavy	S.Heavy
<b>Closing Force (N m) 0° - 4°</b>	15NM	20NM	25NM	30NM
<b>Max Door Width (mm)</b>	800	1000	1200	1400
<b>Max Door Weight (kg)</b>	80	100	120	150
<b>Max Open Angle</b>	130°			
<b>Hold Open</b>	105° / 90°			
<b>Closing Speed Adjustment</b>	90° / 25° (A)		25° / 0° (B)	
<b>Applicable Temperature</b>	-20°C / 45°C			
<b>Product Weight (kg)</b>	5.1	5.2	5.3	5.4
<b>Durability Test</b>	500,000 Cycles			
<b>Tested EN 1154 / CE Mark</b>	Yes			
<b>Dimension of Cement Box (mm)</b>	L	308 (322)		
	W	108 (131)		
	H	40		
<b>Max Glass Thickness (mm)</b>	12			


Code	Material	Finishing	Packing	(RM) / Unit
700VS-FC34 15NM (A/L)	S.Steel SUS 304	PSS	4 pcs / ctn	RM540.00
700VS-FC34 20NM	S.Steel SUS 304	PSS	4 pcs / ctn	RM540.00
700VS-FC34 20NM (NON-HOLD OPEN)	S.Steel SUS 304	PSS	4 pcs / ctn	RM600.00
700VS-FC34 25NM	S.Steel SUS 304	PSS	4 pcs / ctn	RM600.00
700VS-FC34 30NM	S.Steel SUS 304	PSS	4 pcs / ctn	RM900.00

7

**700VS-FT-10**  
Bottom Patch Fitting




**700VS-FT-20**  
Top Patch Fitting




**700VS-FT-40**  
Side Panel to over Panel Fitting with Pivot




**700VS-FT-50**  
Patch Lock with Cylinder



**700VS-VVP-A/L-ACCESSORIES**  
Frame & Wooden Fitting




**700VS-FT-14**  
Oval Panel Pivot




Code	Material	Finishing	Packing	(RM) / Unit
700VS-FT-10	S.Steel 304	PSS	4 pcs / ctn	RM90.00
700VS-FT-20	S.Steel 304	PSS	4 pcs / ctn	RM90.00
700VS-FT-40	S.Steel 304	PSS	4 pcs / ctn	RM230.00
700VS-FT-50	S.Steel 304	PSS	20 pcs / ctn	RM345.00
700VS-VVP-A/L	S.Steel 304	PSS	20 pcs / ctn	RM120.00
700VS-FT-14	S.Steel / Zinc Die-Cast	PSS	500 pcs / ctn	RM12.00

**PATCH FITTINGS GUIDE**  
Installation Diagram




Door patch fittings and lock patch fittings are used on glass door as a kind of decorative or functional accessories.


They can be used together with floor springs.




Dimensions : ( B ) 2 - 4 mm, ( A ) 7 - 10 mm, ( C ) 3 - 5 mm



**FT10 - DOOR BOTTOM**




**FT40 - DOOR FRAME TOP**



**FT20 - DOOR TOP**




**FT50 - DOOR LOCK PATCH**




**FT30 - DOOR FRAME TOP**

**INCISION DIAGRAM**


• **FT10, FT20, FT30**




• **FT40**



• **FT50**



• **FT50 Keeper**






Increasingly for bath and shower enclosures, designers and homeowners look for a more modern, sleek and clean look in their bathroom.

**ADVANTAGE**


- ✓ Modern & contemporary design.
- ✓ Corrosion resistance.
- ✓ Solid build ensure higher durability.
- ✓ Easy to install and maintain.
- ✓ Designed for 90°, 135° and 180° cubicle.



## TECHNICAL SPECIFICATIONS



View of the bottom




View of the bottom

### INSTALLATION INSTRUCTION :

- Fix up the position of the glass door hinge and mark the incision position on the glass.
- Incising the glass according to the specification of the glass door hinge ( As the glass incision illustration below ) :
- Fill up the gap between the fixture and the active board of glass door hinge with the asbestos cushion in turn to clamp the glass.
- Tighten the screws.

### INSTALLATION STANDARDS :

<b>Max. Capacity</b>	: 45kgs
<b>Glass Material</b>	: Tempered Glass
<b>On-off Frequency</b>	: 100k times
<b>Glass Thickness</b>	: 8mm to 12mm
<b>Feature</b>	: The door returns to self-closing state while the distance between the door frame and the door is 30°
<b>Note</b>	: Do not go beyond maximum door weight or width when choosing proper quality hinges



## APPROXIMATE WEIGHT OF ARCHITECTURAL FLAT GLASS

Glass Thickness (mm)	Weight (kg/m <sup>2</sup> )	Weight (kg/ft <sup>2</sup> )
3	7.5	0.696
4	10	0.928
5	12.5	1.16
6	15	1.392
8	20	1.856
10	25	2.32
12	30	2.784
15	37.5	3.48
19	47.5	4.408
25	62.5	5.8

### EXAMPLE :

For 12mm glass thickness, width 0.9 meter and height 2.1 meter.

$$\text{Glass weight} = 0.9 \times 2.1 \times 30\text{kg} / \text{m}^2$$

For 12mm glass thickness, width 3ft and 7ft.

$$\text{Glass weight} = 3 \times 7 \times 2.784\text{kg} / \text{ft}^2 = 58.4\text{kg}$$

### REMARK :

- 1m = 3.281ft
- 1ft = 304.8mm
- 1 inch = 25.4mm
- 1/8 inch = 3.175mm
- 1m<sup>2</sup> = 10.764ft<sup>2</sup>



**BRASS SHOWER GLASS DOOR HINGE**



- 800VS-SH-01 ( MB )
- 800VS-SH-02 ( MB )
- 800VS-SH-03 ( MB )
- 800VS-SH-04 ( MB )
- 800VS-SH-05 ( MB )

**BRASS SHOWER STABILIZER**



800VS-SS-901S  
( MB )



800VS-SS-902  
( MB )




800VS-SS-903S  
( MB )




800VS-SS-906S  
( MB )

**PVC SEALING STRIPS**



800VS-WS-02 ( MB )



800VS-WS-03 ( MB )

**SHOWER HEADER & ACCESSORIES**



800VS-Header  
Round Groove  
3.6m ( MB )



800VS-Header  
U Channel  
1.8m ( MB )



800VS-S.Steel  
Tube-10' ( MB )

**SHOWER HANDLE**



900VS-712-I  
( MB )



900VS-VSP-  
2513-S ( MB )



900VS-712-S  
( MB )

**SHOWER GLASS CLIP**



800VS-GC-08  
( MB )



800VS-GC-09  
( MB )



800VS-Aluminium  
U-Channel  
3.6m ( MB )


# BRASS SHOWER GLASS DOOR HINGE

**VSP**<sup>®</sup>


**800VS-SH-01**  
Glass To Glass ( 90° )



**800VS-SH-02**  
Glass To Glass ( 135° )



**800VS-SH-03**  
Glass To Glass ( 180° )



**800VS-SH-04**  
Glass To Glass ( 90° )



8

Code	Material	Finishing	Packing	(RM) / Unit
800VS-SH-01	Brass	CP	20 pcs / ctn	RM160.00
800VS-SH-02	Brass	CP	20 pcs / ctn	RM160.00
800VS-SH-03	Brass	CP	20 pcs / ctn	RM146.00
800VS-SH-04	Brass	CP	20 pcs / ctn	RM90.00
800VS-SH-5003	Brass	CP	20 pcs / ctn	RM134.00
800VS-SH-5004	Brass	CP	20 pcs / ctn	RM80.00


# BRASS SHOWER GLASS DOOR HINGE




8



**800VS-SH-05**  
Glass To Wall ( 90° )



**800VS-SH-06**  
Glass To Wall ( 135° )



Code	Material	Finishing	Packing	(RM) / Unit
800VS-SH-01 MB	Brass	Matt Black	20 pcs / ctn	RM192.00
800VS-SH-02 MB	Brass	Matt Black	20 pcs / ctn	RM192.00
800VS-SH-03 MB	Brass	Matt Black	20 pcs / ctn	RM175.00
800VS-SH-04 MB	Brass	Matt Black	20 pcs / ctn	RM108.00
800VS-SH-05 MB	Brass	Matt Black	20 pcs / ctn	RM108.00
800VS-SH-05	Brass	CP	20 pcs / ctn	RM90.00
800VS-SH-06	Brass	CP	20 pcs / ctn	RM108.00


# S/STEEL SHOWER GLASS DOOR HINGE



**800VS-SH-201-S**  
Glass To Glass ( 90° )




**800VS-SH-202-S**  
Glass To Glass ( 135° )



**800VS-SH-203-S**  
Glass To Glass ( 180° )



**800VS-SH-204-S**  
Glass To Wall ( 90° )




8

Code	Material	Finishing	Packing	(RM) / Unit
800VS-SH-201-S	S. Steel SUS 304	SS	20 pcs / ctn	RM158.00
800VS-SH-202-S	S. Steel SUS 304	SS	20 pcs / ctn	RM158.00
800VS-SH-203-S	S. Steel SUS 304	SS	20 pcs / ctn	RM140.00
800VS-SH-204-S	S. Steel SUS 304	SS	20 pcs / ctn	RM92.00
800VS-SH-205-S	S. Steel SUS 304	SS	20 pcs / ctn	RM92.00
800VS-SH-9003-S	S. Steel SUS 304	SS	20 pcs / ctn	RM120.00
800VS-SH-9004-S	S. Steel SUS 304	SS	20 pcs / ctn	RM74.00
800VS-SH-9003-P	S. Steel SUS 304	PSS	20 pcs / ctn	RM128.00
800VS-SH-9004-P	S. Steel SUS 304	PSS	20 pcs / ctn	RM80.00


8

**800VS-SS-901**  
Shower Glass Clip




Size	A	B	C
800VS-SS-901	Ø 19	37.5	40
800VS-SS-901S	Ø 19	25	32

**800VS-SS-902**  
Shower Glass Clip




Size	A	B	C
800VS-SS-902	Ø 19	26	55

**800VS-SS-903**  
Shower Glass Clip



Size	A	B	C
800VS-SS-903	Ø 19	27	62
800VS-SS-903-S	Ø 19	26	53

**800VS-SS-904**  
Shower Glass Clip




Size	A	B	C
800VS-SS-904	Ø 19	26	60

Code	Material	Finishing	Packing	(RM) / Unit
800VS-SS-901	Zinc Alloy	CP	100 pcs / ctn	RM22.50
800VS-SS-901S	Brass	CP	100 pcs / ctn	RM24.00
800VS-SS-901S (MB)	Brass	Matt Black	100 pcs / ctn	RM29.00
800VS-SS-902	Brass	CP	100 pcs / ctn	RM46.00
800VS-SS-902 (MB)	Brass	Matt Black	100 pcs / ctn	RM55.00
800VS-SS-903	Zinc Alloy	CP	100 pcs / ctn	RM24.00
800VS-SS-903S	Brass	CP	100 pcs / ctn	RM26.00
800VS-SS-903S (MB)	Brass	Matt Black	100 pcs / ctn	RM31.20
800VS-SS-904	Brass	CP	100 pcs / ctn	RM28.00

# BRASS SHOWER STABILIZER


VSP®

## 800VS-SS-905 Shower Glass Clip




Size	A	B	C
800VS-SS-905-19	Ø 19	26	53

## 800VS-SS-906 Shower Adjustable Glass Clip




Size	A	B	C
800VS-SS-906	Ø 19	96	27.6
800VS-SS-906-S	Ø 19	89	25

## 800VS-SS-907 Shower Glass Clip



Size	A	B	C
800VS-SS-907-19	Ø 19	26	53

## 800VS-SS-908 Shower Glass Clip



Code	Material	Finishing	Packing	(RM) / Unit
800VS-SS-905	Brass	CP	100 pcs / ctn	RM128.00
800VS-SS-906	Zinc Alloy	CP	100 pcs / ctn	RM28.00
800VS-SS-906S	Brass	CP	100 pcs / ctn	RM39.40
800VS-SS-906S (MB)	Brass	Matt Black	100 pcs / ctn	RM47.30
800VS-SS-907	Brass	CP	100 pcs / ctn	RM27.00
800VS-SS-908	Brass	CP	100 pcs / ctn	RM25.00

8

## 800VS-HEADER ROUND GROOVE



**Size** 3.6 m / 6 m ( Length )

## 800VS-HEADER SQUARE GROOVE




**Size** 3.6 m / 6 m ( Length )

## 800VS-HEADER U CHANNEL




**Size** 1.8 m ( Length )

## 800VS-HEADER ADJUSTABLE BRACKET




## 800VS-FIXED ANGLE



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-Header Round Groove	3.6 m	Aluminium	CP	10 pcs / ctn	RM200.00
	6 m	Aluminium	CP	10 pcs / ctn	RM310.00
800VS-Header Square Groove	3.6 m	Aluminium	CP	10 pcs / ctn	RM180.00
	6 m	Aluminium	CP	10 pcs / ctn	RM290.00
800VS-Header U Channel	1.8 m	Aluminium	CP	100 pcs / ctn	RM30.00
800VS-Header Round Groove (MB)	3.6 m	Aluminium	Matt Black	10 pcs / ctn	RM240.00
800VS-Header U Channel (MB)	1.8 m	Aluminium	Matt Black	100 pcs / ctn	RM37.00
800VS-Header Adjustable Bracket	-	Mix Steel	SS	1000 pcs / ctn	RM5.60
800VS-Fixed Angle	-	Mix Steel	SS	2000 pcs / ctn	RM3.00

## 800VS-ALUMINIUM U CHANNEL



**Size** 3.6 m ( Length )

## 800VS-STAINLESS STEEL U CHANNEL




**Size** 2.4 m ( Length )

## 800VS-S/STEEL ROUND TUBE




**Size** 20 ft ( Length )

## 800VS-GC-08 Glass Clip




## 800VS-GC-09 Glass Clip




Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-Aluminium U Channel	3.6 m	Aluminium	CP	24 pcs / ctn	RM68.00
800VS-Aluminium U Channel (MB)	3.6 m	Aluminium	Matt Black	24 pcs / ctn	RM81.00
800VS-Stainless Steel U Channel	2.4 m	S/Steel SUS 304	PSS / SS	10 pcs / ctn	RM46.00
800VS-S/Steel Round Tube	20 ft	S/Steel SUS 304	PSS	20 pcs / ctn	RM120.00
800VS-S/Steel Round Tube (MB)	10 ft	S/Steel SUS 304	Matt Black	10 pcs / ctn	RM160.00
800VS-GC-088	10 mm	Zinc Alloy	CP	300 pcs / ctn	RM4.40
800VS-GC-08	10-12 mm	Zinc Alloy	CP	300 pcs / ctn	RM5.20
800VS-GC-08	10-12 mm	Brass	CP	300 pcs / ctn	RM14.00
800VS-GC-09	10-12 mm	Zinc Alloy	CP	150 pcs / ctn	RM9.00
800VS-GC-08 (MB)	10-12 mm	Zinc Alloy	Matt Black	300 pcs / ctn	RM6.50
800VS-GC-09 (MB)	10-12 mm	Zinc Alloy	Matt Black	150 pcs / ctn	RM10.50

8


**800VS-GC-01**  
GTW 90°




**800VS-GC-02**  
GTW 90°




**800VS-GC-03**  
GTG 135°




**800VS-GC-04**  
GTW 180°



**800VS-GC-05**  
GTG 180°




**800VS-GC-06**  
GTG 90°



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-GC-01	22.5 x Ø 15	Solid Brass	CP	100 pcs / ctn	RM32.00
800VS-GC-02	22.5 x Ø 15	Solid Brass	CP	100 pcs / ctn	RM30.00
800VS-GC-03	22.5 x Ø 15	Solid Brass	CP	100 pcs / ctn	RM40.00
800VS-GC-04	22.5 x Ø 15	Solid Brass	CP	100 pcs / ctn	RM30.00
800VS-GC-05	22.5 x Ø 15	Solid Brass	CP	100 pcs / ctn	RM40.00
800VS-GC-06	22.5 x Ø 15	Solid Brass	CP	100 pcs / ctn	RM40.00


**800VS-GC-171**  
Glass Clip ( L-Shape )




**800VS-GC-172**  
Glass Clip ( H-Shape )



**800VS-GC-175**  
Glass Clip ( T-Shape )




**800VS-GC-176**  
Glass Clip ( Cross Shape )



Code	Material	Finishing	Packing	(RM) / Unit
800VS-GC-171	Aluminium	Silver	320 pcs / ctn	RM20.00
800VS-GC-172	Aluminium	Silver	320 pcs / ctn	RM20.00
800VS-GC-175	Aluminium	Silver	160 pcs / ctn	RM22.00
800VS-GC-176	Aluminium	Silver	112 pcs / ctn	RM25.00


**800VS-WS-01**




**800VS-WS-02**




**800VS-WS-03**




**800VS-WS-05**



**800VS-WS-06**



**800VS-WS-08**



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-WS-01	10 mm	PVC	Clear	100 pcs / ctn	RM18.00
800VS-WS-02	10 mm	PVC	Clear	100 pcs / ctn	RM17.00
800VS-WS-02 (MB)	10 mm	PVC	Matt Black	100 pcs / ctn	RM21.30
800VS-WS-02	12 mm	PVC	Clear	100 pcs / ctn	RM28.00
800VS-WS-03	10 mm	PVC	Clear	100 pcs / ctn	RM17.00
800VS-WS-03 (MB)	10 mm	PVC	Matt Black	100 pcs / ctn	RM21.30
800VS-WS-03	12 mm	PVC	Clear	100 pcs / ctn	RM28.00
800VS-WS-05	10 mm	PVC	Clear	100 pcs / ctn	RM18.00
800VS-WS-05	12 mm	PVC	Clear	100 pcs / ctn	RM28.00
800VS-WS-06	10 mm	PVC	Clear	100 pcs / ctn	RM20.00
800VS-WS-08	10 mm	PVC	Clear	50 pairs / ctn	RM76.00

### 800VS-DL-01

Glass To Glass Single / Double Key




### 800VS-DL-01-A

Glass To Wall Single / Double Key




### 800VS-DL-02

Glass To Glass Thumbturn



### 800VS-DL-02-A

Glass To Wall Thumbturn




### 800VS-DL-03

Glass To Glass Single / Thumbturn



### 800VS-DL-03-A

Glass To Wall Single / Double Key



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-DL-01	8-10mm	S.Steel SUS 304	SS	20 pcs / ctn	RM131.20
	8-10mm				RM131.20
800VS-DL-01-A	8-10mm	S.Steel SUS 304	SS	20 pcs / ctn	RM89.30
	8-10mm				RM89.30
800VS-DL-02	8-10mm	SS / Zinc Alloy	CP	40 pcs / ctn	RM131.20
800VS-DL-02-A	8-10mm	SS / Zinc Alloy	CP	40 pcs / ctn	RM89.30
800VS-DL-03	8-10mm	S.Steel SUS 304	SS	20 pcs / ctn	RM131.20
800VS-DL-03A	8-10mm	S.Steel SUS 304	SS	20 pcs / ctn	RM89.30
	8-10mm				RM89.30

8

**800VS-DL-04-GR**  
Shower Door Latch



**800VS-DL-04A-WR**  
Shower Door Latch



**800VS-DL-05-GS**  
Shower Door Latch



**800VS-DL-05A-WS**  
Shower Door Latch



**800VS-VSP-014**  
Glass To Wall



**800VS-VSP-014K**  
Glass To Glass



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-DL-04-GR	8-12mm	Brass	CP	50 pcs / ctn	RM110.00
800VS-DL-04A-WR	8-12mm	Brass	CP	50 pcs / ctn	RM90.00
800VS-DL-05-GS	8-10mm	S.Steel SUS 304	PSS	50 pcs / ctn	RM110.00
800VS-DL-05A-WS	8-10mm	S.Steel SUS 304	PSS	50 pcs / ctn	RM90.00
800VS-VSP-014	8-12mm	Brass	CP	20 pcs / ctn	RM180.00
800VS-VSP-014K	8-12mm	Brass	CP	20 pcs / ctn	RM260.00


# MODERN GLASS DOOR LOCK

**VSP®**




**SA-86A-13B**

**SA-86A-13A**



**800VS-SA-86A-13D**


Lock Keeper



8


**800VS-SA-86A-13A**

Outside Glass Door Lock



**800VS-SA-86A-13C**

Lock Keeper




**800VS-SA-86A-13A**

Outside Glass Door Lock




**Hole Dimension -  
Outside Glass Door Lock**




Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-86A-13D + 800VS-SA-86A-13A	S.Steel SUS 304 / Zinc Alloy	SS	10 sets / ctn	RM593.00
800VS-SA-86A-13A + 800VS-SA-86A-13C	S.Steel SUS 304 / Zinc Alloy	SS	10 sets / ctn	RM284.00
800VS-SA-86A-13A + 800VS-SA-86A-13B	S.Steel SUS 304 / Zinc Alloy	SS	10 sets / ctn	RM473.00

8


**800VS-LQ-05**



**800VS-LQ-07**



**800VS-LQ-03**



Code	Standard Height (mm)	Material	Finishing	Packing	(RM) / Unit
800VS-LQ-05	1050	S.Steel SUS 304	SS	10 pcs / ctn	RM200.00
800VS-LQ-07	1050	S.Steel SUS 304	SS	10 pcs / ctn	RM272.00
800VS-LQ-03 (H)	750	S.Steel SUS 304	SS	10 pcs / ctn	RM230.00
800VS-LQ-03 (C)	750	S.Steel SUS 304	SS	10 pcs / ctn	RM230.00
800VS-LQ-03 (E)	750	S.Steel SUS 304	SS	10 pcs / ctn	RM260.00

**800VS-H800-A**  
Double Side Connector ( 180° )




**HOLE SIZE Ø13**

**800VS-H800-B**  
Single Side Connector



**HOLE SIZE Ø13**

**800VS-H800-C**  
Double Side Connector ( 90° )




**HOLE SIZE Ø13**




Code	Material	Finishing	Packing	(RM) / Unit
800VS-H800-A	S.Steel SUS 304	SS	50 pairs / ctn	RM28.00
800VS-H800-B	S.Steel SUS 304	SS	50 pairs / ctn	RM24.00
800VS-H800-C	S.Steel SUS 304	SS	50 pairs / ctn	RM28.00

8


**800VS-H1805**




**800VS-H1810**




**800VS-H1802**



**800VS-H1814**



**800VS-H1512**




Code	Material	Finishing	Packing	(RM) / Unit
800VS-H1805	S.Steel SUS 304	SS	48 pcs / ctn	RM68.00
800VS-H1810	S.Steel SUS 304	SS	24 pcs / ctn	RM68.00
800VS-H1802	S.Steel SUS 304	SS	70 pcs / ctn	RM40.00
800VS-H1814	S.Steel SUS 304	SS	50 pcs / ctn	RM40.00
800VS-H1512	S.Steel SUS 304	SS	60 pcs / ctn	RM32.00



**800VS-SA-83G-04**



**Adjustable 8mm**



**Hole Size Ø28mm**

**800VS-SA-83A-9C**



**Adjustable 6mm**



**Hole Size Ø28mm**

**800VS-SA-83G-05**




**Hole Size Ø23mm**

**800VS-SA-83-T**  
Installation Tool





Code	Material	Size	Finishing	Packing	(RM) / Unit
800VS-SA-83G-04	S. Steel SUS 304	Ø 28	SS	100 pcs / ctn	RM68.00
800VS-SA-83A-9C	S. Steel SUS 304	Ø 28	SS	50 pcs / ctn	RM80.00
800VS-SA-83G-05	S. Steel SUS 304	Ø 23	SS	50 pcs / ctn	RM128.00
800VS-SA-83T	S. Steel SUS 304	-	SS	10 pcs / ctn	RM30.00

8




**800VS-BS-R-1000**  
Glass Fending Spigots - Non Open Hole ( Polish )

**800VS-BS-S-1500**  
Glass Fencing Spigots - Non Open Hole ( SS )




Code	Material	Finishing	Packing	(RM) / Unit
800VS-BS-R-1000	S.Steel SUS 304	PSS	12 pcs / ctn	RM290.00
800VS-BS-S-1500	S.Steel SUS 304	SS	12 pcs / ctn	RM340.00

**800VS-DK-01**  
Door Knob




**HOLE SIZE Ø12**

**800VS-DK-03**  
Door Knob




**HOLE SIZE Ø12**

**800VS-DK-04**  
Door Knob




**HOLE SIZE Ø12**

**800VS-DK-05**  
Door Knob



**HOLE SIZE Ø12**

**800VS-DK-06**  
Door Knob



**HOLE SIZE Ø12**




Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-DK-01	8-12mm	Solid Brass	CP	100 pcs / ctn	RM30.00
800VS-DK-03	8-12mm	Solid Brass	CP	100 pcs / ctn	RM44.00
800VS-DK-04	8-12mm	Solid Brass	CP	100 pcs / ctn	RM44.00
800VS-DK-05	8-12mm	Solid Brass	CP	100 pcs / ctn	RM44.00
800VS-DK-06	8-12mm	Solid Brass	CP	100 pcs / ctn	RM44.00



**Modern sliding doors are commonly used as shower doors, glass doors, screen doors, and wardrobe doors.**

**ADVANTAGE**

- Corrosion resistance.
- Highly durable and sturdy construction.
- Quiet and smooth operation.
- Elegant design.
- Easy to install and maintain.



8

**800VS-SLIDING GLASS DOOR**  
Sliding Glass Door Installation Details

Daylight Opening	Entry Width	Door Width	Overpanel Width
910 - 1010mm	800 - 900mm	960 - 1060mm	2038mm
910 - 1010mm	900 - 1010mm	1060 - 1160mm	2238mm
910 - 1010mm	1000 - 1100mm	1160 - 1260mm	2438mm
910 - 1010mm	1100 - 1200mm	1260 - 1360mm	2638mm

**OPEN HOLE MEASUREMENT**

( as required by installation, size ≥ 55mm )




**OW = Overpanel Width**  
**SW = Sidelight Width**  
**DW = Door Width**

**ATTENTIONS**

**THE DISTANCE FOR CLAMP FIXING FOR TRACK, WALL FIXING :**


- 1) Weight 80kg max-distance between the clamps = 1/2 the width of the door.
- 2) Weight 80kg - 120kg max-distance between the clamps = 1/3 the width of the door.
- 3) Weight 120kg - 150kg max-distance between the clamps = 1/4 the width of the door.



8


**800VS-SA-83A-1G**

Sliding Glass Door Roller ( 300kg )




**800VS-SA-83A-1B**

Sliding Glass Door Roller ( 150kg )



**800VS-SA-83A-1C**

Sliding Glass Door Roller ( 150kg )




**INSTALLING**




Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-83A-1G	S.Steel SUS 304	SS	20 pcs / ctn	RM700.00
800VS-SA-83A-1B	S.Steel SUS 304	SS	20 pcs / ctn	RM340.00
800VS-SA-83A-1C	S.Steel SUS 304	SS	20 pcs / ctn	RM400.00

**800VS-SA-83A-2**  
Clamp For Pipe / Tube - Connection with Wall




**800VS-SA-83A-3**  
Clamp For Pipe / Tube - Connection with Glass



**800VS-SA-83A-4-R/L**  
Stopper




**800VS-SA-83A-5A**  
Bottom Guide




**800VS-SA-83A-6**  
Fixed Connector



**800VS-SA-83A-7**  
End Tube Connector



**800VS-SA-83A-8**  
End Cap




**800VS-SA-83A-8A**  
S/Steel Tube



Thickness = 2.5mm


Size	2.5m	4.0m	6.0m
------	------	------	------



Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-83A-2	S. Steel SUS 304	SS	50 pcs / ctn	RM60.00
800VS-SA-83A-3	S. Steel SUS 304	SS	50 pcs / ctn	RM70.00
800VS-SA-83A-4-R/L	S. Steel SUS 304	SS	100 pcs / ctn	RM60.00
800VS-SA-83A-5A	S. Steel SUS 304	SS	200 pcs / ctn	RM22.00
800VS-SA-83A-6	S. Steel SUS 304	SS	10 pcs / ctn	RM100.00
800VS-SA-83A-7	S. Steel SUS 304	SS	50 pcs / ctn	RM84.00
800VS-SA-83A-8	S. Steel SUS 304	SS	100 pcs / ctn	RM23.00
800VS-SA-83A-8A (2.5m)	S. Steel SUS 304	SS	4 pcs / ctn	RM400.00
800VS-SA-83A-8A (4.0m)	S. Steel SUS 304	SS	4 pcs / ctn	RM560.00
800VS-SA-83A-8A (6.0m)	S. Steel SUS 304	SS	4 pcs / ctn	RM840.00

8

**800VS-SA-83A-10**  
Double-Clamp For Pipe / Tube - Connection with Top




**800VS-SA-83A-12**  
Glass To Tube Support




Hole Size Ø28mm

**800VS-SA-83A-15**  
Glass & Tube Connector



**800VS-SA-83A-16**  
Glass & Tube Connector



**800VS-SA-83A-18**  
Stopper




**800VS-SA-83A-20**  
Glass To Tube Support




Hole Dimension Ø28mm

**800VS-SA-83A-21**  
Tube Corner Connector



**800VS-SA-83D-2**  
Fixed Connector



Hole Dimension Ø26mm



SA-83A-10

SA-83A-12

SA-83A-15

SA-83A-16

SA-83A-18




SA-83A-20

SA-83A-21


SA-83D-2

Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-83A-10	S. Steel SUS 304	SS	10 pcs / ctn	RM200.00
800VS-SA-83A-12	S. Steel SUS 304	SS	10 pcs / ctn	RM82.00
800VS-SA-83A-15	S. Steel SUS 304	SS	50 pcs / ctn	RM220.00
800VS-SA-83A-16	S. Steel SUS 304	SS	50 pcs / ctn	RM68.00
800VS-SA-83A-18	S. Steel SUS 304	SS	50 pcs / ctn	RM108.00
800VS-SA-83A-20	S. Steel SUS 304	SS	200 pcs / ctn	RM110.00
800VS-SA-83A-21	S. Steel SUS 304	SS	30 pcs / ctn	RM168.00
800VS-SA-83D-2	S. Steel SUS 304	SS	5 pcs / ctn	RM218.00

**SET  
1**



**Note : TW=Tube Length / DW=Door Width / EW=Entry Width**



**800VS-SA-86A-1**  
Sliding Glass Door Roller

**800VS-SA-86A-3**  
Track Mounted Door Stopper

**800VS-SA-86A-4**  
Single Track End Cap



**80kg**



**800VS-SA-86B-1**  
Aluminium Track


**800VS-SA-83A-5A**  
Bottom Guide



Code	Size	Necessary Acc. No.	(RM) / Unit
800VS-SA-86A-1 Set	2.0 mtr	SA-86A-1 x 2 / SA-86A-3 x 2 / SA-86A-4 x 2 / SA-83A-5A x 1 / SA-86B-1 x 1	RM410.00
	4.0 mtr	SA-86A-1 x 4 / SA-86A-3 x 4 / SA-86A-4 x 2 / SA-83A-5A x 2 / SA-86B-1 x 1	RM600.00

**SET  
2**

**8**



**800VS-SA-86C-3**  
Sliding Glass Door Roller

**800VS-SA-86A-3**  
Track Mounted Door Stopper

**800VS-SA-86A-4**  
Single Track End Cap



**80kg**



**800VS-SA-86B-1**  
Aluminium Track






**800VS-SA-86G-8**  
Bottom Guide



Code	Size	Necessary Acc. No.	(RM) / Unit
800VS-SA-86C-3 Set	2.0 mtr	SA-86C-3 x 2 / SA-86A-3 x 2 / SA-86A-4 x 2 / SA-86G-8 x 1 / SA-86B-1 x 1	RM390.00
	4.0 mtr	SA-86C-3 x 4 / SA-86A-3 x 4 / SA-86A-4 x 2 / SA-86G-8 x 2 / SA-86B-1 x 1	RM580.00

**SET  
3**




**800VS-SA-86C-1**  
Sliding Glass Door Roller

**800VS-SA-86B-4**  
Aluminium Track




**105kg**



**800VS-SA-86A-4A/L**  
End Cap Left

**800VS-SA-86A-4A/R**  
End Cap Right



**Note : TW=Tube Length / DW=Door Width / EW=Entry Width  
Aluminium Top Track / Size : 25meter / 4.0 meter**



**800VS-SA-86A-3**  
Track Mounted Door Stopper

**800VS-SA-83A-5A**  
Bottom Guide





Code	Size	Necessary Acc. No.	(RM) / Unit
800VS-SA-86C-1 Set	2.0 mtr	SA-86C-1 x 2 / SA-86B-4 x 1 / SA-86A-4A/L x 1 / SA-86A-4A/R x 1 / SA-86A-3 x 2 / SA-83A-5A x 1	RM500.00
	4.0 mtr	SA-86C-1 x 4 / SA-86B-4 x 1 / SA-86A-4A/L x 1 / SA-86A-4A/R x 1 / SA-86A-3 x 4 / SA-83A-5A x 2	RM900.00

**SET  
4**

8

**800VS-HRF-4080**  
Aluminium Hanging Door Roller



**800VS-HR-4501**  
Track Cover



**800VS-HR-4502**  
Bracket



**800VS-HR-4503**  
Side Cover



**800VS-HR-4005**  
Bottom Guide



**800VS-HR-4504**  
Stopper



**800VS-HR-4500**  
Aluminium Track




Code	Size	Necessary Acc. No.				(RM) / Unit
800VS-HR-4080 (Set)	2 m	HR-4080 x 1	HR-4501 x 1	HR-4500 x 1	HR-4502 x 5	RM800.00
		HR-4503 x 2	HR-4504 x 2	HR-4005 x 1		
800VS-HR-4080 (Set)	3 m	HR-4080 x 1	HR-4501 x 1	HR-4500 x 1	HR-4502 x 7	RM880.00
		HR-4503 x 2	HR-4504 x 2	HR-4005 x 1		
800VS-HR-4080 (Set)	4 m	HR-4080 x 2	HR-4501 x 1	HR-4500 x 1	HR-4502 x 10	RM1320.00
		HR-4503 x 2	HR-4504 x 4	HR-4005 x 2		




Code	Material	Finishing	Packing	(RM) / Unit
800VS-HR-4500 + HR-4501 ( 2 meter )	Aluminium	NA	10 pcs / ctn	RM240.00
800VS-HR-4500 + HR-4501 ( 3 meter )	Aluminium	NA	10 pcs / ctn	RM330.00
800VS-HR-4500 + HR-4501 ( 4 meter )	Aluminium	NA	10 pcs / ctn	RM420.00

**SET  
5**

**800VS-HRG-5080**  
Glass Hanging Door Roller




8



**800VS-HR-4501**  
Track Cover



**800VS-HR-4502**  
Bracket



**800VS-HR-4503**  
Side Cover



**800VS-83-5A**  
Bottom Guide



**800VS-HR-4504**  
Stopper




**800VS-HR-4500**  
Aluminium Track




Code	Size	Necessary Acc. No.				(RM) / Unit
800VS-HR-5080 (Set)	2 m	HR-5080 x 1	HR-4501 x 1	HR-4500 x 1	HR-4502 x 5	RM900.00
		HR-4503 x 2	HR-4504 x 2	SA-83A-5A x 1		
800VS-HR-5080 (Set)	3 m	HR-5080 x 1	HR-4501 x 1	HR-4500 x 1	HR-4502 x 7	RM1060.00
		HR-4503 x 2	HR-4504 x 2	SA-83A-5A x 1		
800VS-HR-5080 (Set)	4 m	HR-5080 x 2	HR-4501 x 1	HR-4500 x 1	HR-4502 x 10	RM1490.00
		HR-4503 x 2	HR-4504 x 4	SA-83A-5A x 2		

8


**800VS-SA-86B-1**  
Single Track



**800VS-SA-86B-2**  
Double Track



**800VS-SA-86B-3**  
Single Track for Fixed Side Panel



**800VS-SA-86B-4**  
Single Track with Semicircle Cover



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-SA-86B-1	2.0 mtr	Aluminium	Silver	10 pcs / ctn	RM180.00
	4.0 mtr				RM290.00
800VS-SA-86B-2	2.0 mtr	Aluminium	Silver	6 pcs / ctn	RM240.00
	4.0 mtr				RM400.00
800VS-SA-86B-3	2.0 mtr	Aluminium	Silver	8 pcs / ctn	RM210.00
	4.0 mtr				RM350.00
800VS-SA-86B-4	2.0 mtr	Aluminium	Silver	10 pcs / ctn	RM200.00
800VS-SA-86B-4	4.0 mtr	Aluminium	Silver	10 pcs / ctn	RM330.00


**800VS-SA-83A-5A**  
Bottom Guide



**800VS-SA-86A-3**  
Track Mounted Door Stopper




**800VS-SA-86A-14**  
Single 90 Degrees Track Connector



**800VS-SA-86A-15**  
Single Wall To Wall Connector



**800VS-AGD-1002**  
Adjustable Floor Guard




**800VS-AGD-3050**  
Adjustable Floor Guard




Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-83A-5A	S. Steel SUS 304	SS	500 pcs / ctn	RM19.00
800VS-SA-86A-3	Nylon	White	200 pcs / ctn	RM22.00
800VS-SA-86A-14	Nylon	White	500 pcs / ctn	RM18.00
800VS-SA-86A-15	Nylon	White	100 pcs / ctn	RM15.00
800VS-AGD-1002	Nylon	White	100 pcs / ctn	RM26.00
800VS-AGD-3050	Aluminium / Nylon	Silver	100 pcs / ctn	RM52.00

8


**800VS-SA-86A-7**  
Sliding Door Handle




**800VS-SA-86A-8**  
Sliding Door Lock ( Glass To Glass )




**800VS-SA-86A-9**  
Sliding Door Lock ( Wall To Glass )




**800VS-SA-86A-19**  
Sliding Door Handle



**800VS-SA-86A-9S**  
Sliding Door Handle



**800VS-A-17**  
Sliding Handle






Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-86A-7	S. Steel SUS 304	SS	50 sets / ctn	RM60.00
800VS-SA-86A-8	S. Steel SUS 304	SS	100 sets / ctn	RM178.00
800VS-SA-86A-9	S. Steel SUS 304	SS	20 sets / ctn	RM168.00
800VS-SA-86A-19	S. Steel SUS 304	SS	50 sets / ctn	RM80.00
800VS-SA-86A-9S	S. Steel SUS 304	SS	100 sets / ctn	RM58.00
800VS-A-17	S. Steel SUS 304	SS	50 sets / ctn	RM48.00



Sliding glass shower doors feature thick tempered glass. Take advantage of our modern accessories which come in 90° and 180° options.

**ADVANTAGE**

- Modern & contemporary design.
- Corrosion resistance.
- Easy to install and maintain.
- Designed for 90° and 180° cubicle.
- Unique systems.





30 x 10 Installation of square pipe with jumping-proof pillar.

<b>800VS-A002-1-2</b> Top Roller	<b>800VS-A002-2-2</b> Hollow Locator	<b>800VS-A002-5-2</b> Stopper	<b>800VS-A001-3-1</b> Connector	<b>800VS-A002-4-2</b> Fix Connector
<b>800VS-A002-3-2</b> Glass Locator	<b>800VS-A002-8-1</b> S.Steel Hollow (2.5m / 1.8m)	<b>800VS-SA-83A-5A</b> Sliding Door Guide	<b>800VS-A-17</b> Door Handle	

Hole Size Ø45

Code	Accessories Nos.	Material	Finishing	Packing	(RM) / Unit
800VS-AS001-90° set (60kg)	A002-1-2 x 4pcs A001-3-1 x 1pcs SA-83A-5A x 2pcs	S.Steel SUS 304	PSS	5 sets / ctn	RM1100.00
800VS-AS002-180° set (60kg)	A002-1-2 x 2pcs A002-4-2 x 2pcs A17 x 1pcs	S.Steel SUS 304	PSS	10 sets / ctn	RM600.00
	800VS-A002-8-1 (1.8m)	S.Steel SUS 304	PSS	10 pcs / ctn	RM215.00
	800VS-A002-8-1 (2.5m)	S.Steel SUS 304	PSS	10 pcs / ctn	RM290.00



**800VS-ASD-100**  
Aluminium Top Track



**800VS-ASD-102**  
Stopper R/L



**800VS-ASD-103**  
Top Roller



**800VS-ASD-104**  
Bracket



**800VS-ASD-105**  
Bottom Guide



**800VS-ASD-101**  
Connector





Code	Accessories Nos.			Material / Size	Finishing	Packing	(RM) / Unit
800VS-SD-200 90° Set	ASD-100 x ( 1pcs )	ASD-102 x ( 4pcs )	ASD-103 x ( 4pcs )	2 mtr	CP	12 sets / ctn	RM480.00
	ASD-104 x ( 2pcs )	ASD-105 x ( 2pcs )	ASD-101 x ( 1pcs )	3 mtr			RM580.00
800VS-SD-100 180° Set	ASD-100 x ( 1pcs )	ASD-102 x ( 2pcs )	ASD-103 x ( 2pcs )	2 mtr	CP	16 sets / ctn	RM360.00
	ASD-104 x ( 2pcs )	ASD-105 x ( 1pcs )		3 mtr			RM410.00
	800VS-ASD-100 x ( 2 meter )			Aluminium	CP	4 pcs / ctn	RM196.00
	800VS-ASD-100 x ( 3 meter )			Aluminium	CP	4 pcs / ctn	RM300.00

**800VS-FOLDING PARTITION**

Folding Partition Details And Diagram

8



**Folding door clip  
equipped with pulley,  
lower column clip  
and lock catch.**

MAX. DOOR  
LEAF HEIGHT  
2500mm

MAX. DOOR  
LEAF WIDTH  
900mm

MAX. DOOR  
LEAF LOAD  
90kg

**Folding door leaf  
equipped with pully,  
lower column  
clip and lock latch.**

MAX. DOOR  
LEAF HEIGHT  
2500mm

MAX. DOOR  
LEAF WIDTH  
900mm

MAX. DOOR  
LEAF LOAD  
90kg

**Folding door leaf  
equipped with pulley  
and bottom bolt.**

MAX. DOOR  
LEAF HEIGHT  
2500mm

MAX. DOOR  
LEAF WIDTH  
900mm

MAX. DOOR  
LEAF LOAD  
90kg


**End door leaf  
equipped with upper  
and lower fixing clips  
and bottom bolt.**

MAX. DOOR  
LEAF HEIGHT  
2500mm

MAX. DOOR  
LEAF WIDTH  
900mm

MAX. DOOR  
LEAF LOAD  
90kg

**800VS-SA-87A-6**  
Glass Door Hinge




**800VS-SA-87A-10**  
Folding Door Mid Roller




**800VS-SA-87A-11**  
Folding Door Side Roller




**800VS-SA-87A-12**  
Lower Column Clip



**800VS-SA-87A-13**  
Glass Door Bolt



**800VS-SA-87A-14**  
Lower Column Clip




Code	Material	Finishing	Packing	(RM) / Unit
800VS-SA-87A-6	S. Steel SUS 304	SS	10 sets / ctn	RM402.00
800VS-SA-87A-10	S. Steel SUS 304	SS	10 sets / ctn	RM556.00
800VS-SA-87A-11	S. Steel SUS 304	SS	10 sets / ctn	RM358.00
800VS-SA-87A-12	S. Steel SUS 304	SS	10 sets / ctn	RM425.00
800VS-SA-87A-13	S. Steel SUS 304	SS	10 sets / ctn	RM578.00
800VS-SA-87A-14	S. Steel SUS 304	SS	10 sets / ctn	RM231.00

8


**800VS-SA-87A-16**

Upper Fixing Clip




**800VS-SA-87A-17**

Lower Fixing Clip




**800VS-SA-87A-18R**

Glass Door Bolt Right




**800VS-SA-87A-18L**

Glass Door Bolt Left




**800VS-SA-87C-1**

Top Track



**800VS-SA-87A-15**

Bottom Track



Code	Size	Material	Finishing	Packing	(RM) / Unit
800VS-SA-87A-16	-	S.Steel SUS 304	SS	10 pcs / ctn	RM300.00
800VS-SA-87A-17	-	S.Steel SUS 304	SS	10 pcs / ctn	RM312.00
800VS-SA-87A-18R	-	S.Steel SUS 304	SS	10 pcs / ctn	RM345.00
800VS-SA-87A-18L	-	S.Steel SUS 304	SS	10 pcs / ctn	RM345.00
800VS-SA-87C-1	2.5 mtr	Aluminium	Silver	10 pcs / ctn	RM380.00
	4.0 mtr				RM570.00
	6.0 mtr				RM860.00
800VS-SA-87A-15	2.5 mtr	S.Steel SUS 304	SS	10 pcs / ctn	RM400.00
	3.0 mtr				RM600.00



**Reference Design Load Of Spider Fittings**

Model	Design axial load capability of single arm (N) ( Negative windload )	Design radial load capability of single arm (N) ( Dead Load )
S200-4	2000	1200

- Point-fixed glass wall
- Typical finish for stainless steel spider fittings
- Instruction to the material of point-fixed glass wall fittings
- The material of spider is stainless steel grade, the material of route is stainless steel 304
- The base of connectors is made of steel Q235.
- Suspension clamps and embedded parts for glass wall are made of steel ZG230-450-H

Type	Flat Cap	Countersunk
------	----------	-------------

Model	TF-15	TF-11
-------	-------	-------


Design axial load capability of single arm (N) ( Negative windload )	4500	4500
--	------	------

Design radial load capability of single arm (N) ( Dead Load )	2000	2000
---	------	------


L	60	64
---	----	----

Spider glass building are a whole system of metal connector and fastener to between glass and spider fitting of modular building structure.

**SUITABLE FOR : TC15**




**SUITABLE FOR : TC11**




8

**800VS-S200-1**  
Spider Fitting ( Short Leg )




A	B	D	T
100	52	50	12

**800VS-S200-1A**  
Spider Fitting ( Long Leg )




A	B	D	T
150	50	45	12

**800VS-S200-2**  
Spider Fitting



A	B	D	T
200	52	50	12


**800VS-S200-2A**  
Spider Fitting



A	B	D	T
200	50	45	12


Code	Material	Finishing	Packing	(RM) / Unit
800VS-S200-1	S. Steel SUS 304	SS	25 pcs / ctn	RM66.00
800VS-S200-1A	S. Steel SUS 304	SS	21 pcs / ctn	RM76.00
800VS-S200-2	S. Steel SUS 304	SS	30 pcs / ctn	RM90.00
800VS-S200-2A	S. Steel SUS 304	SS	14 pcs / ctn	RM130.00

**800VS-S200-3**  
Spider Fitting




A	B	D	T
200	52	50	12

**800VS-S200-4**  
Spider Fitting




A	B	D	T
200	52	50	12

**800VS-F210-4F**  
Spider Fitting




**800VS-F210-2F**  
Spider Fitting




Code	Material	Finishing	Packing	(RM) / Unit
800VS-S200-3	S. Steel SUS 304	SS	5 pcs / ctn	RM156.00
800VS-S200-4	S. Steel SUS 304	SS	8 pcs / ctn	RM196.00
800VS-S210-4F	S. Steel SUS 304	SS	6 pcs / ctn	RM262.00
800VS-S210-2F	S. Steel SUS 304	SS	7 pcs / ctn	RM200.00

8


**800VS-TC-11**  
Routel ( Countersunk )




**800VS-TC-15**  
Routel ( Flat Cap )



**800VS-TF-82**  
Routel ( Flat Cap-Fixed )



**800VS-Z-14**  
Connector



Code	Material	Finishing	Packing	(RM) / Unit
800VS-TC-11	S. Steel SUS 304	SS	24 pcs / ctn	RM68.00
800VS-TC-15	S. Steel SUS 304	SS	30 pcs / ctn	RM62.00
800VS-TC-82	S. Steel SUS 304	SS	36 pcs / ctn	RM55.00
800VS-Z-14	S. Steel SUS 304	SS	33 pcs / ctn	RM50.00



Handles are suitable for use on timber doors, aluminium doors and glass doors. They are commonly used on hinged doors, pivot doors and sliding doors making them the ideal choice for your commercial or residential project.

**ADVANTAGE**

- The used of quality manufacturing materials.
- Suitable for most doors.
- Elegant and style.
- Ergonomic design.
- Easy to install.
- Corrosion resistance.
- Great strength and durability.

**900VS-81-D ( Round )**  
Thumbturn And Key

**900VS-82-D1 ( Round )**  
Thumbturn And Key

**900VS-WD-85**  
Wooden Door Accessories

**900VS-648 ( Square )**  
Thumbturn And Key

9



**Overall Dimension  
1500mm**

**Overall Dimension  
2100mm**



**SQUATING IS NOT REQUIRED FOR LARGER  
HANDLES TO OPEN THE GLASS DOOR.**

Code	Size (mm)	Material	Finishing	Packing	(RM) / Unit
900VS-81-D ( Round )	35 x 2100	Stainless Steel SUS 304	SS	10 sets / ctn	RM1200.00
900VS-82-D1 ( Round )	35 x 1500	Stainless Steel SUS 304	SS	10 sets / ctn	RM800.00
900VS-648 ( Square )	25 x 38 x 1500	Stainless Steel SUS 304	SS	10 sets / ctn	RM800.00
900VS-WD-85	85 x 176	Brass	Gold	50 sets / ctn	RM130.00

**900VS-711-B**

**900VS-711-H**

**900VS-4020-D-SS**

**900VS-4020-D-MB**



Code	Size	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
900VS-711-B	38 x 600	600	275	75	Ø15	S.Steel 201	PSS	20 sets / ctn	RM80.00
	38 x 600	600	400	75	Ø15			20 sets / ctn	RM80.00
	38 x 900	900	600	75	Ø15			10 sets / ctn	RM120.00
	38 x 1200	1200	900	75	Ø15			10 sets / ctn	RM160.00
	38 x 1500	1500	1200	80	Ø15			10 sets / ctn	RM200.00
	38 x 1800	1800	1500	80	Ø15			10 sets / ctn	RM240.00
900VS-711-H	32 x 600	600	275	75	Ø15	S.Steel SUS 304	SS	20 sets / ctn	RM160.00
	32 x 900	900	600	75	Ø15			10 sets / ctn	RM240.00
	32 x 1200	1200	900	75	Ø15			10 sets / ctn	RM320.00
900VS-4020-D	40 x 20	600	580	65	Ø15	S.Steel SUS 304	SS	10 sets / ctn	RM160.00
	40 x 20	900	880	65	Ø15			10 sets / ctn	RM240.00
	40 x 20	1200	1180	65	Ø15			10 sets / ctn	RM320.00
	40 x 20	600	580	65	Ø15	S.Steel SUS 304	Matt Black	10 sets / ctn	RM180.00
	40 x 20	900	880	65	Ø15			10 sets / ctn	RM270.00
	40 x 20	1200	1180	65	Ø15			10 sets / ctn	RM360.00





9

900VS-713-SS

900VS-713-MB

900VS-714-SS

900VS-714-MB




Code	Size	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
900VS-713	25 x 38	600	562	73	Ø15	S.Steel SUS 304	SS	20 sets / ctn	RM160.00
	25 x 38	900	862	73	Ø15			10 sets / ctn	RM240.00
	25 x 38	1200	1162	73	Ø15			10 sets / ctn	RM320.00
	25 x 38	1500	1462	73	Ø15			6 sets / ctn	RM400.00
	25 x 38	600	562	73	Ø15	S.Steel SUS 304	Matt Black	20 sets / ctn	RM180.00
	25 x 38	900	862	73	Ø15			10 sets / ctn	RM270.00
	25 x 38	1200	1162	73	Ø15			10 sets / ctn	RM360.00
	25 x 38	1500	1462	73	Ø15			6 sets / ctn	RM450.00
900VS-714	25 x 38	600	575	90	Ø15	S.Steel SUS 304	SS	10 sets / ctn	RM200.00
	25 x 38	900	875	90	Ø15			10 sets / ctn	RM300.00
	25 x 38	1200	1175	90	Ø15			10 sets / ctn	RM400.00
	25 x 38	600	575	90	Ø15	S.Steel SUS 304	Matt Black	10 sets / ctn	RM220.00
	25 x 38	900	875	90	Ø15			10 sets / ctn	RM330.00
	25 x 38	1200	1175	90	Ø15			10 sets / ctn	RM440.00

**900VS-716-SQUARE**

**900VS-711-J**

**900VS-3015-C-SS**


**900VS-3015-C-MB**




Code	Size	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
900VS-716	38 x 600	600	275	77	Ø15	S.Steel SUS 304	SS	20 sets / ctn	RM202.00
	38 x 900	900	600	77	Ø15			10 sets / ctn	RM300.00
	38 x 1200	1200	900	77	Ø15			10 sets / ctn	RM400.00
	38 x 1500	1500	1200	77	Ø15			10 sets / ctn	RM500.00
	38 x 1800	1800	1500	77	Ø15			10 sets / ctn	RM600.00
	38 x 2100	2100	1800	77	Ø15			5 sets / ctn	RM700.00
900VS-3015-C	15 x 30	630	600	85	Ø15	S.Steel SUS 304	SS	10 sets / ctn	RM200.00
	15 x 30	930	900	85	Ø15			10 sets / ctn	RM300.00
	15 x 30	630	600	85	Ø15	S.Steel SUS 304	Matt Black	10 sets / ctn	RM220.00
	15 x 30	930	900	85	Ø15			10 sets / ctn	RM330.00
900VS-711-J	38 x 600	600	275	95	Ø15	S.Steel SUS 304	SS	20 sets / ctn	RM240.00
	38 x 900	900	600	95	Ø15			10 sets / ctn	RM360.00
	38 x 900	1200	900	95	Ø15			10 sets / ctn	RM480.00
	38 x 900	1500	1200	95	Ø15			10 sets / ctn	RM600.00

9


**900VS-2513-S**  
Shower Handle




**900VS-2513-I**  
Shower Handle



**900VS-712-S**  
Shower Handle




**900VS-712-I**  
Shower Handle




Code	Size	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
900VS-2513-S	25 x 13 x 300 x 450	275	425	55	Ø15	S.Steel SUS 304	PSS	20 sets / ctn	RM138.00
	25 x 13 x 300 x 450	275	425	55	Ø15		SS	20 sets / ctn	RM122.00
	25 x 13 x 300 x 450	275	425	55	Ø15		Matt Black	20 sets / ctn	RM138.00
900VS-2513-I	25 x 13	500	475	55	Ø15	S.Steel SUS 304	PSS	20 sets / ctn	RM120.00
		450	425				SS	20 sets / ctn	RM100.00
	25 x 13	500	475	55	Ø15		Matt Black	20 sets / ctn	RM120.00
900VS-712-S	25 x 300 x 450	275	425	70	Ø15	S.Steel SUS 304	PSS	20 sets / ctn	RM66.00
	25 x 300 x 450	275	425	70	Ø15		SS	20 sets / ctn	RM62.00
	25 x 300 x 450	275	425	70	Ø15		Matt Black	20 sets / ctn	RM88.00
	25 x 300 x 500	275	475	70	Ø15		PSS	20 sets / ctn	RM70.00
900VS-712-S	25 x 300 x 450	275	425	70	Ø15	S.Steel 201	PSS	20 sets / ctn	RM50.00
900VS-712-I	25	450	425	70	Ø15	S.Steel SUS 304	PSS	30 sets / ctn	RM68.00
	25	450	425	70	Ø15		Matt Black	30 sets / ctn	RM74.00


**900VS-712**




**900VS-712-C1**



**900VS-712-N**




**900VS-D-186**




Code	Size	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
900VS-712	25 x 300	300	275	70	Ø15	S.Steel 201	PSS	60 sets / ctn	RM33.00
900VS-712-C1	25 x 300	300	275	70	Ø15	S.Steel 201	PSS	20 sets / ctn	RM46.00
900VS-712-N	25 x 300	300	275	70	Ø15	S.Steel 201	PSS	20 sets / ctn	RM80.00
900VS-712-N	25 x 600	600	575	70	Ø15	S.Steel 201	PSS	20 sets / ctn	RM120.00
900VS-D-186	25 x 300	300	275	25	Ø15	S.Steel SUS 304	PSS	20 sets / ctn	RM104.00

9


**900VS-AD-711B-900mm**




**900VS-185-I**



**900VS-711-C**




**900VS-788-C**




Code	Size	A	B	C	Hole Size	Material	Finishing	Packing	(RM) / Unit
900VS-AD-711-B	32 x 900	900	ADJ	32	Ø15	S.Steel 201	PSS	20 sets / ctn	RM166.00
900VS-185-I	33 x 13	500	445	70	Ø15	S.Steel SUS 304	PSS	40 sets / ctn	RM100.00
900VS-711-C	32 x 600	600	275	64	Ø15	S. Steel SUS 304	SS	20 sets / ctn	RM160.00
	32 x 600	600	340	67	Ø15				RM160.00
900VS-788-C	30 x 15	325	300	50	Ø15	S. Steel SUS 304	PSS	10 sets / ctn	RM128.00


**900VS-A-13**  
12" Swing Door Handle




**900VS-A-16**  
12" Swing Door Handle



**900VS-A-1819**



**900VS-712-D**



Code	Size	A	B	C	D	Material	Finishing	Packing	(RM) / Unit
900VS-A-13	35 x 300	310	135	65	35	Aluminium	Silver	50 sets / ctn	RM24.00
900VS-A-16	35 x 280	280	138	55	32	Aluminium	White / Silver / Black	50 sets / ctn	RM34.00
900VS-A-1819	80 x 300	300	150	100	1.5	S. Steel SUS 304	SS	20 sets / ctn	RM80.00
		300	-	100	1.5				
900VS-712-D	25 x 300	300	275	63	Ø15	S. Steel SUS 304	SS	50 sets / ctn	RM44.00

PROFESSIONAL  
SOLUTIONS



Sealing Tools



Fastening Tools

VIMAX TRADING  
**HARDWARE  
& TOOLS**



Measurement Tools



Hand Tools




Hammering Tools



Power Tools

PROFESSIONAL  
ELEMENT





10

This is a high-modulus, paintable, all-purpose sealant suitable for sealing a variety of different substrates.



**APPLICATIONS :**

- Connection joints that are subsequently painted.
- Fixation where flexibility of the sealant is still required.
- Sealing joints between a wide variety of materials, such as wood, glass, metals, plastics and mineral-based substrates.
- Stress-relieving bonding and fixation.

**COLORS :**

- White
- Grey
- Black

**PACKING :**

- 600ml (12 ssg / ctn)

Product Properties		
Typical General Characteristics	Inspection Method	Value
Cure Type		Hybrid
<b>Uncured / Unvulcanized Paste</b>		
Density at 23 °C	ISO 1183-1 A	1.4 g/cm <sup>3</sup>
Consistency	ISO 7390	non-sag
Skin Forming Time at 23°C / 50% r.h.	Internal Method	Approx. 20 - 40 min
<b>Cured / Vulcanized Rubber</b>		
Hardness Shore A	ISO 868	35
Modulus at 100% (Joint)	ISO 8339-A	0.7 N/mm <sup>2</sup>
Tensile Strength (Joint)	ISO 8339-A	2.2 N/mm <sup>2</sup>
Ultimate Elongation (Joint)	ISO 8339-A	600%
Modulus at 100% (S2-Dumbell)	ISO 37	0.85 N/mm <sup>2</sup>
Tensile Strength (S2-Dumbell)	ISO 37	2.3 N/mm <sup>2</sup>
Ultimate Elongation (S2-Dumbell)	ISO 37	520%
Movement Capability	ISO 9047	25%

10



This is a one-part, neutral silicone sealant that exhibits good adhesion to joints and displays outstanding weather resistance and durability.



**APPLICATIONS :**

- Joint for window perimeter.
- Joint for cleanroom panel.
- Internal / external joint of building.
- Joint for aluminium panel.
- External joint of curtain wall building.

**COLORS :**


- Transparent
- White
- Grey
- Black
- Bronze

**PACKING :**

- 300ml (25 ctg / ctn)
- 600ml (12 ssg / ctn)

**Product Properties**

Typical General Characteristics	Inspection Method	Value
Cure Type		Oxime
<b>Uncured / Unvulcanized Paste</b>		
Density at 23 °C	ISO 1183-1 A	1.37 g/cm <sup>3</sup> (filled) 1.00 g/cm <sup>3</sup> (unfilled)
Consistency	ISO 7390	non-sag
Extrusion rate at 6 bar	Internal Method	220 g/min
Skin Forming Time at 23°C / 50% r.h.	Internal Method	Approx. 10 min
<b>Cured / Vulcanized Rubber</b>		
Hardness Shore A	ISO 868	31
Modulus at 100% (Joint)	ISO 8339-A	0.52 N/mm <sup>2</sup>
Tensile Strength (Joint)	ISO 8339-A	0.65 N/mm <sup>2</sup>
Ultimate Elongation (Joint)	ISO 8339-A	155%
Modulus at 100% (S2-Dumbell)	ISO 37	0.53 N/mm <sup>2</sup>
Tensile Strength (S2-Dumbell)	ISO 37	1.4 N/mm <sup>2</sup>
Ultimate Elongation (S2-Dumbell)	ISO 37	350%
Movement Capability	ISO 9047	25%



This is a one-part, neutral silicone sealant with outstanding adhesion to most building substrates. It further exhibits good weather resistance and workability for glazing.



**APPLICATIONS :**

- Windows glazing
- Joint sealing for prefabricated building
- Sealing for UPVC, Wooden and AL Window
- Sealing for Alkaline Substrate such as concrete

**COLORS, FILLED :**

- White
- Grey
- Light Grey
- Ivory
- Wood
- Black
- Bronze
- Cherry
- Oak
- Blue
- Green
- Light Ivory

**COLORS, UNFILLED :**

- Transparent
- Translucent
- Red
- Gold

**PACKING :**

- 270ml (25 ctg / ctn)

Product Properties		
Typical General Characteristics	Inspection Method	Value
Cure Type		Oxime
<b>Uncured / Unvulcanized Paste</b>		
Density at 23 °C	ISO 1183-1 A	1.37 g/cm <sup>3</sup> (filled)
		0.98 g/cm <sup>3</sup> (unfilled)
Consistency	ISO 7390	non-sag
Extrusion rate at 6 bar	Internal Method	390 g/min
Skin Forming Time at 23°C / 50% r.h.	Internal Method	Approx. 10 - 30 min
<b>Cured / Vulcanized Rubber</b>		
Hardness Shore A	ISO 868	39
Modulus at 100% (Joint)	ISO 8339-A	0.6 N/mm <sup>2</sup>
Tensile Strength (Joint)	ISO 8339-A	0.68 N/mm <sup>2</sup>
Ultimate Elongation (Joint)	ISO 8339-A	250%
Modulus at 100% (S2-Dumbell)	ISO 37	0.57 N/mm <sup>2</sup>
Tensile Strength (S2-Dumbell)	ISO 37	1.1 N/mm <sup>2</sup>
Ultimate Elongation (S2-Dumbell)	ISO 37	470%
Movement Capability	ISO 9047	20%

10



This is a one-part, water-based, VAE sealant suitable for internal and external cracks exposed to little or no movement as well as building repair. Once dried, it can be painted if desirable.



**APPLICATIONS :**

- Internal crack repair.
- Joint around indoor
- Plaster of building

**COLORS, FILLED :**

- White

**PACKING :**

- 270ml (25 ctg / ctn)



**Product Properties**

Typical General Characteristics	Inspection Method	Value
<b>Uncured / Unvulcanized Paste</b>		
Density at 23 °C	ISO 1183-1 A	1.63 g/cm <sup>3</sup>
Consistency	ISO 7390	non-sag
Skin forming time at 23 °C / 50% r.h.	Internal Method	Approx. 60 min
<b>Cured / Vulcanized Rubber</b>		
Hardness Shore A	ISO 868	35
Ultimate elongation (Joint)	ISO 8339-A	50 - 100%
Movement capability	ISO 9047	12.5%

**1000VS-PROTECTION TAPE**



**Made in Taiwan**



**Made in Taiwan**

*\* All statements, technical information and recommendations contained in our literature are base on test we believe to be reliable.*

**PHYSICAL PROPERTIES :**

<b>Backing</b>	: SPVC
<b>Adhesive</b>	: Rubber-Base Adhesive ( non-corrosive )
<b>Colour</b>	: Black
<b>Total Thickness</b>	: 110 micron +/- 2%
<b>Width</b>	: 1200mm +/- %
<b>Adhesive</b>	: 100gm / 25mm
<b>Tensile Strength</b>	: 6kg / 25mm ( min )
<b>Elongation</b>	: 150% ( min )

**PHYSICAL USAGE :**

- It is use to protect surface against dirt, scratches during production handling, transporting and storing, specially for Aluminium, Stainless Steel, Plastic windows and door frame.

**MATERIAL SURFACE APPLICATION :**

- Surface to be applied must be clean, dry and do not have chemical and water marks. The film must applied without bubbles and excessive tension.

**STORAGE :**

- The tape must be apply within 6 months from date of delivery.

Code	Material	Finishing	Packing	(RM) / Unit
1000VS-NIKEE 45 Meter	PVC	Black	1 log / ctn	RM300.00
1000VS-Wonder 65 Meter	PVC	Black	1 log / ctn	RM455.00

**GLASS SURFACE PROTECTION BLUE TAPE**



• 1200mm x 200meter

**L216 FROSTED FILM**



• 1200mm x 15meter

**TRANSPARENT FILM**



• 1200mm x 300meter

Code	Material	Finishing	Packing	(RM) / Unit
1000VS-Glass Blue Tape	UV / PVC	Blue	1 log / ctn	RM562.00
1000VS-L216	PVC	Sandblast	3 logs / ctn	RM300.00
1000VS-Transparent Film	UV / PVC	Clear	1 log / ctn	RM900.00


10



**Stainless Steel Netting Cutter**



**Puller for Diamond Mesh**



1.5mm / cubic

**1000VS-SECURITY SCREEN MESH NET DOOR & WINDOW**

The Stainless Steel Screen Mesh security system has been researched, designed and developed by VSP® to set a new standard in security doors and windows. With advanced engineering technology, researchers have achieved a unique and stylish design that also exceeds all relevant standards.

Code	Material	Finishing	Packing	(RM) / Unit
1200mm x 2400mm x 0.9mm	S.Steel SUS 304	Black	1 pcs / ctn	RM800.00
1500mm x 3000mm x 0.9mm	S.Steel SUS 304	Black	1 pcs / ctn	RM1250.00
1000VS-Stainless Steel Netting Cutter	Stainless Steel	Silver	10 pcs / ctn	RM150.00
1000VS-Puller for Diamond Mesh	Stainless Steel	Silver	10 pcs / ctn	RM350.00

**1000VS-FIBERGLASS SCREENING**



Code	Size	Material	Finishing	Packing	(RM) / Unit
1000VS-Fibreglass Screening	4 ft x 100 ft	Fibre	Black / Grey	1 roll / ctn	RM380.00
	5 ft x 100 ft		Grey	1 roll / ctn	RM475.00
	6 ft x 100 ft			1 roll / ctn	RM550.00

## 1000VS-ALUMINIUM INSECT NET

Aluminium Insect Net is our coloured aluminium insect netting using advanced technology from the U.S.A. The material is greatly durable, designed to keep out small insects and tends to reduce glare for allowing an improved outward visibility.

Wire Mesh Per Inch ( Mesh )	Wire Diameter	Length
18 x 14	0.25 mm	30 mtr



Made in Thailand


10

## 1000VS-STAINLESS STEEL NETTING



Wire Mesh Per Inch	20 x 20
Wire Diameter	0.23 mm
Length	30 mtr
Material	SUS 304

## 1000VS-INSECT GASKET DOUBLE ROLLER



Code	Size	Material	Finishing	Packing	(RM) / Unit
1000VS-Aluminium Insect Net	48" x 100ft	Aluminium	Black	1 roll / ctn	RM680.00
1000VS-Aluminium Insect Net	36" x 100ft	Aluminium	Silver	1 roll / ctn	RM400.00
	48" x 100ft			1 roll / ctn	RM500.00
1000VS-Stainless Steel Netting	48" x 100ft	S.Steel SUS 304	Silver	1 log / ctn	RM2600.00
1000VS-Insect Gasket Double Roller	40mm x 235mm	Mix Steel	Silver	50 pcs / ctn	RM42.00

10

**1000VS-VSP-SUCKING-1**  
Single Sucker Lifter 30kg



**1000VS-VSP-SUCKING-2**  
2 Way Sucker Lifter 80kg



**1000VS-VSP-SUCKING-3**  
3 Way Sucker Lifter 210kg



**1000VS-KD-SUCKING-3 ( 210KG )**  
3 Way Sucker Lifter



**1000VS-VSP-3 WAY ( 145KG )**  
3 Way Sucker Lifter



Code	Max Lifting Capacity	Material	Finishing	Packing	( RM ) / Unit
1000VS-VSP-Sucking-1	30 kg	Zinc Alloy	Black	18 pcs / ctn	RM98.40
1000VS-VSP-Sucking-2	80 kg	Zinc Alloy	SN	10 pcs / ctn	RM136.00
1000VS-VSP-Sucking-3	210 kg	Zinc Alloy	Black	10 pcs / ctn	RM268.00
1000VS-KD Sucking-3	210 kg	Zinc Alloy	Black	5 pcs / ctn	RM324.00
1000VS-VSP-3 Way	145 kg	Zinc Alloy	SN	10 pcs / ctn	RM174.00

**1000VS-TC ( KD )**



Type	Max. Cutting Width	Cutting Thickness
BLD-T-60	60 ( 24" )	6 - 12
BLD-T-120	120 ( 48" )	6 - 12

**1000VS-CC ( KD )**



Type	Max. Cutting Width	Cutting Thickness
BLD-T-60A	Ø10 - 60	6 - 12

**1000VS-BP-11**



**1000VS-BP-12**



**1000VS-BP-13**



**1000VS-BLQ-15**



**1000VS-BP-18**



**1000VS-BP-20**



Code	Material	Finishing	Packing	( RM ) / Unit
1000VS-T-Cutter 600mm	Aluminium	Silver	6 pcs / ctn	RM480.00
1000VS-T-Cutter 1200mm	Aluminium	Silver	6 pcs / ctn	RM538.00
1000VS-T-Circle Cutter 600mm	Aluminium	Silver	6 pcs / ctn	RM390.00
1000VS-BP-11 Roller	Nylon	Black	100 pcs / ctn	RM20.00
1000VS-BP-12 Roller	Stainless Steel	Silver	6 pcs / ctn	RM42.00
1000VS-BP-13 Oil Cutting	Zinc Alloy	SS	6 pcs / ctn	RM150.00
1000VS-BLQ-15 Cut Plier	Stainless Steel	SS	10 pcs / ctn	RM500.00
1000VS-BP-18 Sucking	Nylon	SS	6 pcs / ctn	RM96.00
1000VS-BP-20- Oil Cutting	Zinc Alloy	SS	6 pcs / ctn	RM150.00

**1000VS-YL-845**

**1000VS-BX-4**

10



L/B	-	-	25	30	40	50	60	70	80	100	120	150-400
19	15	20	25	30	40	50	60	70	80	100	120	150-400
25	15	20	25	30	40	50	60	70	80	100	120	150-400

Code	Size	Material	Finishing	Packing	( RM ) / Unit
1000VS-YL-845	18 x 30mm	S.Steel SUS 304	SS	100 pcs / ctn	RM17.20
	25 x 30mm			100 pcs / ctn	RM22.00
	25 x 50mm			100 pcs / ctn	RM26.00
	25 x 75mm			60 pcs / ctn	RM32.00
	25 x 100mm			60 pcs / ctn	RM38.00
	25 x 150mm			40 pcs / ctn	RM43.00
1000VS-BX-4	6mm	Mix Steel	SS		RM10.00
	8mm			RM13.20	
	10mm			RM16.60	
	12mm			RM20.00	
	16mm			RM26.50	
	19mm			RM31.50	
	20mm			RM33.00	
	25mm			RM41.00	
	32mm			RM53.00	
	35mm			RM58.00	
	38mm			RM63.00	
	40mm			RM66.00	
	50mm			RM83.00	
	60mm			RM99.50	
75mm	RM124.50				
100mm	RM166.00				
130mm	RM215.00				

**1000VS-VSP-SAUSAGE GUN**  
Heavy Duty



- 15" Caulking Gun

**1000VS-VT-251**  
9" Professional Revolving Gun



- For 310ml capacity
- Carbon steel plunger rod with ladder hook

**1000VS-VT-253**  
11" Standard Caulking Gun



**1000VS-FOAM TAPE**  
Single / Double Side



- Custom cut size available
- Optional Single & Double Side Glue

**1000VS-BACKER ROD**



- Custom cut size available

**1000VS-WONDERTAPE**  
Masking Tape



- 6/8" / 1" x 15 meter
- Custom cut size

**1000VS-STRETCH FILM**



- 20" x 1900g

**1000VS-STRETCH FILM**



- 4" x 250g

**1000VS-SAISHO SETTING BLOCK CUTTER**



Code	Packing	Code	Packing
1000VS-VSP-Sausage Gun ( HD ) 15"	12 pcs / ctn	1000VS-Wondertape® Masking Tape 6/8" ( 15 mtr )	192 rolls / ctn
1000VS-VT-251 Pro. Revolving Gun 9"	12 pcs / ctn	1000VS-Wondertape® Masking Tape 1" ( 15 mtr )	144 rolls / ctn
1000VS-VT-253 Std. Caulking Gun 11"	24 pcs / ctn	1000VS-Stretch Film 20" x 1900g	6 rolls / ctn
1000VS-Foam Tape ( Single Side )	Custom	1000VS-Stretch Film 4" x 250g	60 rolls / ctn
1000VS-Foam Tape ( Double Side )	Custom	1000VS-Saisho Setting Block Cutter	120 pcs / ctn
1000VS-Backer Rod	Custom		

10

**1000VS-SETTING BLOCK CUTTER**



**1000VS-PARTITION PLIER**



**1000VS-LOBSTER HAND RIVETER**



**1000VS-FLAT DUCK PLIER RUNNING THICKNESS : 2-15mm**




**1000VS-BRASS BOTTOM GUIDE ROLLER**



- DIA : 8mm / 10mm / 12mm
- W = 15
- H = 16

**1000VS-PUSH BUTTON LOCK**



**1000VS-C80 / C120**  
Grinding Disc



**1000VS-C220**  
Grinding Disc



**1000VS-CUTTING WHEEL**  
Application : Tile / Stone / Glass / Fiber



Code	Packing	Code	Packing
1000VS-Setting Block Cutter	120 pcs / ctn	1000VS-Push Button Lock	100 pcs / ctn
1000VS-Partition Plier	60 pcs / ctn	1000VS-C80 Grinding Disc	10 pcs / ctn
1000VS-Lobster Hand Riveter	40 pcs / ctn	1000VS-C120 Grinding Disc	10 pcs / ctn
1000VS-Flat Duck Plier	60 pcs / ctn	1000VS-C220 Grinding Disc	10 pcs / ctn
1000VS-Brass Bottom Roller Guide	500 pcs / ctn	1000VS-Cutting Wheel	10 pcs / ctn

**1000VS-KANEFUSA**  
Size : 12"



**1000VS-GSTONE**  
Grinding Stone



**1000VS-BOSCH JIGSAW BLADES**



**1000VS-PAPER CUTTER**  
RX235



**1000VS-A100**  
Paper Cutter Refill Blades



**1000VS-WD-40**



**1000VS-T-SHAPE ALLEN KEY**



**1000VS-DIGITAL CALIPER**



**1000VS-M8 x 25**



**Hole Size Ø12**

- Size : 2.5mm / 3.0mm / 4.0mm / 5.0mm / 6.0mm

Code	Packing	Code	Packing
1000VS-Kanefusa 12"	10 pcs / ctn	1000VS-WD-40 412 ml	24 ctg / ctn
1000VS-Gstone Grinding Stone	50 pcs / ctn	1000VS-T-Allen Key 2.5 mm	10 pcs / box 240 / ctn
1000VS-BOSCH Jigsaw Blades	36 pcs / ctn	1000VS-T-Allen Key 3.0 mm	10 pcs / box 240 / ctn
1000VS-Paper Cutter RX235	36 pcs / ctn	1000VS-T-Allen Key 4.0 mm	10 pcs / box 240 / ctn
1000VS-A100 Paper Cutter ( Refill Blades )	10 pcs / ctn	1000VS-T-Allen Key 5.0 mm	10 pcs / box 120 / ctn
1000VS-WD-40 382 ml	24 ctg / ctn	1000VS-T-Allen Key 6.0 mm	10 pcs / box 120 / ctn
1000VS-Digital Caliper	20 pcs / ctn	1000VS-M8 25	200 pcs / ctn

10

## 1000VS-NIKEE BLIND RIVETS



- SIZE**
- 1/8 x 1/4
  - 1/8 x 5/16
  - 1/8 x 3/8
  - 1/8 x 1/2
  - 5/32 x 3/8
  - 5/32 x 1/2
- COLOR**
- NA / MB / White
  - NA / MB / White
  - NA / MB / White
  - NA / MB
  - NA / MB
  - NA / MB

## 1000VS-SELF TAPPING SCREWS ( ET COAT )



- SIZE**
- #8 x 1/2
  - #8 x 3/4
  - #8 x 1/2
  - #8 x 3/4
- TYPE**
- Self-Tapping Flat
  - Self-Drilling ( PH )
  - Self-Drilling ( PH )
  - Self-Tapping Flat

## 1000VS-SELF DRILLING SCREWS



## 1000VS-SELF TAPPING SCREWS



## 1000VS-CONCRETE STEEL NAILS



- #16 x 2mm
- #20 x 2mm

## 1000VS-SCREW BOLT



- #10 x 1
- #10 x 3/4

## 1000VS-CHIPBOARD SCREWS



- M4 x 25mm

## 1000VS-PULL HANDLE SCREWS



- 80 mm

Code	Size	Packing	Code	Size	Packing
1000VS-NIKEE Blind Rivets	1/8 x 1/4	20 box / ctn	1000VS-Self Drilling Screws	Various Sizes	1000 pcs / box
	1/8 x 5/16	20 box / ctn	1000VS-Self Drilling Screws ( PH )	# 8 x 1/2	1000 pcs / box
	1/8 x 3/8	20 box / ctn	1000VS-Self Drilling Screws ( PH )	# 8 x 3/4	1000 pcs / box
	1/8 x 1/2	20 box / ctn	1000VS-Concrete Steel	# 16 x 2mm	60 box / ctn
	5/32 x 3/8	20 box / ctn	1000VS-Nails	# 20 x 2mm	60 box / ctn
	5/32 x 1/2	120 pcs / ctn	1000VS-Screw Bolt	# 10 x 1	250 pcs / box
		# 10 x 3/4		250 pcs / box	
1000VS-Self Tapping Screws	Various Sizes	1000 pcs / box	1000VS-Chipboard Screws	M4 x 25mm	1000 pcs / box
1000VS-Self Tapping Screws Flat	# 8 x 1/2	1000 pcs / box	1000VS-Pull Handle Screws	80mm	500 pcs / box
1000VS-Self Tapping Screws Flat	# 8 x 3/4	1000 pcs / box			

**1000VS-J-TECH DOUBLE-ENDED DRIVER BIT**



- 45mm / 110mm

**1000VS-SETTING BLOCK**



- 10mm x 12mm x 1ft
- 16mm x 20mm x 1ft

**1000VS-PVC 501 WALL PLUG**



- 1000pcs / pkt

**1000VS-STEEL STRIP**



- With / Without Hole
- 1000pcs / pkt

**1000VS-9" ALUMINIUM HANDLE**



- NA / MB

**1000VS-TOYO GLASS CUTTER**  
Japan



**1000VS-GROUND LOCK**



**1000VS-ROLLER SHUTTER MIDDLE LOCK**



**1000VS-ROLLER SHUTTER LOCK**



Code	Packing	Code	Packing
1000VS-J-Tech Double-Ended Driver Bits 45mm	12 pcs / box, 1200 / ctn	1000VS-Steel Strip	1000 pcs / pkt
1000VS-J-Tech Double-Ended Driver Bits 110mm	12 pcs / box, 1200 / ctn	1000VS-Aluminium Handle 9" ( NA / MB )	50 pairs / ctn
1000VS-Setting Block 10mm x 12mm x 1ft 16mm x 20mm x 1ft	50 pcs / ctn	1000VS-TOYO Glass Cutter ( Japan )	6 pcs / box
	25 pcs / ctn	1000VS-Ground Lock ( Small )	200 pcs / ctn
1000VS-PVC Wall Plug	1000 pcs / pkt, 20 pkt / sack	1000VS-Roller Shutter Middle Lock	50 pcs / ctn
		1000VS-Roller Shutter Lock	80 pcs / ctn

10

**1000VS-GLASS GLOVES**



• Color : Orange

**1000VS-HI-FI HINGE**  
Single



**1000VS-HI-FI HINGE**  
Double



**1000VS-BRASS BALL CATCH**



**1000VS-GLASS CABINET DOOR LOCK**  
Single



**1000VS-GLASS CABINET DOOR LOCK**  
Double



**1000VS-HYDRAULIC CABINET HINGE**



**1000VS-MOSQUITO BRACKET**  
SLIDING



**1000VS-MOSQUITO BRACKET**  
CASEMENT



Code	Packing	Code	Packing
1000VS-Hand Gloves	12 pairs / pkt	1000VS-Glass Cabinet Door Lock ( Double )	100 sets / ctn
1000VS-Hi-Fi Hinge ( Single )	100 sets / ctn	1000VS-Hydraulic Cabinet Hinge	200 pcs / ctn
1000VS-Hi-Fi Hinge ( Double )	100 sets / ctn	1000VS-Mosquito Bracket Sliding	1000 pcs / ctn
1000VS-Brass Ball Catch	500 pcs / ctn	1000VS-Mosquito Bracket Casement	1000 pcs / ctn
1000VS-Glass Cabinet Door Lock ( Single )	100 sets / ctn		

**1000VS-MOSQUITO HINGE**



**1000VS-J HOOK**



**1000VS-L HOOK**



10

**1000VS-TOP LOCK**



**000 1 x 1 HOLLOW BRACKET**



• Color : Black

**001 3/8 PLUG**



• Color : Grey / White / Black / MB

**002 1 1/2 SKID**



• Color : White / Black

**003 STOPPER**



• Color : Black

**004 GRILLE BRACKET**



• Color : Black

Code	Packing	Code	Packing
1000VS-Mosquito Hinge	200 pcs / pkt	001 Plug	1000 pcs / pkt, 30 pkt / sack
1000VS-J Hook	2000 pcs / ctn	002 Skid	1000 pcs / pkt, 20 pkt / sack
1000VS-L Hook	2000 pcs / ctn	003 Stopper	100 pcs / pkt, 20 pkt / sack
1000VS-Top Lock	100 pcs / ctn	004 Grille Bracket	1000 pcs / pkt, 10 pkt / sack
000 ( Hollow Bracket )	500 pcs / pkt, 6 pkt / sack		

10

**005 GRILLE INNER CORNER BRACKET**



• Color : Black

**008 1 x 1 1/2 HOLLOW BRACKET**



• Color : Black

**009 SUB FRAME CORNER BRACKET**



• Color : Black

**011 INSERT SCREEN BUTTON H**



• Color : White

**012 INSERT SCREEN BUTTON L**



• Color : White

**014 HANDLE BRACKET**



• Color : White / Black / NA

**015 1 x 1 INNER CORNER BRACKET**



• Color : Black

**015R 1 x 1 OUTER CORNER BRACKET**



• Color : Black / NA

**016 3/4 x 1 1/4 INNER CORNER BRACKET**



• Color : Black

**016R 3/4 x 1 1/4 OUTER CORNER BRACKET**



• Color : Grey

**017 3/4 x 1 1/2 INNER CORNER BRACKET**



• Color : Black

**018 3/4 x 1 3/4 INNER CORNER BRACKET**



• Color : Black

Code	Packing	Code	Packing
005 Grille Inner	100 pcs / pkt, 18 pkt / sack	015 Inner Corner Bracket	100 pcs / pkt, 8 pkt / sack
008 Hollow Bracket	100 pcs / pkt, 20 pkt / sack	015R Outer Corner Bracket	100 pcs / pkt, 8 pkt / sack
009 Sub Frame Corner Bracket	100 pcs / pkt, 15 pkt / sack	016 Inner Corner Bracket	100 pcs / pkt, 8 pkt / sack
011 Insert Screen Button H	1000 pcs / pkt, 20 pkt / sack	016R Outer Corner Bracket	100 pcs / pkt, 8 pkt / sack
012 Insert Screen Button L	1000 pcs / pkt, 20 pkt / sack	017 Inner Corner Bracket	100 pcs / pkt, 6 pkt / sack
014 Handle Bracket	100 pcs / pkt, 10 pkt / sack	018 Inner Corner Bracket	100 pcs / pkt, 6 pkt / sack

**019 1 x 1 1/2 INNER CORNER BRACKET**



• Color : Black

**020 1 x 3 HOLLOW BRACKET**



• Color : Black

**022 1 x 2 1/2 HOLLOW BRACKET**



• Color : Black

**023 1 x 2 HOLLOW BRACKET**



• Color : Black

10

**024R 1 x 1 1/2 OUTER CORNER BRACKET**



• Color : Grey / Black

**025R 1 x 2 OUTER CORNER BRACKET**



• Color : Grey / Black

**026R 1 x 2 1/2 OUTER CORNER BRACKET**



• Color : Grey / Black

**027R 1 x 3 OUTER CORNER BRACKET**



• Color : Grey / Black

**028 1 x 1 INNER CASEMENT T BRACKET**



• Color : Black

**030 3/4 x 1 1/4 HANDLE BRACKET**



• Color : Black

**033 INSERT SCREEN CORNER BRACKET**



• Color : White / Black

**036 JAPAN GRILLE CORNER BRACKET W ROLLER**



• Color : Black

Code	Packing	Code	Packing
019 Inner Corner Bracket	100 pcs / pkt, 4 pkt / sack	026R Outer Corner Bracket	48 pcs / pkt, 7 pkt / sack
020 Hollow Bracket	100 pcs / pkt, 12 pkt / sack	027R Outer Bracket L	40 pcs / pkt, 8 pkt / sack
022 Hollow Bracket	100 pcs / pkt, 15 pkt / sack	028 Inner Casement T Bracket	500 pcs / pkt, 10 pkt / sack
023 Hollow Bracket	100 pcs / pkt, 18 pkt / sack	030 Handle Bracket	100 pcs / pkt, 30 pkt / sack
024R Outer Corner Bracket	80 pcs / pkt, 8 pkt / sack	033 Insert Screen Corner Bracket	200 pcs / pkt, 8 pkt / sack
025R Outer Corner Bracket	60 pcs / pkt, 8 pkt / sack	036 Japan Grille Corner Bracket with Roller	100 pcs / pkt, 10 pkt / sack

10

**037 JAPAN GRILLE CORNER BRACKET WT CORNER**



• Color : Black

**045 BASIN CABINET DOOR CORNER BRACKET**



• Color : Black

**048 BASIN CABINET DOOR CORNER BRACKET**



• Color : Black

**050 1 1/4 x 2 1/2 CASEMENT OUTER BRACKET**



• Color : Black

**051R 1 1/2 SKID PMB (L) CORNER BRACKET**



• Color : Black

**052 NEW BASIN CABINET DOOR CORNER BRACKET**



• Color : Grey / Black

**054 LB CABINET BRACKET**



• Color : Black

**340 3 WAY BRACKET**



• Color : Grey / Black

**341 4 WAY BRACKET**



• Color : Grey

**350 CORNER BRACKET GRILLE WITH SWING DOOR**



• Color : Black

**351 GRILLE CORNER BRACKET**



• Color : Black

**380 SUPER CABINET BRACKET**



• Color : Black

Code	Packing	Code	Packing
037 Japan Grille Corner Bracket without Roller	100 pcs / pkt, 10 pkt / sack	054 LB Cabinet Bracket	100 pcs / pkt, 12 pkt / sack
045 Basin Cabinet Door Corner Bracket	40 pcs / pkt, 15 pkt / sack	340 3 Way Bracket	60 pcs / pkt, 10 pkt / sack
048 Basin Cabinet Door Corner Bracket	40 pcs / pkt, 15 pkt / sack	341 4 Way Bracket	60 pcs / pkt, 10 pkt / sack
050 Casement Outer Bracket	100 pcs / pkt, 10 pkt / sack	350 Corner Bracket Grille with Swing Door	20 pcs / pkt, 6 pkt / sack
051R Skid PMB L Corner Bracket	100 pcs / pkt, 6 pkt / sack	351 Grille Corner Bracket	200 pcs / pkt, 6 pkt / sack
052 New Basin Cabinet Door Corner Bracket	60 pcs / pkt, 8 pkt / sack	380 Super Cabinet Bracket	100 pcs / pkt, 6 pkt / sack





# VSP<sup>®</sup>

**VIMAX TRADING SDN BHD**

No.3 Jalan TPP 14, Taman Perindustrian Putra,  
47130 Puchong, Selangor Darul Ehsan, Malaysia.

Tel : +603 8066 7587 / 6003 / 6880

Fax : +603 8066 9112 Email : [vimax@vsp.com.my](mailto:vimax@vsp.com.my)

