



No Lesen : **PC003360**

Licence No :

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada**  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**VIMAX TRADING SDN. BHD.**  
**NO 3, JALAN TPP 14**  
**TAMAN PERINDUSTRIAN PUTRA**  
**47130 PUCHONG**  
**SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**CONTROLLED DOOR CLOSING DEVICE (FLOOR SPRING)**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**BS EN 1154 : 1997**

**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

**Tarikh Mula Pensijilan : 22 December 2017**

*Certified Since*

**Sah Sehingga : 22 December 2022**

*Valid Until*

**Tarikh Dikeluarkan : 10 January 2022**

*Issue Date*

**No Siri : 053157**

*Serial No*

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

# SCHEDULE

VIMAX TRADING SDN. BHD.



Trade Mark : VSP  
 Model : V-84  
 Rating : PRODUCT CLASSIFICATION = 3 8 3 0 1 3 CLASSIFICATION DETAILS ; GRADE 3 (USE FOR CLOSING DOORS FROM AT LEAST 105 DEGREE OPEN), GRADE 8 (DURABILITY OF 500,000 TEST CYCLES), GRADE 3 (POWER SIZE 3), GRADE 0 (NOT SUITABLE USE ON FIRE/SMOKE DOOR ASSEMBLIES), GRADE 1 (SAFETY GRADE 1) GRADE 3 (HIGH CORROSION RESISTANCE)  
 Type : DOUBLE ACTION DOOR CONCEALED DOOR CLOSER FLOOR SPRING

Trade Mark : VSP  
 Model : V-75V  
 Rating : PRODUCT CLASSIFICATION = 3 8 2 - 4 0 1 3 CLASSIFICATION DETAILS ; GRADE 3 (USE FOR CLOSING DOORS FROM AT LEAST 105 DEGREE OPEN), GRADE 8 (DURABILITY OF 500,000 TEST CYCLES), GRADE 2 - 4 (POWER SIZE 2 - 4), GRADE 0 (NOT SUITABLE USE ON FIRE/SMOKE DOOR ASSEMBLIES), GRADE 1 (SAFETY GRADE 1) GRADE 3 (HIGH CORROSION RESISTANCE)  
 Type : DOUBLE ACTION DOOR CONCEALED DOOR CLOSER FLOOR SPRING

Trade Mark : VSP  
 Model : V-80  
 Rating : PRODUCT CLASSIFICATION = 3 8 5 0 1 3 CLASSIFICATION DETAILS ; GRADE 3 (USE FOR CLOSING DOORS FROM AT LEAST 105 DEGREE OPEN), GRADE 8 (DURABILITY OF 500,000 TEST CYCLES), GRADE 5 (POWER SIZE 5), GRADE 0 (NOT SUITABLE USE ON FIRE/SMOKE DOOR ASSEMBLIES), GRADE 1 (SAFETY GRADE 1) GRADE 3 (HIGH CORROSION RESISTANCE)  
 Type : DOUBLE ACTION DOOR CONCEALED DOOR CLOSER FLOOR SPRING

Trade Mark : VVP  
 Model : FC34  
 Rating : PRODUCT CLASSIFICATION = 3 8 3 0 1 3 CLASSIFICATION DETAILS ; GRADE 3 (USE FOR CLOSING DOORS FROM AT LEAST 105 DEGREE OPEN), GRADE 8 (DURABILITY OF 500,000 TEST CYCLES), GRADE 3 (POWER SIZE 3), GRADE 0 (NOT SUITABLE USE ON FIRE/SMOKE DOOR ASSEMBLIES), GRADE 1 (SAFETY GRADE 1) GRADE 3 (HIGH CORROSION RESISTANCE)  
 Type : DOUBLE ACTION DOOR CONCEALED DOOR CLOSER FLOOR SPRING



No Lesen : PC003360

Licence No :

# SCHEDULE

VIMAX TRADING SDN. BHD.



SIRIM

---

*End of page*

---

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

**Tarikh Mula Pensijilan** : 22 December 2017

*Certified Since*

**Sah Sehingga** : 22 December 2022

*Valid Until*

**Tarikh Dikeluarkan** : 10 January 2022

*Issue Date*

**No Siri** : 053157

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*