

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

VIMAX TRADING SDN. BHD.
NO 3, JALAN TPP 14
TAMAN PERINDUSTRIAN PUTRA
47130 PUCHONG
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

VARIABLE GEOMETRY STAY HINGES (WITH OR WITHOUT A FRICTION STAY)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS EN 13126-6 : 2008



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SCHEDULE

VIMAX TRADING SDN. BHD.



Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 8"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
 Type : SIDE HUNG FRICTION STAYS

Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 12"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
 Type : SIDE HUNG FRICTION STAY

Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 16"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
 Type : SIDE HUNG FRICTION STAY

Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 18"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
 Type : SIDE HUNG FRICTION STAY

SCHEDULE

VIMAX TRADING SDN. BHD.



Trade Mark	: VSP; LOTO; MAX
Model	: VSP SUS 20"
Rating	: CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
Type	: SIDE HUNG FRICTION STAY
Trade Mark	: VSP; LOTO; MAX
Model	: VSP SUS 24
Rating	: CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
Type	: SIDE HUNG FRICTION STAY

End of page
