



No Lesen : PC002071

Licence No :

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

VIMAX TRADING SDN. BHD.
NO 3, JALAN TPP 14
TAMAN PERINDUSTRIAN PUTRA
47130 PUCHONG
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

VARIABLE GEOMETRY STAY HINGES (WITH OR WITHOUT A FRICTION STAY)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS EN 13126-6 : 2008

Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-gas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 18 December 2015

Certified Since

Sah Sehingga : 18 December 2024

Valid Until

Tarikh Dikeluarkan : 27 December 2023

Issue Date

No Siri : 093088

Serial No

Lesen ini dianugerahkan tertakuk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

VIMAX TRADING SDN. BHD.



Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 8"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE

Type : SIDE HUNG FRICTION STAYS

Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 12"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE

Type : SIDE HUNG FRICTION STAY

Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 16"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE

Type : SIDE HUNG FRICTION STAY

Trade Mark : VSP; LOTO; MAX
 Model : VSP SUS 18"
 Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE

Type : SIDE HUNG FRICTION STAY

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6400
 Emel : cserviceqas@sirim.my

<https://www.sirim-gas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 18 December 2015

Certified Since

Sah Sehingga : 18 December 2024

Valid Until

Tarikh Dikeluarkan : 27 December 2023

Issue Date

No Siri : 093088

Serial No

Lesen ini dianugerahkan tertakuk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

VIMAX TRADING SDN. BHD.



Trade Mark : VSP; LOTO; MAX
Model : VSP SUS 20"
Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
Type : SIDE HUNG FRICTION STAY

Trade Mark : VSP; LOTO; MAX
Model : VSP SUS 24
Rating : CLASSIFICATION = -,5,020,0,1,2,-,6/1,1200/900; GRADE NIL = CATERGORY OF USED, GRADE 5 = DURABILITY, GRADE 020 = MASS , GRADE 0= FIRE RESISTENCE, GRADE 1 = SAFETY IN USED, GRADE 2 = CORROSION RESISTANCE, GRADE - = SECURITY, GRADE 6/1 = APPLICABLE PART; GRADE 1200/900 = TEST SIZE
Type : SIDE HUNG FRICTION STAY

End of page
