

VSP[®]

*Complying with
MS832 : 2022*



ARCHITECTURAL
HARDWARE

■ QUALITY ■ DURABILITY ■ INNOVATIVE



INTRODUCTION

Vimax Trading Sdn Bhd is an Architectural Ironmongery Specialist and premier importer of aluminium and glass accessories for Malaysia market since year of 2009. We are supplying innovative architectural hardware such as doors and windows accessories with professional standards and apply the basic values of quality and design in the conception.

In line with architectural hardware objective and co-operate mission, the company is pooled by a team of professional individual with its own profession is all in concern for fine tune in productivity, quality and service. The company continued to be a model employer and maintain a highly skilled, motivated and responsive staff force with high ethical standard and skill on architectural hardware.

In a concerted effort to prepare for productivity, good quality and services. The company also continue to concentrate on enhancing and upgrading its management skill. In-house training program will also focus as a guide to upgrade their management skill, staffs are also encouraged to take up professional courses to enhance their capability.

After years of rapid development, VIMAX own a high-quality range of Glass & Aluminium Accessories products named "VSP". With the excellent workmanship, innovative design & superior quality, VSP has become one of the recognized and reputable brands in the market.

TRADEMARKS & COPYRIGHTS

- You acknowledge Vimax Trading Sdn Bhd's exclusive right, title, and interest in and to the trademarks rights. In the logos below; You agree that you shall not acquire any right of any kind in the logos as a result of your use of it, and you agree that all.

YOU AGREE THAT YOU SHALL NOT :

- (i) Use the logos in any manner likely to diminish its commercial value;
- (ii) Knowingly use any name, logo or icon likely to cause confusion with the logos;
- (iii) Make any representation to the effect that the logos is owned by you rather than Vimax Trading Sdn Bhd;
- (iv) Challenge either the validity or Vimax Trading Sdn Bhd ownership of any trademark rights which incorporate the logos; or
- (v) Attempt to register, register or own in any country:
 - a) The logos;
 - b) Any domain name incorporating in whole or in part the logos or
 - c) Any name, domain name, keyword or mark confusingly similar to the logos.

- As between Vimax Trading Sdn Bhd and you, you acknowledge Vimax Trading Sdn Bhd exclusive right, title and interest in and to the copyright in the logos, and you agree that you will not contest or assist another in contesting that copyright or Vimax Trading Sdn Bhd's ownership of it.

- All materials, if any, provided by Vimax Trading Sdn Bhd to you under this agreement, and all proprietary rights in and to all such materials shall remain the exclusive property of Vimax Trading Sdn Bhd, subject only to the non-exclusive rights granted to you under this agreement.

COMMITMENT TO QUALITY



We tend to be leading supplier for all type of aluminium and glass accessories. We promise to provide excellent service and quality with a very competitive price. Also, to expand our products to all asian countries.

- Total team commitment & involvement in achieving quality policy.
- Systematic management approach for effective quality.
- Systematic integrated technology.
- Focusing on flexible converting system for production & short lead-time adaptability.
- Establishing synchronised converter for competitive pricing to meet customer requirement.
- Establishing quality management to meet "customer satisfaction".

Compliance With Sirim & Intertek Standards :



- BS EN 13126-6 : 2008 (PC002071) for Friction Stay
- BS EN 13126-15 : 2008 (PC002243) for Folding Door Roller
- ANSI/BHMA A 156.13 : 2005 (PC02072) for Mortise Lock
- BS EN 1935 : 2002 (PC000411) For Shower Hinge
- BS EN 13126-3 : 2011 (PC002262) for Multipoint Handle
- BS EN 1154 : 1997 (PC003360) for Floor Spring
- BS EN 1154 : 1997 (PC003359) for Door Closer
- INTERTEK 0359-CPR-000534 For Floor Spring (EN 1154 : 1996/A1 : 2002/AC : 2006)
- INTERTEK Test Report No.230522083GZU-001 (Sliding Flush Lock Compying With BS EN 13126-1)
- INTERTEK Test Report No.230522083GZU-002 (Sliding Flush Lock Compying With BS EN 13126-1)
- MS832 : 2022 (PC01342) Aluminium Alloy Windows
- MS1017 : 2022 (PC013431) Aluminium Framed Sliding Doors
- Reagent S/S Potion (2023CE3075)
- ISO 3506-1 : 2020 Fasteners Drilling (2023MT1561)
- ISO 3506-1 : 2020 Fasteners Tapping (2023MT1562)

SIRIM & INTERTEK STANDARD



PROJECT REFERENCE



Trion 2 @ Sg Besi



Edusphere @ Cyberjaya



Elmina @ Shah Alam




Menara Felcra @ Ampang



Axon @ Bukit Bintang



Sky Awani 4 @ KL



Majestic Maxim @ KL



Citizen 2 @ KL



Millerz Square @ KL



Uthant Residence @ KL



Malton @ Jalan Ipoh



Malton Dutapark @
Jalan Kuching



Henna Residence @
Wangsa Maju



Villa Avenue @ Kepong



Lamansari @ Kepong



Lemanja @ Kepong



Sofiya Residensi @ Kepong



Serene @ Mont Kiara



Pentamont @ Mont Kiara



Arte @ Mont Kiara



Seresta @ Damansara



Atwater @ PJ Section 13




Megah Rise @ PJ



Sunway International
School @ USJ



The Glenz @ Glenmarie



Eco Ardence @ Klang



Tropicana Aman @ Klang



MKH Boulevard @ Kajang



Bali Residence @ Melaka



Padang Temu @ Melaka



Apple 99 @ Melaka



Parkland Terrace @ Kluang



Parkland Shoplot @ Kluang



One Medini @ JB



Multimax @ JB

CONTENT

01

100 V-SERIES

Multipoint Handle	8 - 14
Euro Hinge	15 - 20



02

200 V-SERIES

Multipoint Accessories	21 - 40
------------------------	---------



03

300 V-SERIES

Friction Stay	41 - 51
---------------	---------



04

400 V-SERIES

Folding Door	52 - 66
--------------	---------



05

500 V-SERIES

Performance Roller	67 - 73
--------------------	---------



06

600 V-SERIES

Sliding / Swing Door Lock	74 - 112
---------------------------	----------



07

700 V-SERIES

Door Closer	113 - 119
Floor Spring	120 - 133



08

800 V-SERIES

Glass Fitting	134 - 168
---------------	-----------



09

900 V-SERIES

Pull Handle	169 - 176
-------------	-----------



10


HARDWARE

Hardware	177 - 192
----------	-----------



ACCESSORIES COMPATIBLE DIAGRAM

PERFORMANCE SLIDING DOOR



PRODUCT RANGE

Advantage

- ✓ Range of product choices from diagram.
- ✓ Excellent combination options.
- ✓ Aluminium profiles compatible.
- ✓ Roller series base on weight requirement.

Noble Door Lock (600VS)



VSP 602 VSP 6900
VSP 603 VSP 604
VSP 605 VSP 606
VSP 6100 VSP 6400

Water Guide (200VS)



PVC-333

Stopper (200VS)



120-EOS

Roller (500VS)



MR-21
MR-22

Sliding Door Lock (600VS)



MSL 1030
HESL-26J
HESL-16A

Locking Bar (200VS)



SL-300

Corner Bracket (200VS)



MB-911A
MB-5017

Sliding Door Keeper (200VS)



SDH-131


Interlock Cover (200VS)




VSP-161

ACCESSORIES COMPATIBLE DIAGRAM

PERFORMANCE SLIDING WINDOW - LB SERIES




PERFORMANCE SLIDING WINDOW - PMB SERIES



ACCESSORIES COMPATIBLE DIAGRAM



SWING AND FOLDING LOCKING SYSTEM



LATCH BOLT SELECTION



SLIDING DOOR LOCKING SYSTEM



01



MULTIPOINT HANDLE

Rainforced multi-point handles provide durability and security strengthened. Designed for style and class.

Advantage

- ☑ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ☑ To be used in inward opening, outward opening, tilt, turn and sliding.
- ☑ Attractive lines and design.
- ☑ Ergonomic handle makes it comfortable to use daily.
- ☑ A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- ☑ Sufficient circumference to distribute the force comfortably and safely over the hand.
- ☑ Easy to install and maintain.



100VS-MH-001
Sentura Multipoint Handle



100VS-MH-002
Seresta Multipoint Handle



100VS-MH-021
Artesa Multipoint Handle



100VS-MLH-2000
Distino Multipoint Handle

MAX KAVEN






CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-001	Single 30mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	RM30.00
100VS-MH-001	Double 25mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	RM31.50
100VS-MH-002 (2pcs Key)	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM40.00
100VS-MH-002 (2pcs Key)	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM42.00
100VS-MH-021	Single 30mm	Aluminium	White / Black	50 pcs / ctn	RM30.00
100VS-MH-021	Double 25mm	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MLH-2000	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM48.00
100VS-MLH-2000	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM50.00
100VS-SF-135 / SF-002 / SF-77 / SF-249	Single 30mm	Zinc Alloy	Silver	300 pcs / ctn	RM6.00
100VS-DF-135 / DF-002 / DF-78 / DF-249	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	RM8.00

01

100VS-MH-035
Curvo Multipoint Handle



100VS-MLH-1000
Altair Multipoint Handle



SF-135



DF-135



MS 832 Compliance
Report No : 2023MA1325





SF-135



DF-135

100VS-MH-013
Awani Multipoint Handle

100VS-MH-033
Lexxa Multipoint Handle



SF-013




SF-033



MS 832 Compliance
Report No : 2023MA0825


CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-035	Single 30mm	Aluminium	White / Black / Silver	50 pcs / ctn	RM20.00
100VS-MH-035	Double 25mm	Aluminium	White / Black / Silver	50 pcs / ctn	RM22.00
100VS-MLH-1000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM65.00
100VS-MLH-1000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	RM67.00
100VS-MH-013	Single 25mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	RM14.00
100VS-MH-033	Single 25mm	Aluminium	White / Black / Silver	100 pcs / ctn	RM16.00
100VS-SF-135 / SF-013 / SF-033	Single 25mm / 30mm	Zinc Alloy	Silver	300 pcs / ctn	RM6.00
100VS-DF-135	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	RM8.00

100VS-MH-004
Sufiya Multipoint Handle



SF-877

100VS-MH-039
Terra Multipoint Handle




SF-249



DF-249

100VS-MH-024
Axxon Multipoint Handle



SF-249




DF-249



MS 832 Compliance
Report No : 2023MA1324

100VS-MH-037
Petakon Multipoint Handle



SF-249




DF-249

CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-004	Single 25mm / 30mm	Aluminium	White / Black	50 pcs / ctn	RM18.00
100VS-MH-039	Single 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM38.00
100VS-MH-024	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MH-024	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	RM34.00
100VS-MH-037	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM48.00
100VS-MH-037	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	RM50.00
100VS-SF-877 / SF-249	Single 25mm / 30mm	Zinc Alloy	Silver	300 pcs / ctn	RM6.00
100VS-DF-249	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	RM8.00

01

100VS-MH-223

Mijumi Multipoint Handle





SF-77

DF-78

100VS-MLH-3000

Nover Multipoint Handle

MAX KAVEN




SF-135

DF-135

100VS-MLH-4000

Linea Multipoint Handle

MAX KAVEN





SF-249

DF-249

100VS-MLH-5000

Pitagora Multipoint Handle

MAX KAVEN



SF-135

DF-135

CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-223	Single 30mm	Aluminium	White / Black	50 pcs / ctn	RM34.00
100VS-MH-223	Double 25mm	Aluminium	White / Black	50 pcs / ctn	RM36.00
100VS-MLH-3000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM65.00
100VS-MLH-3000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	RM67.00
100VS-MLH-4000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM48.00
100VS-MLH-4000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	RM50.00
100VS-MLH-5000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	RM65.00
100VS-MLH-5000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	RM67.00
100VS-MH-77 / SF-135 / SF-249	Single 30mm	Zinc Alloy	Silver	300 pcs / ctn	RM6.00
100VS-MH-78 / DF-135 / DF-249	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	RM8.00

100VS-MH-8200
Emiyo Multipoint Handle




100VS-MH-8100
Emego Multipoint Handle



100VS-MH-9800
Elisia Multipoint Handle



100VS-MH-7700
Elivia Multipoint Handle




100VS-MH-8800
Elora Multipoint Handle




CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-8200	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MH-8200	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MH-8100 (2pcs Key)	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM45.00
100VS-MH-8100 (2pcs Key)	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	RM45.00
100VS-MH-9800	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MH-9800	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	RM32.00
100VS-MH-7700 (2pcs Key)	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM70.00
100VS-MH-7700 (2pcs Key)	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	RM70.00
100VS-MH-8800	Single 25mm	Aluminium	White / Black	50 pcs / ctn	RM58.00
100VS-MH-8800	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	RM58.00
100VS-SF-877	Single 25mm	Zinc Alloy	Silver	300 pcs / ctn	RM6.00
100VS-7 x 7 Spindle - 60mm	7 x 7 Spindle	Iron	Silver	300 pcs / ctn	RM3.00

01


100VS-ML-1616
Multipoint Handle




100VS-ML-1618
Multipoint Handle



100VS-ML-1615
Multipoint Handle



100VS-EH-8400
Multipoint Handle



CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-ML-1616 (2pcs Key)	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	RM100.00
100VS-ML-1617	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	RM90.00
100VS-ML-1618 (2pcs Key)	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM100.00
100VS-ML-1619	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM90.00
100VS-ML-1615	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM100.00
100VS-EH-8400 (88mm)	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	RM55.00





01

EURO WINDOW HINGE

Enabling one or both to swing open and shut. The hinges often feature decorative detailing.


Advantage

- Impressive weight loading capability.
- Corrosion resistances.
- Suitable for inner and outer wood, iron, aluminium or steel windows and doors.
- Easy to install and maintain.




01


100VS-MH-367
Euro Window Hinge




100VS-MH-532
D-Hinge with Handle




100VS-MH-533
Mid & Side Hinge



100VS-MH-715
With Euro Hinge (Exposed)



100VS-MH-805
Light Duty Euro Hinge (Exposed)



100VS-MH-999
Heavy Duty Euro Hinge (Exposed)




CODE	MAX. WEIGHT CAPACITY FOR 2 HINGES / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-367	30 kg	Aluminium	White / Black / Silver	200 sets / ctn	RM7.00
100VS-MH-532	40 kg	Aluminium	White / Black / Silver	60 sets / ctn	RM34.00
100VS-MH-533	40 kg	Aluminium	White / Black / Silver	80 sets / ctn	RM26.00
100VS-MH-715	50 kg	Aluminium	White / Black	100 sets / ctn	RM16.00
100VS-MH-805	35 kg	Aluminium	White / Black	200 sets / ctn	RM8.00
100VS-MH-999	50 kg	Aluminium	White / Black	100 sets / ctn	RM16.50


100VS-MH-916
Light Duty Euro Hinge (Concealed)




100VS-MH-888
Heavy Duty Euro Hinge (Concealed)




100VS-MH-812
Euro Hinge (Exposed)



100VS-MH-891
Euro Hinge (Exposed)



100VS-MH-9822
Concealed Hinge



MS
SIRM
MS 832 Compliance
Report No : 2024MA0510



CODE	MAX. WEIGHT CAPACITY FOR 2 HINGES / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-916	35 kg	Aluminium	White / Black	200 sets / ctn	RM7.00
100VS-MH-888	50 kg	Aluminium	White / Black	100 sets / ctn	RM16.00
100VS-MH-812	35 kg	Aluminium	White / Black / Silver	200 sets / ctn	RM7.00
100VS-MH-891	35 kg	Aluminium	White / Black / Silver	200 sets / ctn	RM7.00
100VS-MH-9822	40 kg	Aluminium	White / Black	200 sets / ctn	RM18.00

01

100VS-CW-M4
Casement Handle R/L




MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-CW-M4-KEY
Casement Handle with Key R/L



MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-CW-M5
Curtain Wall Handle R/L



MS SIRIM
MS 832 Compliance
Report No : 2023MA0826

100VS-CW-M7
Casement Handle R/L



100VS-MH-015
Casement Handle R/L



MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627


100VS-MH-015-S
Casement Handle R/L




MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-CW-M4	Aluminium	White / Black / Silver	300 pcs / ctn	RM6.00
100VS-CW-M4-Key (1pc Key)	Aluminium	White / Black / Silver	200 pcs / ctn	RM17.00
100VS-CW-M5	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM14.00
100VS-CW-M7	Aluminium	White / Black / Silver	200 pcs / ctn	RM6.80
100VS-MH-015	Aluminium	White / Black / Silver	100 pcs / ctn	RM11.00
100VS-MH-015-S	Aluminium	White / Black / Silver	200 pcs / ctn	RM11.00

100VS-CW-M3
Casement Handle R/L




100VS-CW-M10
Casement Handle R/L




MS 832 Compliance
Report No : 2023MA0827

100VS-CW-608
Casement Handle R/L




100VS-CW-708
Casement Handle R/L




BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-SPH-111
Goha Casement Handle Without Key R/L



100VS-SPH-111-KEY
Goha Casement Handle With Key R/L



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-CW-M3	Aluminium	White / Black / Silver	200 sets / ctn	RM7.80
100VS-CW-M10	Aluminium	White / Black / Silver	400 pcs / ctn	RM4.40
100VS-CW-608	Aluminium	White / Black / Silver	600 pcs / ctn	RM2.60
100VS-CW-708	Aluminium	White / Black / Silver	400 pcs / ctn	RM5.00
100VS-SPH-111	Zinc Alloy	White / Black	200 sets / ctn	RM13.00
100VS-SPH-111-Key (1pc Key)	Zinc Alloy	White / Black	200 sets / ctn	RM20.00


01



100VS-MH-012
Casement Handle R/L



100VS-SPH-121
Caretta Casement Handle R/L



100VS-CL-350-SMALL
Crescent Lock R/L



100VS-ML-817
Ambidextrous Crescent Lock



MS 832 Compliance
Report No : 2023MA0828

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-012	Aluminium	White / Black	100 pcs / ctn	RM15.00
100VS-SPH-121	Zinc Alloy	White / Black	100 pcs / ctn	RM16.00
100VS-CL-350-Small	Aluminium	White / Black / Silver	600 pcs / ctn	RM3.50
100VS-ML-817	Aluminium / S.Steel SUS 304	White / Black / Silver	300 pcs / ctn	RM6.00



MULTIPOINT ACCESSORIES


Advantage

- ✓ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ✓ To be used in inward opening, outward opening, tilt, turn and sliding.
- ✓ Attractive lines and design.
- ✓ Ergonomic handle makes it comfortable to use daily.

02


200VS-MP-2606

Catches 6mm (Exposed)




200VS-MP-2610

Catches 10mm (Concealed)




200VS-MP-804

Catches 6mm (Exposed)




200VS-MP-8524

Catches 10mm (Concealed)



200VS-MP-806-B / MP-8206-S

Catches : Flan Big / Small




200VS-MP-814-N

Catches : Nylon




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-2606	6mm	Aluminium	Chrome	1000 pcs / ctn	RM2.40
200VS-MP-2610	10mm	Aluminium	Chrome	1000 pcs / ctn	RM2.60
200VS-MP-804	6mm	Aluminium	Chrome	1000 pcs / ctn	RM2.80
200VS-MP-8524	10mm	Aluminium	Chrome / Black	1000 pcs / ctn	RM3.00
200VS-MP-806-B	11mm	Zinc Alloy	Silver	1000 pcs / ctn	RM2.40
200VS-MP-8206-S	11mm	Zinc Alloy	Silver	1000 pcs / ctn	RM2.00
200VS-MP-814-N	12mm	PVC	Black	1000 pcs / ctn	RM3.00


200VS-MP-810
Catches 11mm / 14mm




200VS-MP-809
Aluminium U Slide Gear & Slide Fork



200VS-MP-807
Lock Cam : 10mm / 12.5mm / 14mm / 16mm




200VS-MP-808
Push Rod : 15mm / 20mm / 25mm / 30mm / 35mm / 53mm



200VS-MP-812
Push Rod : 30mm



200VS-MSW-114
Adjustable Lock Cam : 6.5mm / 8.5mm / 10.5mm / 12.5mm




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-810	11mm	SUS304	SS	2000 pcs / ctn	RM2.20
	14mm			2000 pcs / ctn	RM2.40
200VS-MP-809	30mm	Aluminium	SS	1000 pcs / ctn	RM2.00
200VS-MP-807	10mm / 12.5mm	SUS304	SS	2500 pcs / ctn	RM3.00
	14mm / 16mm			2000 pcs / ctn	RM3.50
200VS-MP-808	15mm / 20mm / 25mm	SUS304	SS	2000 pcs / ctn	RM2.20
	30mm / 35mm			2000 pcs / ctn	RM2.60
	53mm			2000 pcs / ctn	RM5.40
200VS-MP-812	30mm	SUS304	SS	1000 pcs / ctn	RM3.60
200VS-MSW-114	6.5mm	Brass	SS	2000 pcs / ctn	RM3.40
	8.5mm			2000 pcs / ctn	RM3.60
	10.5mm			2000 pcs / ctn	RM4.00
	12.5mm			1000 pcs / ctn	RM5.00

02


200VS-MSW-113

End Transmission (6.5mm / 8.5mm / 12mm)



200VS-MSW-116

Euro Corner Transmission



200VS-MSW-121 R/L

Latch Bolt R/L




2 x 18.6mm
2 x 19.5mm

BLK WH

200VS-MSW-8112

Latch Bolt




2 x 18.6mm
2 x 19.5mm

BLK WH

200VS-11201-CD2


End Cap Cover R/L



11201-CD2


200VS-MSW-2149

Push Rod




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MSW-113	6.5mm	Zinc Alloy	Silver	500 pair / ctn	RM8.00
	8.5mm				RM8.00
	12mm				RM8.00
200VS-MSW-116	8mm	Zinc Alloy	Silver	200 pcs / ctn	RM33.00
200VS-MSW-121 R/L	18.4mm	Zinc Alloy	Black / White	50 pair / ctn	RM16.00
200VS-MSW-8112	18.4mm	Zinc Alloy	Black / White	100 pair / ctn	RM16.00
200VS-H-11201-CD2	-	Nylon	Black	500 pair / ctn	RM12.00
200VS-MSW-2149	30mm	Zinc Alloy / SUS304	Silver	2000 pcs / ctn	RM13.00

200VS-SDH-124
Sliding Door Keeper




Thickness = 1.2mm

200VS-SDH-151
Sliding Door Keeper




Thickness = 1.2mm

200VS-SDH-126
Sliding Door Striker



Thickness = 2.0mm

200VS-SDH-131
Sliding Door Striker




Thickness = 1.5mm

200VS-SDH-143
Sliding Door Striker



Thickness = 1.8mm

200VS-SDH-122
Sliding Door Striker



Thickness = 1.5mm

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-SDH-124	SUS304	SS	2000 pcs / ctn	RM5.00
200VS-SDH-151	SUS304	SS	2000 pcs / ctn	RM5.00
200VS-SDH-126	SUS304	SS	2000 pcs / ctn	RM3.20
200VS-SDH-131	SUS304	SS	2000 pcs / ctn	RM3.20
200VS-SDH-143	SUS304	SS	2000 pcs / ctn	RM3.20
200VS-SDH-122	SUS304	SS	2000 pcs / ctn	RM3.60

02

200VS-SDH-127
Sliding Door Hook




Thickness = 1.2mm

200VS-SDH-123
Sliding Door Striker




Thickness = 1.8mm

200VS-SDH-133
Sliding Door Striker




Thickness = 1.0mm

200VS-SDH-135
Sliding Door Striker




SIL BLK WH

200VS-SDH-139
Casement Handle Hook




SIL BLK WH

200VS-SDH-1377
Sliding Door Stopper (for PMB)




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-SDH-127	Stainless Steel 201	SS	2000 pcs / ctn	RM4.50
200VS-SDH-123	Stainless Steel 201	SS	300 pcs / ctn	RM2.50
200VS-SDH-133	Stainless Steel 201	SS	300 pcs / ctn	RM2.50
200VS-SDH-135	Aluminium	White / Black / Silver	2000 pcs / ctn	RM2.70
200VS-SDH-139	Aluminium	White / Black / Silver	250 pcs / ctn	RM3.00
200VS-SDH-1377	PVC	Transparent	500 sets / ctn	RM10.00


200VS-SDH-136
Sliding Door Hook 37mm / 40mm




200VS-350 STEEL PLATE
Sliding Door Hook



200VS-25001
Sliding Door Hook 37mm




200VS-161
Interlock Cover



200VS-163
Interlock Cover




200VS-LF-103
Lifting Block




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-SDH-136	37mm	Stainless Steel 201	SS	1000 pcs / ctn	RM1.60
	40mm	Stainless Steel 201	SS	1000 pcs / ctn	RM1.60
200VS-350 Steel Plate	40mm	Steel	White / Black / Silver	2000 pcs / ctn	RM1.20
200VS-25001	37mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
200VS-161 Interlock Cover	17mm	PVC	Black	1000 pcs / ctn	RM2.60
200VS-163 Interlock Cover	17.5mm / 19mm / 16.5mm	PVC	Black	2000 pcs / ctn	RM2.60
200VS-LF-103	11mm x 25mm	PVC	Black	2000 pcs / ctn	RM3.00


200VS-T-162 / T-164
Skider




200VS-110-EOS / 120-EOS
Sliding Stopper




200VS-MPE-1805
Inverted Exposed Window Cam Lock



200VS-MPC-1916
Inverted Concealed Window Cam Lock



200VS-MPS-19702
Inverted Sliding Door Cam Lock




200VS-MP-919
Weep Holes Cover




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-T-162 Skider	5mm	PVC	Black	500 pcs / ctn	RM0.60
200VS-T-164 Skider	16mm	PVC	Black	3000 pcs / ctn	RM2.20
200VS-110-EOS	36mm	Zinc Alloy	White / Black	200 pcs / ctn	RM13.00
200VS-120-EOS	59mm	Zinc Alloy	White / Black	200 pcs / ctn	RM14.00
200VS-MPE-1805	-	SUS304	SS	200 set / ctn	RM50.00
200VS-MPC-1916	-	SUS304	SS	200 set / ctn	RM50.00
200VS-MPS-19720	-	SUS304	Black	200 set / ctn	RM50.00
200VS-MP-919-S	3 x 35mm	Nylon	Black	200 pcs / ctn	RM5.00
200VS-MP-919-M	4.5 x 45mm	Nylon	Black	200 pcs / ctn	RM5.00
200VS-MP-919-L	7 x 45mm	Nylon	Black	200 pcs / ctn	RM5.00


200VS-MP-924
Side Stopper - LB




200VS-MP-925
Top Stopper - LB




200VS-MB-802
Inner Corner Bracket : LB




200VS-MB-803
Corner Bracket : LB



200VS-MB-942
LB Inner Sliding Door Bracket




200VS-MB-943
LB Outer Sliding Door Bracket




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-924	Nylon	White	2000 pcs / ctn	RM1.40
200VS-MP-925	Nylon	White	2000 pcs / ctn	RM1.40
200VS-MB-802	Aluminium Die-Cast	Silver	512 pcs / ctn	RM6.00
200VS-MB-803	Aluminium Die-Cast	Silver	400 pcs / ctn	RM6.20
200VS-MB-942	Aluminium Die-Cast	Silver	256 pcs / ctn	RM8.50
200VS-MB-943	Aluminium Die-Cast	Silver	512 pcs / ctn	RM8.00

02


200VS-MP-920
Water Guide




200VS-MP-921
Latch Keeper




200VS-MP-923-SMALL (18.5MM)
Latch Bolt




200VS-MP-926
Center Bracket R/L (Concealed)



200VS-MP-927
Latch Stopper (Concealed)



200VS-PVC-333
Water Guide



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-920	PVC	Black	4000 set / ctn	RM2.00
200VS-MP-921	PVC / Stainless Steel	Black	400 pair / ctn	RM6.00
200VS-MP-923-Small (18.5mm)	PVC / Stainless Steel	White / Black	500 pair / ctn	RM6.00
200VS-MP-926	Nylon	Black	1000 pair / ctn	RM10.00
200VS-MP-927	PVC	White / Black	400 pair / ctn	RM3.20
200VS-PVC-333	Nylon	Black	2000 pcs / ctn	RM2.00

CORNER JOINT

A metal plate mounted on the corners of the window casement / sash to strengthen it.



02



200VS-MB-913






200VS-LB-7057



200VS-MB-9133

CODE	WIDTH (MM)	THICKNESS	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MB-913	15.6mm	1.5mm	SUS304	SS	2000 pcs / ctn	RM1.20
	16.3mm	1.5mm	SUS304	SS	2000 pcs / ctn	RM1.20
200VS-LB-7057	8.5mm	1.0mm	SUS304	SS	2000 pcs / ctn	RM1.00
200VS-MB-9133	8.8mm	1.0mm	SUS304	SS	5000 pcs / ctn	RM0.90
	13mm	1.0mm	SUS304	SS	2500 pcs / ctn	RM1.00
	17.5mm	1.0mm	SUS304	SS	2000 pcs / ctn	RM1.00
	20.4mm	1.0mm	SUS304	SS	2000 pcs / ctn	RM1.00

200VS-POLYAMIDE ROD (SLIDE BAR)



Polyamide Punching Machine
Ø6mm, Ø10mm

CODE	WIDTH (MM)	PACKING	MATERIAL	FINISHING	(RM) / UNIT
200VS-Polyamide Rod (Slide Bar)	18.6mm / 150m (Length)	1 log	Nylon	Black	RM900.00
	19.5mm / 150m (Length)			Black	RM900.00
200VS-Polyamide Punching Machine	Ø6mm & Ø10mm	1 unit	Steel	SS	RM1500.00

02

200VS-MB-ALUMINIUM BRACKET

Aluminium Corner Bracket



MB-5011



PROFILE SW946D



MB-5014



PROFILE PMB0946



MB-5015



MB-5016



MB-5017




PROFILE SD957



CODE	MATERIAL	A = SIZE	B = SIZE	PACKING	(RM) / UNIT
200VS-MB-5011	Aluminium	19.5mm	8.5mm	500 pcs / ctn	RM4.00
200VS-MB-5012	Aluminium	30.5mm	8.5mm	500 pcs / ctn	RM4.00
200VS-MB-5013	Aluminium	36.5mm	8.5mm	500 pcs / ctn	RM4.00
200VS-MB-5014	Aluminium	26.5mm	10mm	500 pcs / ctn	RM4.00
200VS-MB-5015	Aluminium	30.5mm	10mm	500 pcs / ctn	RM4.00
200VS-MB-5016	Aluminium	36.5mm	10mm	500 pcs / ctn	RM4.00
200VS-MB-5017	Aluminium	29mm	14mm	500 pcs / ctn	RM4.00

200VS-WIN-MESH 2 IN 1

Security Window System



100VS-MH024
Multipoint Handle



200VS-MSW-118
Center Transmission



200VS-MB Bracket
MB-911 Series



200VS-MB-913
Corner Joint



300VS-Wind Resistance Stay
Wind Resistance Bar Hinge



200VS-MP-808
Push Rod 35mm



200VS-MP-216
2 in 1 Window Buckle



100VS-MH-883 L/R
2 in 1 Euro Hinge




200VS-MP-217
Lock Cam 17mm



200VS-MB-215
Keeper




200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 9mm




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9057	26mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-91A	28mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9055A	31.5mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9060	34mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9011A	36.5mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-911A	37.5mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-5590	40mm x 9mm	1000 pcs / ctn	RM2.20

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 11mm




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9012	30.5mm x 11mm	1000 pcs / ctn	RM2.20
200VS-MB-9058	31.5mm x 11mm	1000 pcs / ctn	RM2.20
200VS-MB-912	37.5mm x 11mm	1000 pcs / ctn	RM2.20
200VS-MB-9061	36mm x 11mm	1000 pcs / ctn	RM2.20

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 9mm (Concealed)




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-911B	34mm x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9013B	38mm x 9mm	1000 pcs / ctn	RM2.20

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 9mm (T4)




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9056	36.5mm (T4) x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9054	31.5mm (T4) x 9mm	1000 pcs / ctn	RM2.20
200VS-MB-9065	24mm (T4) x 9mm (46867)	1000 pcs / ctn	RM2.20

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 8mm



CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9059	31.5mm x 8mm	1000 pcs / ctn	RM2.20
200VS-MB-9062	36.5mm x 8mm	1000 pcs / ctn	RM2.20

200VS-MB-900
Corner Top Bracket



CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-900	11.5mm x 10mm	1000 pcs / ctn	RM1.00

* Note : All bracket standard punching hole distance 27MM

THE BENEFITS OF WEATHER STRIP

☑ Silicone + UV

TYPE	Silicone + UV Wool Pile Strip		
COLOUR	Grey, Black		
APPLY	All kinds of aluminium doors and windows, UPVC profile windows and doors, sliding door, wood door, furniture door and etc		
FUNCTION	<ul style="list-style-type: none"> • Anti-aging • Anti-water 	<ul style="list-style-type: none"> • Anti-noise • Dust-proof 	<ul style="list-style-type: none"> • Wind-proof • Anti-collision
FEATURE	1. High Resilience fibers with silicone and UV treatment. 2. No shedding, good straightness, smooth and delicate. 3. Long lasting.		



Silicone + UV Wool Pile Strip

☑ 3M Glue

TYPE	3M Glue Adhesive Wool Pile		
SIZE	7*8M		
COLOUR	Grey		
APPLY	All kinds of aluminium doors and windows, UPVC profile windows and doors, sliding door, wood door, furniture door and etc		
FUNCTION	<ul style="list-style-type: none"> • Anti-noise • Dust-proof 	<ul style="list-style-type: none"> • Wind-proof • Anti-collision 	
FEATURE	1. High Resilience fibers. 2. No shedding, good straightness, smooth and delicate. 3. Good adhesiveness, easy to install.		



Wool Pile with PP Fin

3M Glue Adhesive Wool Pile

☑ PP Fin

TYPE	Wool Pile with PP Fin		
SIZE	5*7M		
COLOUR	Grey		
APPLY	All kinds of aluminium doors and windows, UPVC profile windows and doors, sliding door, wood door, furniture door and etc		
FUNCTION	<ul style="list-style-type: none"> • Padding gap • Anti-noise 	<ul style="list-style-type: none"> • Dust-proof • Wind-proof 	<ul style="list-style-type: none"> • Anti-collision
FEATURE	1. High Resilience fibers. 2. No shedding, good straightness, smooth and delicate.		




HOW TO INSTALL WEATHER STRIP?




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
0.48(W) x 4.5mm(H)	550 meters	Siliconezed	Grey	4 roll / ctn	RM340.00
0.48(W) x 5mm(H)	500 meters	Siliconezed	Black / Grey	4 roll / ctn	RM300.00
0.48(W) x 6mm(H)	450 meters	Siliconezed	Grey	4 roll / ctn	RM270.00
0.48(W) x 7mm(H)	400 meters	Siliconezed	Black / Grey	4 roll / ctn	RM240.00
0.48(W) x 8mm(H)	350 meters	Siliconezed	Grey	4 roll / ctn	RM240.00
0.48(W) x 10mm(H)	225 meters	Siliconezed	Black / Grey	4 roll / ctn	RM180.00
0.58(W) x 8mm(H)	300 meters	Siliconezed	Grey	4 roll / ctn	RM240.00
0.68(W) x 8mm(H)	300 meters	Siliconezed	Grey	4 roll / ctn	RM240.00
0.98(W) x 12mm(H)	150 meters	Siliconezed	Grey	4 roll / ctn	RM140.00
0.48(W) x 7mm(H)	400 meters	Siliconezed / PP	Grey	3 roll / ctn	RM360.00
0.68(W) x 8mm(H)	300 meters	Siliconezed Self-Adhesive	Grey	4 roll / ctn	RM280.00
8(W) x 8mm(H)	230 meters	Siliconezed	Grey	4 roll / ctn	RM220.00
0.65(W) x 5mm(H)	500 meters	Siliconezed	Grey	4 roll / ctn	RM400.00


200VS-VF ALUMINIUM FLAT BAR




200VS-VS STAINLESS STEEL BAR



200VS-WLD CURTAIN WALL FLAT BAR



200VS-SL SLIDING DOOR LOCKING BAR



CODE	LENGTH (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-VF-300 (2 point)	300	Aluminium	Silver	100 pcs / ctn	RM7.40
200VS-VF-600 (2 point)	600	Aluminium	Silver	100 pcs / ctn	RM8.70
200VS-VF-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	RM16.00
200VS-VF-1200 (4 point)	1200	Aluminium	Silver	50 pcs / ctn	RM25.00
200VS-VS-300 (2 point)	300	SUS304	SS	50 pcs / ctn	RM20.00
200VS-VS-600 (2 point)	600	SUS304	SS	50 pcs / ctn	RM28.00
200VS-VS-1000 (2 point)	1000	SUS304	SS	50 pcs / ctn	RM35.00
200VS-VS-1300 (4 point)	1300	SUS304	SS	50 pcs / ctn	RM44.00
200VS-WLD-300 (2 point)	300	Aluminium	Silver	50 pcs / ctn	RM8.00
200VS-WLD-600 (2 point)	600	Aluminium	Silver	50 pcs / ctn	RM10.00
200VS-WLD-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	RM15.00
200VS-SL-300 (2 point)	300	SUS304	SS	50 pcs / ctn	RM20.00
200VS-SL-600 (2 point)	600	SUS304	SS	50 pcs / ctn	RM28.00
200VS-SL-1000 (2 point)	1000	SUS304	SS	50 pcs / ctn	RM32.00
200VS-SL-1500 (4 point)	1500	SUS304	SS	50 pcs / ctn	RM44.00

200VS-PP 4" ADJUSTABLE LOUVER

02



Louver window is a window blind or shutter with horizontal slats that are angled to admit light and air, but to keep out rain and direct sunshine. The angle of the slats may be adjustable, usually in blinds and windows, or fixed.

Advantage


- ✓ Excellent vision and ventilation.
- ✓ Lever action handle firmly locks the blades in the closed position.
- ✓ Top quality accessories for better movement of roller and heavier load.
- ✓ Strong material carriage for better life-cycle.
- ✓ Easy to install and maintain.



CODE	SIZE		CONTROL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
	LENGTH (MM)	CLIP					
200VS-WLA-PP6	560 mm	4"	Single	PP	White / Black	10 pairs / ctn	RM65.00
200VS-WLA-PP9	827 mm	4"	Single	PP	White / Black	10 pairs / ctn	RM97.50
200VS-WLA-PP13	1183 mm	4"	Double	PP	White / Black	10 pairs / ctn	RM140.80
200VS-WLA-PP14	1272 mm	4"	Triple	PP	White / Black	10 pairs / ctn	RM151.60
200VS-WLA-PP15	1361 mm	4"	Triple	PP	White / Black	10 pairs / ctn	RM162.50
200VS-WLA-PP16	1450 mm	4"	Triple	PP	White / Black	10 pairs / ctn	RM173.30

200VS-ALUMINIUM LOUVER PANEL

The main function of aluminium louvres is control of air, ventilation and light control. As well as this, louvres often need to provide weather protection too. Aluminium louvre types usually come in either a direct fix type with a perimeter frame. There are also louvres designed to glaze directly into doors or windows.



OPEN VIEW



CLOSE VIEW

200VS-WEATHER STRIPS EXTENSION AND INSERT



CODE	SIZE		CONTROL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
	LENGTH (MM)	CLIP					
200VS-Aluminium Panel	2900 mm	6"	Fixed	Aluminium	Silver	10 pcs / ctn	RM230.00
200VS-Weather Strips Extension and Insert (2.9m)				Aluminium / PVC	Black	10 pcs / ctn	RM300.00

200VS-ALUMINIUM ALLOY ADJUSTABLE LOUVER




SIL BLK

200VS-PP ADJUSTABLE LOUVER



BLK WH

200VS-PVC FIXED GLASS CLIP



BLK WH


200VS-ALUMINIUM FIXED GLASS CLIP



BLK WH
SIL MB

02

200VS-WEATHER STRIPS EXTENSION AND INSERT



CODE	SIZE		CONTROL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
	LENGTH (MM)	CLIP					
200VS-PVC Glass Clip	155 mm	6"	Fixed	PP	White / Black	200 pairs / ctn	RM4.00
200VS-Aluminium Glass Clip	155 mm	6"	Fixed	Aluminium	Silver	1000 pairs / ctn	RM2.00
					Brown	1000 pairs / ctn	RM2.00
					White / Black	1000 pairs / ctn	RM3.60
200VS-WLA-04	580 mm	6"	Single	Aluminium	Black	10 pairs / ctn	RM34.00
200VS-WLA-08	1140 mm	6"	Double	Aluminium	Black	10 pairs / ctn	RM64.00
200VS-WLA-04	580 mm	6"	Single	Aluminium	Silver	10 pairs / ctn	RM32.00
200VS-WLA-08	1140 mm	6"	Double	Aluminium	Silver	10 pairs / ctn	RM60.00
200VS-WLA-PP3	445 mm	6"	Single	PP	White / Black	10 pairs / ctn	RM37.50
200VS-WLA-PP4	585 mm	6"	Single	PP	White / Black	10 pairs / ctn	RM50.00
200VS-WLA-PP5	725 mm	6"	Single	PP	White / Black	10 pairs / ctn	RM65.00
200VS-WLA-PP6	865 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM73.00
200VS-WLA-PP7	1005 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM90.00
200VS-WLA-PP8	1145 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM100.00
200VS-WLA-PP9	1285 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM112.00
200VS-WLA-PP10	1425 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM124.00
200VS-WLA-PP11	1565 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM136.00
200VS-WLA-PP12	1705 mm	6"	Double	PP	White / Black	10 pairs / ctn	RM148.00
200VS-WLA-PP13	1845 mm	6"	Triple	PP	White / Black	10 pairs / ctn	RM160.00
200VS-WLA-PP14	1985 mm	6"	Triple	PP	White / Black	10 pairs / ctn	RM172.00
200VS-WLA-PP15	2125 mm	6"	Triple	PP	White / Black	10 pairs / ctn	RM186.00
200VS-WLA-PP16	2265 mm	6"	Triple	PP	White / Black	10 pairs / ctn	RM200.00
200VS-King Kong-08	1140 mm	6"	Single	Metal	Grey	10 pairs / ctn	RM25.00
200VS-Weather Strips Extension and Insert				Aluminium / PVC	Black	10 pcs / ctn	RM300.00

200VS-SECURITY SCREEN MESH NET DOOR & WINDOW

The Stainless Steel Screen Mesh security system has been researched, designed and developed by VSP® to set a new standard in security doors and windows. With advanced engineering technology, researchers have achieved a unique and stylish design that also exceeds all relevant standards.


02



STAINLESS STEEL NETTING CUTTER



PULLER FOR DIAMOND MESH



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900mm x 2400mm x 0.9mm	SUS304	Black	60 pcs / pallet	RM600.00
1200mm x 2400mm x 0.9mm	SUS304	Black	60 pcs / pallet	RM800.00
1500mm x 3000mm x 0.9mm	SUS304	Black	60 pcs / pallet	RM1250.00
200VS - Stainless Steel Netting Cutter	Stainless Steel	Silver	10 pcs / ctn	RM150.00
200VS - Puller for Diamond Mesh	Stainless Steel	Silver	10 pcs / ctn	RM350.00

200VS-FIBERGLASS SCREENING



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - Fiberglass Screening	1.2m x 30 meter	Fibre	Black / Grey	1 roll / ctn	RM380.00
	1.5m x 30 meter		Grey	1 roll / ctn	RM475.00
	1.8m x 30 meter			1 roll / ctn	RM550.00

200VS-ALUMINIUM INSECT NETTING



MADE IN THAILAND

Aluminium Insect Net is our coloured aluminium insect netting using advanced technology from the U.S.A. The material is greatly durable, designed to keep out small insects and tends to reduce glare for allowing an improved outward visibility.

WIRE MESH PER INCH (MESH)	18 x 14
WIRE DIAMETER	0.24 mm
LENGTH	24 meter (NA)
MATERIAL	Aluminium

02

200VS-STAINLESS STEEL NETTING




WIRE MESH PER INCH (MESH)	20 x 20
WIRE DIAMETER	0.23 mm
LENGTH	30 meter
MATERIAL	SUS304

200VS-INSECT GASKET DOUBLE ROLLER



200VS-INSECT GASKET DOUBLE ROLLER (PVC NYLON)



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - Aluminium Insect Netting	48" x 30 meter	Aluminium	Black	1 roll / ctn	RM680.00
200VS - Aluminium Insect Netting	36" x 24 meter	Aluminium	Silver	1 roll / ctn	RM400.00
	48" x 24 meter			1 roll / ctn	RM500.00
200VS-Stainless Steel Netting	48" x 30 meter	SUS304	Silver	1 roll / ctn	RM2600.00
200VS-Insect Gasket Double Roller	40mm x 235mm	Mix Steel	Silver	50 pcs / ctn	RM42.00
	30mm x 195mm	PVC Nylon	White	50 pcs / ctn	RM30.00

200VS-PROTECTION TAPE



• NIKEE



• WONDER



PHYSICAL PROPERTIES :

ITEM	SPECIFICATION	DETECTION VALUE	TEST METHOD
Backing	SPVC Rubber -Base Adhesive (non-corrosive)	-	-
Colour	Black	-	-
Thickness	0.100 ~ 0.124	0.118	ASTM-D1000
Width	1200mm	-	-
Adhesive	0.30-0.60kg/25mm	0.36	ASTM-D1000
Tensile Strength	4.7kg / 25mm	5.92	ASTM-D1000
Elongation	150% (min)	178	ASTM-D1000

☑ PHYSICAL USAGE :

- It is use to protect surface against dirt, scratches during production handling, transporting and storing, specially for Aluminium, Stainless Steel, Plastic windows and door frame.

☑ MATERIAL SURFACE APPLICATION :

- Surface to be applied must be clean, dry and do not have chemical and water marks. The film must applied without bubbles and excessive tension,

☑ STORAGE :

- The tape must be apply within 6 months from date of delivery.

* All statements, technical information and recommendations contained in our literature are base on test we believe to be reliable.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - NIKEE 42 Meter	PVC	Black	1 log / ctn	RM300.00
200VS - Wonder 65 Meter	PVC	Black	1 log / ctn	RM455.00

200VS-GLASS SURFACE PROTECTION BLUE TAPE



• 1200MM X 200METER
• 50 MICRON

200VS-L216 FROSTED FILM



• 1200MM X 15METER

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - Glass Blue Tape	UV / PVC	Blue	1 log / ctn	RM562.00
200VS - L216	PVC	Sandblast	3 log / ctn	RM300.00

CHEMICAL COMPOSITIONS OF STEEL USE STAINLESS SUS304

	SUS304
CARBON (C)	≤ 0.08
SILICON (Si)	≤ 1.00
MANGANESE (Mn)	≤ 2.00
PHOSPHORUS (P)	≤ 0.045
SULFUR (S)	≤ 0.03
CHROMIUM (Cr)	18.00 - 20.00
NICKEL (Ni)	8.00 - 10.50



FRICION STAY

A complete range of friction stays manufactured from different grade austenitic stainless steel. Used for residential and commercial. Available in a range of stack heights & is suitable for both top hung & side hung standard applications.

Advantage

- ✓ A comprehensive range to cater for most applications.
- ✓ Manufactured with the unique feature.
- ✓ Simple and precise operations.
- ✓ Precise lock cylinder system.
- ✓ Easy to install.
- ✓ Corrosion resistance.
- ✓ Great durability.



1000N > 60S
500N > 30S **KG**



300VS-18 SQUARE GROOVE SIDE / TOP HUNG

Stainless Steel Friction Stay - SUS304


03



Side Hung



Top Hung



18
Arm Base



Stack Height



Unique
6mm Pivot



Quality Stainless
Steel Slide Pallet
with PVC Coating



Safety Edge
Circumference
on Supporting
Arms



BS EN 13126-6:2008
PC 002071

SIDE HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
8" / 2.0mm	4	18	55° ± 2°	400	1200	14 ± 0.5	10
12" / 2.0mm	4	18	88° ± 2°	600	1200	14 ± 0.5	16
16" / 2.5mm	4	18	88° ± 2°	650	1500	15 ± 0.5	22
16" / 2.5mm	5	18	80° ± 2°	700	1500	15.5 ± 0.5	26

TOP HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
8" / 2.0mm	4	18	34° ± 2°	700	700	14 ± 0.5	14
12" / 2.0mm	4	18	35° ± 2°	1000	1000	14 ± 0.5	30
16" / 2.5mm	4	18	34° ± 2°	1200	1100	15 ± 0.5	35
18" / 2.5mm	4	18	31° ± 2°	1300	1200	15 ± 0.5	45
20" / 3.0mm	5	18	28° ± 2°	1400	1200	16.5 ± 0.5	50
24" / 3.0mm	6	18	25° ± 2°	1500	1300	16.8 ± 0.5	60

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-Side Hung 8" 4 Bar	SUS304	SS	100 pairs / ctn	RM18.00
300VS-Side Hung 12" 4 Bar	SUS304	SS	100 pairs / ctn	RM20.00
300VS-Side Hung 16" 4 Bar	SUS304	SS	50 pairs / ctn	RM34.00
300VS-Side Hung 16" 5 Bar	SUS304	SS	50 pairs / ctn	RM40.00
300VS-Top Hung 8" 4 Bar	SUS304	SS	50 pairs / ctn	RM20.00
300VS-Top Hung 12" 4 Bar	SUS304	SS	50 pairs / ctn	RM22.00
300VS-Top Hung 16" 4 Bar	SUS304	SS	25 pairs / ctn	RM38.00
300VS-Top Hung 18" 4 Bar	SUS304	SS	25 pairs / ctn	RM44.00
300VS-Top Hung 20" 5 Bar	SUS304	SS	25 pairs / ctn	RM60.00
300VS-Top Hung 24" 6 Bar	SUS304	SS	25 pairs / ctn	RM80.00

300VS-18 SQUARE GROOVE RESTRICT PLATE

Portable Aluminium Restrict Plate



SIDE HUNG - 45MM RESTRICT PLATE

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
12" / 2.0mm	4	18	15° / 30°	650	1200	14 ± 0.5	16
16" / 2.5mm	4	18	25° / 40°	700	1500	15 ± 0.5	22
16" / 2.5mm	5	18	25° / 40°	750	1500	15 ± 0.5	26


SIDE HUNG - 65MM RESTRICT PLATE

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
12" / 2.0mm	4	18	10° / 20°	650	1200	14 ± 0.5	16
16" / 2.5mm	4	18	10° / 20°	700	1500	15 ± 0.5	22
16" / 2.5mm	5	18	15° / 30°	750	1500	15 ± 0.5	26

* Note : Above specification are recommended to install lifting block at window sash.

300VS-19 ROUND GROOVE - SIDE HUNG

Stainless Steel Friction Stay - SUS304



MS 832 Compliance
Report No : 2024MA0508 & 2024MA0509



Pivot diameter
5mm



Safety Edge
Circumference on
Supporting Arms

STAINLESS STEEL WITH PVC COATING SLIDE PALLET



18 Square
Groove



22 Square
Groove



19 Round
Groove



21 Round
Groove

SIDE HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
8" / 2.0mm	4	19	55° ± 2°	500	800	13 ± 0.5	10
12" / 2.0mm	4	19	88° ± 2°	550	1200	13 ± 0.5	14

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-ARP-45mm	Aluminium	SS	500 pcs / ctn	RM1.90
300VS-ARP-65mm	Aluminium	SS	500 pcs / ctn	RM2.20
300VS-Side Hung 8" 4 Bar	SUS304	SS	100 pairs / ctn	RM16.00
300VS-Side Hung 12" 4 Bar	SUS304	SS	100 pairs / ctn	RM18.00

300VS-22 SQUARE GROOVE SIDE / TOP HUNG

Heavy Duty Stainless Steel Friction Stay - SUS304

03



Side Hung



Top Hung



Unique 6mm Pivot



Quality Stainless Steel Slide Pallet with PVC Coating



Safety Edge Circumference on Supporting Arms

SIDE HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
10" / 3.0mm	4	22	86° ± 2°	400	1200	16.8 ± 0.5	17
12" / 3.0mm	4	22	86° ± 2°	650	1350	16.8 ± 0.5	23
16" / 3.0mm	4	22	88° ± 2°	700	1500	16.8 ± 0.5	30
18" / 3.0mm	4	22	80° ± 2°	750	1500	16.8 ± 0.5	35

TOP HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
16" / 3.0mm	4	22	30° ± 2°	1200	1200	16.8 ± 0.5	50
18" / 3.0mm	4	22	30° ± 2°	1300	1400	16.8 ± 0.5	58
20" / 3.0mm	5	22	29° ± 2°	1400	1500	16.8 ± 0.5	68
24" / 3.0mm	6	22	27° ± 2°	1500	1600	16.8 ± 0.5	75

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-Side Hung 10" 4 Bar	SUS304	SS	50 pairs / ctn	RM37.00
300VS-Side Hung 12" 4 Bar	SUS304	SS	25 pairs / ctn	RM40.00
300VS-Side Hung 16" 4 Bar	SUS304	SS	25 pairs / ctn	RM48.00
300VS-Side Hung 18" 4 Bar	SUS304	SS	25 pairs / ctn	RM58.00
300VS-Top Hung 16" 4 Bar	SUS304	SS	50 pairs / ctn	RM48.00
300VS-Top Hung 18" 4 Bar	SUS304	SS	25 pairs / ctn	RM56.00
300VS-Top Hung 20" 5 Bar	SUS304	SS	25 pairs / ctn	RM80.00
300VS-Top Hung 24" 6 Bar	SUS304	SS	25 pairs / ctn	RM90.00

300VS-SUS304 - EXPOSED RL 2 BAR HINGE




	Size / Thickness	11" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	13

300VS-SUS304 - CONCEALED RL 2 BAR HINGE



	Size / Thickness	11" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	17

300VS-SUS304 - RL SINGLE BAR HINGE




	Size / Thickness	10" x 2.5mm
	Width (mm)	19
	Stack Height (mm)	20

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-11" Exposed RL 2 Bar Hinge	SUS304	SS	50 pairs / ctn	RM22.00
300VS-11" Concealed RL 2 Bar Hinge	SUS304	SS	50 pairs / ctn	RM22.00
300VS-10" RL Single Bar Hinge	SUS304	SS	50 pairs / ctn	RM20.00


03

300VS-SUS304 - RS 2 BAR HINGE (ROUND)




	Size / Thickness	10" x 2.0mm
	Width (mm)	19
	Stack Height (mm)	13

300VS-SUS304 - RS 2 BAR HINGE (SQUARE)



	Size / Thickness	10" x 2.0mm
	Width (mm)	18
	Stack Height (mm)	15

300VS-SUS304 - RS ADJUSTABLE ARM 2 BAR HINGE




	Size / Thickness	10" x 2.0mm
	Width (mm)	13.5
	Stack Height (mm)	13

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-10" RS 2 Bar Hinge (Round)	SUS304	SS	50 pairs / ctn	RM14.00
300VS-10" RS 2 Bar Hinge (Square)	SUS304	SS	50 pairs / ctn	RM15.00
300vs-10" RS Adjustable Arm 2 Bar Hinge	SUS304	SS	50 pairs / ctn	RM17.00

RESTRICTOR BAR HINGE


03

300VS-SUS304 - RS MULTI LOCKING 2 BAR HINGE



	Size / Thickness	10" x 2.0mm
	Width (mm)	13.5
	Stack Height (mm)	15

300VS-SUS304 - RS STOPPER ARM 2 BAR HINGE





	Size / Thickness	10" x 2.0mm
	Width (mm)	13.5
	Stack Height (mm)	15

300VS-SUS304 - 8" / 10" CONCEALED RS SINGLE BAR HINGE



	Size / Thickness	8" x 3.0mm	10" x 3.0mm
	Width (mm)	19	19
	Stack Height (mm)	14.5	14.5

300VS-SUS304 - 4" RL SAFETY HINGE R/L




	Size / Thickness	4" x 2.0mm
	Width (mm)	15.5
	Stack Height (mm)	10

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-10" RS Multi Locking 2 Bar Hinge	SUS304	SS	50 pairs / ctn	RM18.00
300VS-10" RS Stopper Arm 2 Bar Hinge	SUS304	SS	50 pairs / ctn	RM22.00
300VS-8" Concealed RS Single Bar Hinge	SUS304	SS	50 pairs / ctn	RM24.00
300VS-10" Concealed RS Single Bar Hinge	SUS304	SS	50 pairs / ctn	RM28.00
300VS-4" RL Safety Hinge R/L	SUS304	SS	50 pairs / ctn	RM26.00



03

300VS-SUS304 - 4" LM SAFETY HINGE R/L




	Size / Thickness	4" x 2.0mm
	Width (mm)	15.5
	Stack Height (mm)	16

300VS-SUS304 - 4" LM KRT SAFETY HINGE



	Size / Thickness	4" x 2.0mm
	Width (mm)	15.5
	Stack Height (mm)	14

300VS-SUS304 - 4" LM KRT SAFETY HINGE WITH KEY



	Size / Thickness	4" x 2.0mm
	Width (mm)	16
	Stack Height (mm)	14

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-4" LM Safety Hinge R/L	SUS304	SS	50 pairs / ctn	RM16.00
300VS- 4" LM KRT Safety Hinge	SUS304	SS	50 pairs / ctn	RM20.00
300VS-4" LM KRT Safety Hinge With Key	SUS304	SS	50 pairs / ctn	RM30.00

300VS-KLC CURTAIN WALL STAY - TOP HUNG



SIZE / THICKNESS	
13" x 2.0mm	20" x 2.0mm

WIDTH (MM)	
22	22

STACK HEIGHT (MM)	
12	12



300VS-KLC
Curtain Wall Stay-Top Hung


- ✓ Supports window weight up to 40kg
- ✓ Supports windows height up to 1.5m
 - ✓ Stay Thickness 2.0mm
 - ✓ Stay width 22mm more endurance
- ✓ Material aluminium with no sliding channels
- ✓ Black powder coated finishing
- ✓ Provides compression for weather seal
- ✓ Suitability for projected top hung windows

Size / Thickness	13" x 2.0mm	20" x 2.0mm
Width (mm)	22	22
Stack Height (mm)	12	12
Window Height (mm)	1000	1500
Window Weight (kg)	30	40

300VS-SUPPORTING ARM (ROUND) R/L Supporting Arm (Round) SUS304



Multi Point Function



	Size / Thickness	10" x 3.0mm
	Width (mm)	27.5
	Stack Height (mm)	10.5

300VS-SUPPORTING ARM (SQUARE) R/L Supporting Arm (Square) SUS304



Single Point Function



	Size / Thickness	10" x 3.0mm
	Width (mm)	28.5
	Stack Height (mm)	14.5

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-13" KLC Curtain Wall Stay	Aluminium	Black	50 pairs / ctn	RM38.60
300VS-20" KLC Curtain Wall Stay	Aluminium	Black	50 pairs / ctn	RM44.50
300VS-10" Supporting Arm (Round)	SUS304	SS	50 pairs / ctn	RM47.40
300VS-10" Supporting Arm (Square)	SUS304	SS	50 pairs / ctn	RM33.50


03



300VS-WIND RESISTANCE STAY (CONCEALED)
WR-13" SUS304 - Double Slider



PI - 2018702904




	Size / Thickness	13" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	25

300VS-WIND RESISTANCE STAY (EXPOSED)
WR-13" SUS304 - Double Slider



PI - 2018702904



	Size / Thickness	13" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	17.5

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-WR-13" 3 Bar Hinge (Concealed)	SUS304	SS	50 pairs / ctn	RM33.00
300VS-WR-13" 3 Bar Hinge (Exposed)	SUS304	SS	50 pairs / ctn	RM33.00

300VS-FEATURES FRICTION STAY INFORMATION



Perfect fitted nose when it is closed for weather seal & draught proof.



* Left & Right position fixing.



Top Hung Window



Side Hung Window

03

VALOR 18SG SIDE HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
12" / 2.0mm	86° ± 2°	600	1200	18kg	14 ± 0.2	RM26.00
16" / 2.0mm	88° ± 2°	650	1500	22kg	14 ± 0.2	RM44.00

VALOR 18SG TOP HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
10" / 2.0mm	32° ± 2°	1000	600	20kg	14 ± 0.2	RM32.00
14" / 2.5mm	33° ± 2°	1200	1000	32kg	15.8 ± 0.2	RM40.00
16" / 2.5mm	32° ± 2°	1200	1100	35kg	15.8 ± 0.2	RM48.00
18" / 2.5mm	32° ± 2°	1300	1200	45kg	15.8 ± 0.2	RM54.00
20" / 3.0mm	33° ± 2°	1400	1200	50kg	16.8 ± 0.2	RM70.00
24" / 3.0mm	25° ± 2°	1500	1300	60kg	16.8 ± 0.2	RM90.00

VENTANA 22SG SIDE HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
12" / 3.0mm	86° ± 2°	650	1350	23kg	16.8 ± 0.2	RM48.00
16" / 3.0mm	88° ± 2°	700	1500	30kg	16.8 ± 0.2	RM62.00
18" / 3.0mm	80° ± 2°	750	1500	35kg	16.8 ± 0.2	RM75.00


VENTANA 22SG TOP HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
12" / 2.5mm	30° ± 2°	1000	1000	40kg	15.8 ± 0.2	RM52.00
16" / 2.5mm	30° ± 2°	1200	1200	50kg	15.8 ± 0.2	RM65.00
20" / 3.0mm	30° ± 2°	1400	1500	68kg	16.8 ± 0.2	RM104.00
24" / 3.0mm	27° ± 2°	1500	1600	75kg	16.8 ± 0.2	RM120.00
36" / 3.0mm	20° ± 2°	2000	2000	130kg	17 ± 0.2	RM190.00

04



**FOLDING DOOR
OPENING DIRECTION**



**MULTI FOLDING
DOOR**

Manufactured from quality materials, our rollers and guide ensure that the door system will consistently track in a smooth manner, with support for both the top and bottom of the system.

Advantage

- ✓ Ride smoothly and quiet on rails with precision single point contact.
- ✓ Easy mounting or dismounting of door panels.
- ✓ Top quality wheel bearing for better durability.
- ✓ Up to 6 wheels for smoother operation.



EXPOSED FOLDING DOOR GUIDE

The FD88 Multi Fold Door System is developed to satisfy most requirements of a flexible door access with superior performance functionality and good aesthetics.

Architectural grade alloy 6063-T5 aluminium extrusions are used to fabricate the aluminium frames which allow options to latest finishing including wood grain finishes.

The roller assembly being fabricated from either plated brass or special nylon with bearings, fitted to a stainless steel carriage designed lock pin which is mounted to the top roller shaft is preventing a loosening of the carriage assembly.

We are committed to improve and widen our range of products and services to cater to customers' needs, with the best.

TYPE	CLASS	PANEL SIZE < H X W (MM)	< WEIGHT (KG) PER PANEL
91TR-B	Super Durable	< 3000 x 800	90
744TR-N	Heavy Duty	< 3000 x 800	90
84TR-N	Light Duty	< 2400 x 600	60

FD88 Multi Fold Door System are using stainless steel, high quality ball bearing, nylon & brass material for smooth, silent, durable in fold and slide operation.



BS EN 13126-15 : 2008
PC 002243

Rollers for horizontal sliding and sliding folding windows and doors.


04

EXPOSED FOLDING DOOR CONFIGURATION




EXPOSED	0+2	0+3	0+4	0+5	1+2	1+3	1+4	1+5	2+2	3+3	4+4	5+5	2+3	2+4	2+5	3+5	
81SH	3	3	3	4	6	6	6	8	6	6	6	8	6	6	8	8	
82MH	2	3	5	6	2	3	5	6	4	6	10	12	5	7	8	9	
83MH	1	1	2	2	1	1	2	2	2	2	4	4	2	3	3	3	
84TR		1	1			1	1			2	2		1	1			
85BG	L																
	R		1	1	2		1	1	2		2	2	4	1	1	2	3
87BG	L																
	R	1		1		1		1		2		2		1	2	1	
86TR	1		1		1		1		2		2		1	2			
T28	1	1	2	2	1	1	2	2	2	2	4	4	2	3	3	3	
T29	1	1	2	2	1	1	2	2	2	2	4	4	2	3	3	3	
ET78		1	2	2	3	1	3	3	4	2	4	4	6	3	3	4	5
	ML80																
744TR				2				2				4			2	3	
766TR																1	
LOCK		1		1	1	2	1	2		2		2	1		1	2	


VERTICAL SECTIONAL VIEWS




Bottom Track




Inside View
85BG / 87BG



Bottom Track




Bottom Track





Inside View
88BG / 89BG

EXPOSED FOLDING DOOR

04



OPTIONAL LOCK COMBINATION



Advantage

- ☑ Range of product choices from diagram.
- ☑ Excellent combination options.
- ☑ Aluminium profiles compatible.
- ☑ Variety of door handles for aesthetic.

744TR




91TR



- Stainless steel grade mount body ensure corrosion resistance and higher load strength.
- Used of nylon and brass washer, hinge are utilized more quiet and smooth.
- Brass wheels extreme high-durability. Wear-resistant wheels and improved carriage operation.
- A large diameter of rotary shaft is more steady, greater strength and rigidity compare with normal 8mm shaft.


400VS-81SH

Heavy Duty Side Hinge




400VS-82MH

Mid Hinge




400VS-83DH

D-Hinge with Handle



400VS-84TR

Top Roller




400VS-85BG

Bottom Guide R/L




Inside View (R)



400VS-86TR


Top Roller



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-81SH	Aluminium	White / Black	200 pcs / ctn	RM26.00
400VS-82MH	Aluminium	White / Black	200 pcs / ctn	RM26.00
400VS-83DH	Aluminium	White / Black	100 pcs / ctn	RM30.00
400VS-84TR	Nylon / Zinc Alloy	White / Black	50 pcs / ctn	RM110.00
400VS-85BG	Aluminium / SUS304	White / Black	100 pcs / ctn	RM50.00
400VS-86TR	Nylon / Zinc Alloy	White / Black	50 pcs / ctn	RM110.00

400VS-87BG


Bottom Guide R/L (Concealed)



Inside View (R)

400VS-88BG


Bottom Guide R/L



Inside View (R)

400VS-89BG


Bottom Guide R/L



Inside View (R)


400VS-J761

Magnet Door Stopper




400VS-PL01

Latch Bolt Lock



400VS-POLO-JY-125 / JY-150

Security Bolt Lock



400VS-SLBL-11T / SBSL-11K


Door Bolt Lock




SLBL-11K Door bolt lock with unique key

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-87BG	Aluminium / SUS304	White / Black	100 pcs / ctn	RM50.00
400VS-88BG	Aluminium / SUS304	White / Black	100 pcs / ctn	RM50.00
400VS-89BG	Aluminium / SUS304	White / Black	100 pcs / ctn	RM50.00
400VS-J761	PVC	White / Black	100 pairs / ctn	RM40.00
400VS-PL01 (2pcs Key) KA	Zinc Alloy	White / Black	200 pcs / ctn	RM38.00
400VS-JY-125 (2pcs Key) KA	Zinc Alloy / SUS304	White / Silver / Black	50 set / ctn	RM100.00
400VS-JY-150 (2pcs Key) KA	Zinc Alloy / SUS304	White / Silver / Black	50 set / ctn	RM100.00
400VS-SLBL-11T	Zinc Alloy / SUS304	Silver / Black	50 set / ctn	RM150.00
400VS-SLBL-11K (2pcs Key) KA	Zinc Alloy / SUS304	Silver / Black	50 set / ctn	RM150.00


400VS-822MH-HVD
Heavy Duty Mid Hinge




400VS-833DH-HVD
Heavy Duty D-Hinge with Handle




400VS-744TR-N-HVD
Heavy Duty Top Roller with Nylon Wheels




400VS-766TR-N-HVD
Heavy Duty Top Roller with Nylon Wheels



400VS-91TR-B
Durable Top Roller with Brass Wheels



400VS-94TR-B
Durable Top Roller with Brass Wheels




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-822MH-HVD	Aluminium	White / Black	200 pcs / ctn	RM26.00
400VS-833DH-HVD	Aluminium	White / Black	100 pcs / ctn	RM32.00
400VS-744TR-N-HVD	SUS304 / Nylon	White / Black	50 pcs / ctn	RM200.00
400VS-766TR-N-HVD	SUS304 / Nylon	White / Black	50 pcs / ctn	RM200.00
400VS-91TR-B	SUS304 / Brass	White / Black	50 pcs / ctn	RM280.00
400VS-94TR-B	SUS304 / Brass	White / Black	50 pcs / ctn	RM280.00

04


400VS-T31

Concealed Door Handle



400VS-MBD0015

Lock Case - 25mm




400VS-T22022-HVD

Stainless Steel Collapsible Door Handle




Stainless Steel




400VS-T27

Lock Case - 25mm




400VS-T28

Collapsible Door Handle



400VS-T29


Lock Case - 20mm



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-T31	Zinc Alloy	White / Black	100 pcs / ctn	RM38.00
400VS-MBD-0015	Zinc Alloy	White / Black	50 pcs / ctn	RM112.00
400VS-T22022-HVD	Zinc Alloy / SUS304	White / Black	80 pcs / ctn	RM32.00
400VS-T27	Zinc Alloy	Silver	40 pcs / ctn	RM45.00
400VS-T28	Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM23.00
400VS-T29	Zinc Alloy	Silver / Black	100 pcs / ctn	RM26.00

400VS-15T78-HVD


Heavy Duty Square Latch Bolt



Recommended Bottom Rail

400VS-ET78


Square Latch Bolt



Recommended Bottom Rail

400VS-15L80-HVD


Heavy Duty Oval Latch Bolt



Recommended Bottom Rail

400VS-ML80


Oval Latch Bolt



Recommended Bottom Rail


400VS-MK79

Single Bolt Keeper




400VS-J195

Single Bolt Keeper



400VS-J961-K2

Double Bolt Keeper



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-15T78-HVD	SUS304	SS	180 pairs / ctn	RM40.00
400VS-ET78	Zinc Alloy	White / Black	250 pairs / ctn	RM10.00
400VS-15L80-HVD	SUS304	SS	300 pairs / ctn	RM43.00
400VS-ML80	Aluminium	White / Black	240 pairs / ctn	RM20.00
400VS-MK79	PVC	White / Black	50 pcs / pkt	RM8.00
400VS-J195	PVC	White / Black	50 pcs / pkt	RM8.00
400VS-J961-K2	PVC	White / Black	50 pcs / pkt	RM6.00

CONCEALED FOLDING DOOR GUIDE

This system uses a aluminium concealed profile. The hanging wheel and bottom wheel combination are completely hidden inside the aluminium, and the hinges are also hidden in the middle of the aluminium. All in this system only handle is exposed, and the exterior facade is grand and beautiful.

TYPE	CLASS	PANEL SIZE • H X W (MM)	• WEIGHT (KG) PER PANEL
CFD-33	Light Duty	< 2400 x 600	60kg
CFD-55	Heavy Duty	< 3000 x 800	90kg
CFD-66	Super Durable	< 3000 x 800	90kg

CONCEALED FOLDING DOOR CONFIGURATION


04



CONFIGURATION	2+0	3+0	4+0	5+0	6+0	2+1	3+1	4+1	5+1	2+2	3+3	4+4	5+5	2+3	2+4	3+4
FD33-HD310-N		1					1				2			1		
FD33-HD320		1	1	2	2		1	1	2		2	2	4	1		1
FD55-HD03-N	1					1				2				1	3	
FD55-HD04	1		1		1	1		1		2		2		1	3	1
MH-5580	12	20	28	36	44	16	24	32	40	24	40	56	72	32	40	48
FD-5560	1	2	2	3	3	2	3	3	4	2	4	4	6	3	3	4
T-21031	1	1	2	2	3	1	1	2	2	2	2	4	4	2	3	3
T-21029	1	1	2	2	3	1	1	2	2	2	2	4	4	2	3	3
T-20133	1	1	2	3	3	1	1	2	2	2	2	4	4	2	3	3
MB-5590	8	12	16	20	24	12	16	20	24	16	24	32	40	20	24	28
229DH+C70S+TML-395		1		1		1	2	1	2		2		2	1		1
FD66-HD01-N-HVD			1	2	2			1	2			2	4			1
FD66-HD03-N-HVD			1		1			1				2				1





CONCEALED FOLDING DOOR



04

OPTIONAL COMBINATION



Advantage

- ✓ Range of product choices from diagram.
- ✓ Excellent combination options.
- ✓ Aluminium profiles compatible.
- ✓ Roller series base on weight requirement.



10MM DIAMETER SHAFT

A large diameter of rotary shaft is more steady, greater strength and rigidity compare with normal 8mm shaft.



Roller Mount Body

STAINLESS STEEL ROLLER MOUNT BODY

Stainless steel grade mount body ensure corrosion resistance and higher load strength.



CORROSION RESISTANT BEARING

Built in high precision bearing ensure corrosion resistance and smooth quiet effortless move.




SUPER DURABLE


Extreme high durable wear resistance function movement.

04

400VS-FD33-HD310-N
Top Roller with Nylon Wheels




400VS-FD55-HD03-N
Top Roller with Nylon Wheels




400VS-FD33-HD320
Bottom Guide with Bearing Rollers - 16.8mm / 19mm



400VS-FD55-HD04
Bottom Guide with Bearing Roller - 16.8mm / 19mm



400VS-T-21028
Transmission Lock Box (Concealed)




400VS-MH-5580
Concealed Heavy Duty Hinge with Cover




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-FD33-HD310-N	Aluminium / Nylon	SS / Black	50 pcs / ctn	RM132.00
400VS-FD55-HD03-N	Zinc / Aluminium / Nylon	SS / Black	50 pcs / ctn	RM100.00
400VS-FD33-HD320-19mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	RM50.00
400VS-FD33-HD320-16.8mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	RM50.00
400VS-FD55-HD04-19mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	RM48.00
400VS-FD55-HD04-16.8mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	RM48.00
400VS-T-21028	Zinc Alloy	SS	50 pcs / ctn	RM65.00
400VS-MH-5580	Aluminium / Brass	White / Black	100 pcs / ctn	RM28.00

400VS-FD66-HD310-N-HVD
Heavy Duty Top Roller with Nylon Wheels




400VS-FD66-HD03-N-HVD
Heavy Duty Top Roller with Nylon Wheels




400VS-FD-5560-BIG
Concealed Flush Bolt




400VS-FD-5560-SMALL
Concealed Flush Bolt



400VS-FD55-HD01-B
Durable Top Roller with 4 Brass Wheels




400VS-FD55-HD330-B
Durable Top Roller with 4 Brass Wheels




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-FD66-HD310-N-HVD	SUS304 / Nylon	SS / Black	50 pcs / ctn	RM380.00
400VS-FD66-HD03-N-HVD	SUS304 / Nylon	SS / Black	50 pcs / ctn	RM360.00
400VS-FD-5560-Big	Zinc Alloy	Black	180 pair / ctn	RM30.00
400VS-FD-5560-Small	Zinc Alloy	Black	180 pair / ctn	RM32.00
400VS-FD55-HD01-B	SUS304 / Brass	SS / Black	50 pcs / ctn	RM400.00
400VS-FD55-HD330-B	SUS304 / Brass	SS / Black	50 pcs / ctn	RM380.00

04

400VS-T-21029
Lock Case




INSTALLATION GUIDE




*For product usage, please refer to Page 61.


400VS-T-21031
Concealed Door Handle



400VS-T-20133
Concealed Door Handle



400VS-SS36C
Stainless Steel Cover




*For product usage, please refer to Page 55 & Page 62.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-T-21029	Zinc Alloy	White / Black	120 pcs / ctn	RM40.00
400VS-T-21031	Zinc Alloy / SUS304	White / Black	60 pcs / ctn	RM72.00
400VS-T-20133	Zinc Alloy	White / Black	50 pcs / ctn	RM58.00
400VS-SS36C	SUS304	SS	160 pcs / ctn	RM28.00

FD LEVER MULTIPOINT LOCK CONFIGURATION

INSTALLATION GUIDE



04

400VS-ML1615-FULLSET
Door Lockset Single Key with Thumbturn


400VS-ML1617-FULLSET
Door Lockset Single Key with Thumbturn

400VS-ML1619-FULLSET
Door Lockset Single Key with Thumbturn



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-ML1615-Fullset (w/o Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	RM280.00
400VS-ML1616-Fullset (Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	RM300.00
400VS-ML1617-Fullset (w/o Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	RM280.00
400VS-ML1618-Fullset (Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	RM330.00
400VS-ML1619-Fullset (w/o Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	RM310.00

PERFORMANCE FOLD-UP WINDOW SYSTEM



CLOSE



OPEN

PRODUCT SECTION

Specification

Min. Size : 600mm(W) x 900mm(H)
 Max. Size : 3000mm(W) x 2100mm(H)
 Max Weight : 85kg
 Accessories : Coil Spring
 Max Glass Thickness : 5mm

Features


Modern & Contemporary Design
 Smooth Operation
 Durability & Secure
 Corrosion Resistance

Material

Aluminium Alloy

CODE	WIDTH	HEIGHT	MATERIAL	FINISHING	RM/UNIT
Fold Up Window	1200mm	1200mm	Aluminium Alloy	Matt Black	RM2400
Fold Up Window	1500mm	1500mm	Aluminium Alloy	Matt Black	RM3600
Fold Up Window	1800mm	1500mm	Aluminium Alloy	Matt Black	RM3840
Fold Up Window - Custom Size	Special Size Custom Size				

PERFORMANCE SLIDE-UP WINDOW SYSTEM



PRODUCT SECTION

Specification

Min. Size : 350mm(W) x 550mm(H)
 Max. Size : 2200mm(W) x 2000mm(H)
 Max. Weight : 60kg
 Accessories : Coil Spring
 Max Glass Thickness : 5mm

Features


Modern & Contemporary Design
 Smooth Operation
 Durability & Secure
 Corrosion Resistance

Material

Aluminium Alloy


CODE	WIDTH	HEIGHT	MATERIAL	FINISHING	RM/UNIT
Slide Up Window	Special Size Custom Size				

500VS-TYPICAL ELEVATIONS - 4 SLIDING PANELS
Vertical Sectional Details




05

Designed for ease of operation, optimum security and maximum durability. The ease of operation is also a result of our silent heavy duty roller assemblies.



Advantage


- ☑ Quality rollers ensure great durability.
- ☑ Smooth and quiet operation.
- ☑ Strong assembly.
- ☑ Easy to install.
- ☑ Corrosion resistance.



Stainless Steel Rail




Horizontal Sectional Details




05

500VS-MR-001-N
Sliding Door Roller Standard




MS MS 1017 Compliance
SRIM Report No : 2023MA0880

500VS-MR-001-B
Sliding Door Roller Standard




500VS-MR-002-N / MR-002-HVD
Sliding Window Roller




MS MS 1017 Compliance
SRIM Report No : 2023MA0882


500VS-MR-002-B
Sliding Window Roller



500VS-MR-004-N
Sliding Door Roller Economy




500VS-MR-004-B
Sliding Door Roller Economy




CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-001-N	40 kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	RM3.20
500VS-MR-002-N	15 kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	RM1.30
500VS-MR-004-N	40 kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	RM3.20
500VS-MR-001-B	50 kg	Mix Steel / Brass	Mill Finish	150 pcs / ctn	RM15.00
500VS-MR-002-B	25 kg	Mix Steel / Brass	Mill Finish	500 pcs / ctn	RM6.00
500VS-MR-004-B	50 kg	Mix Steel / Brass	Mill Finish	150 pcs / ctn	RM15.00
500VS-MR-002-HVD	40 kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	RM4.00
500VS-Matex MT-001	50 kg	Mix Steel / Nylon	Mill Finish	100 pcs / ctn	RM14.00
500VS-Matex MT-002	16 kg	Mix Steel / Nylon	Mill Finish	100 pcs / ctn	RM11.00
500VS-Matex MT-004	50 kg	Mix Steel / Nylon	Mill Finish	100 pcs / ctn	RM14.00

500VS-MR-001-DB / MR-001-DB-HVD
Sliding Door Double Roller Standard




MS MS 1017 Compliance
SIRIM Report No : 2023MA0635

500VS-MR-006-N-DB
Sliding Door Double Roller Economy




500VS-SC003 (MADE IN THAILAND)
Showcase Roller with Bearing



RED BOX S/Steel
BLUE BOX Brass

500VS-SC162
Showcase Roller with Bearing




500VS-MR-007-N
Sliding Top Roller



80kg

500VS-MR-13-N / MR-13-HVD
Sliding Window Roller - LB



CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-001-DB	60 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	RM10.00
500VS-MR-001-DB-HVD	90 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	RM14.00
500VS-MR-006-N	60 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	RM8.00
500VS-SC003 (M.I. Thailand Red)	10 kg	Stainless Steel	SS	100 pcs x 25 box / ctn	RM2.30
500VS-SC003 (M.I. Thailand Blue)	5 kg	Brass	SS	100 pcs x 25 box / ctn	RM1.80
500VS-SC162	13 kg	Mix Steel / Zinc	SS	100 pcs x 10 box / ctn	RM3.00
500VS-MR-007-N	80 kg	Mix Steel / Nylon	SS	50 pairs / ctn	RM36.00
500VS-MR-13-N	25 kg	PVC / Nylon	White	1000 pcs / ctn	RM4.60
500VS-MR-13-HVD	35 kg	PVC / Nylon	White	1000 pcs / ctn	RM6.00

05

500VS-MR-17

Performance Sliding Door Roller




500VS-MR-21

Performance Sliding Door Roller




500VS-MR-22

Performance Sliding Door Roller



500VS-MR-39

Performance Sliding Door Roller




500VS-MR-28-V

Performance Sliding Door Roller



500VS-MR-28-U

Performance Sliding Door Roller




MS 1017 Compliance Report No : 2023MA0881

MS 1017 Compliance Report No : 2023MA0881

CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-17-U	200 kg	Stainless Steel / Nylon	SS	50 pcs / ctn	RM120.00
500VS-MR-17-V	200 kg	Stainless Steel / Nylon	SS	50 pcs / ctn	RM120.00
500VS-MR-21-U	150 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	RM56.00
500VS-MR-22-U	100 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	RM26.00
500VS-MR-39-U	80 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	RM24.00
500VS-MR-28-U	100 kg	Stainless Steel / Nylon	SS	200 pcs / ctn	RM24.00
500VS-MR-28-V	100 kg	Stainless Steel / Nylon	SS	200 pcs / ctn	RM24.00
500VS-1605 Spacer	-	Aluminium	Silver	200 pcs / ctn	RM5.00
500VS-2528 Spacer	-	Aluminium	Silver	200 pcs / ctn	RM5.00


500VS-MR-36

Sliding Window Roller with MP928 Stopper




500VS-5311-TE

FAPIM Sliding Door Roller




500VS-MR-40-MD

Sliding Door Roller




500VS-MR-41-HD

Sliding Door Roller




500VS-MR-434-HVD

Sliding Door Roller



500VS-MR-46

Sliding Door Roller



CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-36	36 kg	Stainless Steel / Nylon	SS	400 set / ctn	RM16.00
500VS-5311-TE	150 kg	PVC / Nylon	Black	50 pcs / ctn	RM52.00
500VS-MR-40-MD	100 kg	Stainless Steel / Nylon	SS	200 pcs / ctn	RM30.00
500VS-MR-41-HD	150 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	RM65.00
500VS-MR-434	250 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	RM170.00
500VS-MR-46	150 kg	Stainless Steel / Nylon	SS	50 pcs / ctn	RM48.00
500VS-7062 Spacer	-	Aluminium	Silver	200 pcs / ctn	RM5.00


05

500VS-MR-59-S-52
Sliding Door Roller



MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-53
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-55
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-58
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-59
Sliding Door Roller



MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM



MR-59 Series - 625ZZ 5x16x5 -millimeter shielded miniature ball bearing has deep groove geometry for high speeds and supporting both radial and axial loads. Its chrome steel construction makes it durable and resistant to deformity under heavy loads.



CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-59-S-52	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	RM24.00
500VS-MR-59-S-53	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	RM24.00
500VS-MR-59-S-55	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	RM24.00
500VS-MR-59-S-58	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	RM24.00
500VS-MR-59-S-59	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	RM24.00

500VS-2100
Sliding Door Top Roller




- 2 Roller Set
- 2 End Stopper
- 1 Nylon Bottom Guide

500VS-2200
Sliding and Folding Door Top Roller




- 2 Roller Set
- 2 End Stopper
- 1 Nylon Bottom Guide

500VS-2300
Wall Mount Bracket




500VS-SG-2000
Aluminium Top Track



CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-2100	100 kg	Zinc Alloy / Nylon	Silver	30 sets / ctn	RM64.00
500VS-2200	50 - 80 kg	Zinc Alloy / Nylon	Silver	30 sets / ctn	RM44.00
500VS-2300	-	Steel	SS	50 pcs / ctn	RM7.00

CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-SG-2000	2 meter	Aluminium	Silver	-	RM60.00
	3 meter				RM90.00
	4 meter				RM120.00
	5 meter				RM176.00

06



NOBLE DOOR LOCK

The variety of sliding door handles that are perfect for all and added security measure with precise designed.

Advantage

- Aesthetics design.
- Ergonomic handle makes it comfortable to use daily.
- A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- Sufficient circumference to distribute the force comfortably and safety over the hand.
- Easy to install and maintain.
- Key-lock security and thumbturn mechanism.



600VS-601

Sliding Lock with Double Key




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-602

Sliding Lock with Thumbturn & Key



MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-603

Sliding Lock with Thumbturn




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :


600VS-604

Sliding Dummy Handle



600VS-605

Sliding Lock with Thumbturn & Key




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-606


Sliding Dummy Handle



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-601	Zinc Die-Cast	White / Black	20 sets / ctn	RM240.00
600VS-602	Zinc Die-Cast	White / Black	20 sets / ctn	RM200.00
600VS-603	Zinc Die-Cast	White / Black	20 sets / ctn	RM180.00
600VS-604	Zinc Die-Cast	White / Black	20 sets / ctn	RM120.00
600VS-605	Zinc Die-Cast	White / Black	20 sets / ctn	RM200.00
600VS-606	Zinc Die-Cast	White / Black	20 sets / ctn	RM120.00

600VS-6100

Sliding Lock with Thumbturn




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-6400

Sliding Dummy Handle




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-6300 / 600VS-6200 KEY

Sliding Lock with Thumbturn / Key




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-6900

Sliding Lock with Thumbturn




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-607

Sliding Lock with Thumbturn & Key




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-609

Sliding Lock with Single Side Thumbturn



MS 1017 Compliance
Report No : 2023MA0705


Strike Plate Options :



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-6100	Zinc Die-Cast	White / Black	20 sets / ctn	RM160.00
600VS-6400	Zinc Die-Cast	White / Black	20 sets / ctn	RM100.00
600VS-6200 Key	Zinc Die-Cast	White / Black	20 sets / ctn	RM240.00
600VS-6300	Zinc Die-Cast	White / Black	20 sets / ctn	RM200.00
600VS-6900	Zinc Die-Cast	White / Black	20 sets / ctn	RM170.00
600VS-607	Zinc Die-Cast	White / Black	20 sets / ctn	RM180.00
600VS-609	Zinc Die-Cast	White / Black	20 sets / ctn	RM160.00

600VS-6500

Mortise Lockcase Backset 28mm / 37mm



600VS-601-KEY SET




For 601



MS 1017 Compliance
Report No : 2023MA0705


600VS-6800-SP

Striker Plate C-Shape




600VS-6801-SP

Striker Plate U-Shape




600VS-6802-SP

Striker Plate Flat Shape




600VS-6803-SP

Striker Plate V-Shape




600VS-6804-SP

Striker Plate Semi-Circle Shape



600VS-6805-SP


Striker Plate C-Shape



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-6500-28mm	SUS304	SS	50 pcs / ctn	RM100.00
600VS-6500-37mm	SUS304	SS	50 pcs / ctn	RM120.00
600VS-601-Key Set	Brass	PB	50 pcs / ctn	RM38.00
600VS-6800-SP	SUS304	SS	100 pcs / ctn	RM22.00
600VS-6801-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-6802-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-6803-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-6804-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-6805-SP	SUS304	White / Black	50 pcs / ctn	RM28.00

600VS-SD-1

Sliding Door Lock Single with Key / without Key




MS 1017 Compliance
Report No : 2023MA0706

Strike Plate Options :



600VS-SD-2

Sliding Door Lock Double with Key / without Key



MS 1017 Compliance
Report No : 2023MA0706

Strike Plate Options :




600VS-SD-3

Sliding Door Lock Single with Key / without Key



600VS-SD-4


Sliding Door Lock Double with Key / without Key



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SD-1 with Key	Aluminium	White / Black	10 sets / ctn	RM160.00
600VS-SD-2 with Key	Aluminium	White / Black	10 sets / ctn	RM186.00
600VS-SD-3 with Key	Zinc Alloy	White / Black	10 sets / ctn	RM140.00
600VS-SD-4 with Key	Zinc Alloy	White / Black	10 sets / ctn	RM170.00
600VS-SD-1 without Key	Aluminium	White / Black	10 sets / ctn	RM148.00
600VS-SD-2 without Key	Aluminium	White / Black	10 sets / ctn	RM175.00
600VS-SD-3 without Key	Zinc Alloy	White / Black	10 sets / ctn	RM130.00
600VS-SD-4 without Key	Zinc Alloy	White / Black	10 sets / ctn	RM152.00

600VS-THL-0013

Mortise Lockcase Backset 26.5mm



MS MS 1017 Compliance
SIRIM Report No : 2023MA0705


600VS-SD1-KEY SET



For SD-1


600VS-VSD-1002-SP

Striker Plate V-Shape




600VS-SD-1004-SP

Striker Plate Flat Shape




600VS-SD-1005-SP

Striker Plate Semi-Circle Shape



600VS-SDH-141

Sliding Door Keeper with (SD1 / SD2)




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SD-1002-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-SD-1003-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-SD-1-Key Set	Brass	PB	100 pcs / ctn	RM38.00
600VS-SD-1004-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-SD-1005-SP	SUS304	SS	100 pcs / ctn	RM12.00
600VS-THL-0013	SUS304	SS	40 pcs / ctn	RM96.00
600VS-SDH-141	Zinc Alloy	Black / White	100 pcs / ctn	RM22.00


06




600VS-HE-220Y
Sliding Door Handle




600VS-HE-3A
Sliding Door Handle




600VS-HE-1E
Sliding Door Handle



600VS-HE-2A
Sliding Door Handle




600VS-HE-4R
Sliding Door Handle



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-HE-3A	Aluminium	White / Black	20 pairs / ctn	RM240.00
600VS-HE-1E	Zinc Alloy	White / Black	50 pcs / ctn	RM30.00
600VS-HE-2A	Aluminium / Solid	White / Black	50 pcs / ctn	RM24.00
600VS-HE-4R	Aluminium	White / Black	50 pcs / ctn	RM18.00
600VS-HE-220Y	Aluminium	White / Black	50 pcs / ctn	RM110.00


600VS-DS-2322
Sliding Door Flush Pull with Lock Case




INSTALLATION DIAGRAM




600VS-HE-L3
Multi Lock Hook



600VS-HE-L4
Multi Lock Hook



600VS-SDH-150C-32mm / 36mm / 40mm
Sliding Door Hook



Thickness = 2.5mm

600VS-SDH-150-32mm / 36mm
Sliding Door Hook




Thickness = 2.5mm

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-2322	Zinc Alloy	SN	36 sets / ctn	RM120.00
600VS-HE-L3	Aluminium	Silver	1000 pcs / ctn	RM7.00
600VS-HE-L4	Aluminium	Silver	1000 pcs / ctn	RM7.00
600VS-150-32mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150C-32mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150-36mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150C-36mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.00
600VS-150C-40mm	Stainless Steel 201	SS	1000 pcs / ctn	RM2.60

06

600VS-HESL-13S

Sliding Door Single Door Lock




600VS-HESL-15A

Sliding Door Lock without Key 32mm / 38mm




600VS-HESL-16A

Sliding Door Lock with Key 32mm / 38mm



600VS-HESL-156D

Sliding Dummy Handle



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-HESL-13S	-	Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM18.00
600VS-HESL-15A	32 mm	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM22.00
	38 mm				
600VS-HESL-16A	32 mm	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM23.00
	38 mm				RM33.00
600VS-HESL-156D	-	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM20.00

600VS-A-7 (NO KEY)
Sliding Door Lock 25mm / 32mm




600VS-A-8 (KEY)
Sliding Door Lock 25mm / 32mm



600VS-A-6 (KEY)
Sliding Door Lock 25mm / 32mm




600VS-MSL-1010AB / MSL-1010AC / MSL-1010AD
Multi Sliding Door Lock




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-A-7	25 mm	Aluminium	White / Black / Silver	100 pcs / ctn	RM19.00
	32 mm				
600VS-A-8	25 mm	Aluminium	White / Black / Silver	100 pcs / ctn	RM20.00
	32 mm				
600VS-A-6	25 mm	Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM16.00
	32 mm				RM18.00
600VS-PT-02	32 mm	PVC	Black	200 pcs / ctn	RM4.00
600VS-PT-01	32 mm	Zinc Alloy	SS	200 pcs / ctn	RM2.30
600VS-MSL-1010AB - with Key	-	Aluminium	Black / Silver	20 sets / ctn	RM250.00
600VS-MSL-1010AC - without Key	-	Aluminium	Black / Silver	20 sets / ctn	RM220.00
600VS-MSL-1010AD - with Dummy	-	Aluminium / Zinc Alloy	Black / Silver	20 sets / ctn	RM190.00

06


600VS-MSL1030
Multi Sliding Door Lock



600VS-HE-7D
Sliding Door Lock without Key



600VS-HE-8D
Sliding Door Lock with Key




600VS-HE-78D
Sliding Dummy Handle




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-1030-without Key	32 mm-45 mm	Aluminium	White / Black	20 pcs / ctn	RM180.00
600VS-1030-with Key	32 mm-45 mm	Aluminium	White / Black	20 pcs / ctn	RM200.00
600VS-HE-7D	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM76.00
600VS-HE-8D	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM90.00
600VS-HE-78	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM70.00


600VS-HESL-28S
Sliding Door Single Door Lock




600VS-HESL-27D
Sliding Dummy Handle



600VS-HESL-25J
Sliding Door Lock without Key 32mm / 38mm




600VS-HESL-26J
Sliding Door Lock with Key 32mm / 38mm



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-HESL-28S	-	Zinc Alloy	White / Black	50 pcs / ctn	RM45.00
600VS-HESL-27D	32 mm	Zinc Alloy	White / Black	50 pcs / ctn	RM45.00
600VS-HESL-25J	32 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM48.00
	38 mm				
600VS-HESL-26J	32 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	RM50.00
	38 mm				

06

600VS-232-DH
Lever Mortise Handle



600VS-233-DH
Lever Mortise Handle (CNC Cut)



600VS-218-DH
Lever Dummy Handle




600VS-228-DH
Lever Mortise Handle



600VS-229-DH
Lever Mortise Handle



600VS-238-DH
Lever Mortise Handle




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-232-DH	Aluminium	White / Black	20 sets / ctn	RM100.00
600VS-233-DH	Aluminium	White / Black	20 sets / ctn	RM140.00
600VS-218-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	RM74.00
600VS-228-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	RM74.00
600VS-229-DH	Aluminium	White / Black	20 sets / ctn	RM74.00
600VS-238-DH	Zinc / Aluminium	White / Black	20 sets / ctn	RM74.00
600VS-8 x 8 Spindel 70mm	Iron	SS	300 pcs / ctn	RM3.00

600VS-GL-01-F33
Lever Handle & Escutcheon




600VS-GL-03-F33
Lever Handle & Escutcheon



600VS-GL-04-F33
Lever Handle & Escutcheon



600VS-GL-33-F33
Lever Handle & Escutcheon




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-GL-01-F33	SUS304	SS	20 sets / ctn	RM90.00
600VS-GL-03-F33	SUS304	SS	20 sets / ctn	RM90.00
600VS-GL-04-F33	SUS304	SS	20 sets / ctn	RM90.00
600VS-GL-33-F33	SUS304	SS	20 sets / ctn	RM90.00
600VS-GL-01-F33	SUS304	Black	20 sets / ctn	RM105.00
600VS-GL-03-F33	SUS304	Black	20 sets / ctn	RM105.00
600VS-GL-04-F33	SUS304	Black	20 sets / ctn	RM105.00
600VS-GL-33-F33	SUS304	Black	20 sets / ctn	RM105.00

06





600VS-LH-230
Entrance Handle Set


600VS-LML-2570-60D
Lever Mortise Handle with 25mm x 70mm Mortise Lock
60D Double Key Profile Cylinder



600VS-LH-231
Entrance Handle Set



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-LH-230	SUS304	SS	12 sets / ctn	RM260.00
600VS-LH-231	SUS304	SS	12 sets / ctn	RM240.00
600VS-LML-2570-60D	Zinc Alloy	SN	20 sets / ctn	RM120.00
600VS-LML-2570-60D	Zinc Alloy	AB	20 sets / ctn	RM130.00



MORTISE LOCK

Our range of mortise locks feature advanced design concept for extreme reliability where the Latch, the Dead Bolt and the Strike Plate are manufactured using high quality material grade for exceptional durability.


Advantage

- ✓ Excellent durability.
- ✓ Tested and certified.
- ✓ Double-turn door locks for better safety.
- ✓ Easy to install and maintain.
- ✓ Manufactured with the highest quality of material.



600VS-SGSL-85
25mm / 30mm / 35mm

06



SUS304 Forend Plate & Striker Plate



SUS304



SUS304



SUS304

CODE	J	K	L	M	N	O	P	Q
25 x 85	25	85	42	172	240	23	15	3
30 x 85	30	85	47	172	240	23	15	3
35 x 85	35	85	52	172	240	23	15	3

A - Forend Plate	I - Spring
B - Latch Bolt	J - Backset
C - Dead Bolt	K - Distance
D - Screw Channel for Cylinder	L - Lockcase Width
E - Lockcase	M - Lockcase Height
F - Action-Arm	N - Forend Length
G - Follower	O - Forend Width
H - Turning Device	P - Lockcase Thickness
	Q - Forend Thickness

Specification

- ☑ Stainless Steel SUS304 3mm thickness forend plate (Square).
- ☑ Stainless Steel SUS304 1.5mm thickness striker plate (Square).
- ☑ Stainless Steel SUS304 1 x Curve design latch bolt.
- ☑ Stainless Steel SUS304 1 x Square dead bolt.
- ☑ Electrolytic steel 1.2mm lockcase.
- ☑ 8mm x 8mm follower.

Features

- ☑ 25, 30, 35, 40 Backset of door.
- ☑ 85mm center distance of lock.
- ☑ Sash lock function.
- ☑ Reversible latch lock.




ANSI/BHMA A 156.13 : 2005
PC 002072

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SGSL-85 25mm	SUS304 / Brass	SS	20 pcs / ctn	RM59.00
600VS-SGSL-85 30mm	SUS304 / Brass	SS	20 pcs / ctn	RM78.00
600VS-SGSL-85 35mm	SUS304 / Brass	SS	20 pcs / ctn	RM82.00

600VS-SGSL-85

40mm / 45mm / 50mm / 60mm



SUS304 Forend Plate & Striker Plate



SUS304



SUS304



SUS304

CODE	J	K	L	M	N	O	P	Q
40 x 85	40	85	67	172	240	23	15	3
45 x 85	45	85	72	172	240	23	15	3
50 x 85	50	85	76	172	240	23	15	3
60 x 85	60	85	87	172	240	23	15	3

A - Forend Plate	I - Spring
B - Latch Bolt	J - Backset
C - Dead Bolt	K - Distance
D - Screw Channel for Cylinder	L - Lockcase Width
E - Lockcase	M - Lockcase Height
F - Action-Arm	N - Forend Length
G - Follower	O - Forend Width
H - Turning Device	P - Lockcase Thickness
	Q - Forend Thickness

Specification

- Stainless Steel SUS304 3mm thickness forend plate (Square).
- Stainless Steel SUS304 1.5mm thickness striker plate (Square).
- Stainless Steel SUS304 1 x Curve design latch bolt.
- Stainless Steel SUS304 1 x Square dead bolt.
- Electrolytic steel 1.2mm lockcase.
- 8mm x 8mm follower.

Features

- 45, 50, 60 Backset of door.
- 85mm center distance of lock.
- Sash lock function.
- Reversible latch lock.



ANSI/BHMA A 156.13 : 2005
PC 002072

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SGSL-85 40mm	SUS304 / Brass	SS	20 pcs / ctn	RM86.00
600VS-SGSL-85 45mm	SUS304 / Brass	SS	20 pcs / ctn	RM99.00
600VS-SGSL-85 50mm	SUS304 / Brass	SS	20 pcs / ctn	RM105.00
600VS-SGSL-85 60mm	SUS304 / Brass	SS	20 pcs / ctn	RM109.00

06


600VS-MLDS-500 / MLDS-510
Mortise Hook Lock




600VS-ML-182
Mortise Hook Lock



600VS-TSL-183
Sliding Mortise Lock - Twin Hook



600VS-TSL-188
Sliding Mortise Lock - Twin Hook (35mm)




CODE	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-MLDS-500 / MLDS-510	40	Zinc Alloy	SS	50 pcs / ctn	RM120.00
600VS-ML-182	30	SUS304	SS	20 pcs / ctn	RM70.00
600VS-TSL-183	30	SUS304	SS	20 pcs / ctn	RM76.00
600VS-TSL-188	35	SUS304	SS	20 pcs / ctn	RM140.00


600VS-SML-177
Sliding Mortise Single Hook Lock




600VS-SML-119
Sliding Mortise Single Hook Lock



600VS-SLC-185
Swing Mortise Dead Lock (Backset 30mm)




600VS-SLC-184
Swing Mortise Dead Lock 45mm / 100mm




CODE	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SML-177	27.5	SUS304	SS	20 pcs / ctn	RM110.00
600VS-SML-119	30	SUS304	SS	40 pcs / ctn	RM41.00
600VS-SLC-185	45	SUS304	SS	40 pcs / ctn	RM52.00
600VS-SLC-184	100	SUS304	SS	40 pcs / ctn	RM180.00
600VS-SLC-184	45	SUS304	SS	40 pcs / ctn	RM52.00

06


600VS-TML-394
Twin Multi Lock



600VS-TML-395
Twin Multi Lock



600VS-TML-3591
Twin Multi Lock - 35mm




600VS-TML-1123
Twin Multi Lock




CODE	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-TML-394	35	SUS304	SS	40 pcs / ctn	RM190.00
600VS-TML-394	35	SUS304	Matt Black	40 pcs / ctn	RM220.00
600VS-TML-395	35	SUS304	SS	20 pcs / ctn	RM180.00
600VS-TML-395	35	SUS304	Matt Black	20 pcs / ctn	RM210.00
600VS-TML-3591 / MSW-119	35	SUS304	SS	20 pcs / ctn	RM180.00
600VS-TML-1123	35	SUS304	SS	20 pcs / ctn	RM120.00


600VS-3085-SP
Steel Plate




600VS-4085-SP
Steel Plate




600VS-ML-182-SP
Steel Plate




600VS-TSL-183-SP
Steel Plate




600VS-TSL-188-SP
Steel Plate




600VS-SML-177-SP
Steel Plate




600VS-SML-119-SP
Steel Plate




600VS-SLC-184-SP
Steel Plate




600VS-SLC-185-SP
Steel Plate




600VS-TML-394-SP
Steel Plate



600VS-TML-3591-SP
Steel Plate




600VS-TML-1123-SP
Steel Plate



CODE	THICKNESS	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-25/30/35-SP	1.0	SUS304	SS	40 pcs / ctn	RM6.80
600VS-40/45/50/60-SP	1.0	SUS304	SS	20 pcs / ctn	RM8.80
600VS-ML-182-SP	1.2	SUS304	SS	20 pcs / ctn	RM8.00
600VS-TSL-183-SP	2.5	SUS304	SS	20 pcs / ctn	RM10.00
600VS-TSL-188-SP	2.5	SUS304	SS	40 pcs / ctn	RM10.00
600VS-SML-177-SP	1.6	SUS304	SS	20 pcs / ctn	RM6.80
600VS-SML-119-SP	3.0	SUS304	SS	20 pcs / ctn	RM10.00
600VS-SLC-184-SP	1.2	SUS304	SS	20 pcs / ctn	RM8.00
600VS-SLC-185-SP	1.0	SUS304	SS	40 pcs / ctn	RM6.80
600VS-TML-394-SP	1.0	SUS304	SS	20 pcs / ctn	RM8.00
600VS-TML-3591-SP	3.0	SUS304	SS	20 pcs / ctn	RM10.00
600VS-TML-1123-SP	2.5	SUS304	SS	20 pcs / ctn	RM10.00


600VS-MASTER KEY TERMINOLOGIES

06




KEY ALIKE SYSTEM

All the cylinders have the same differ and be opened only by one key.




COMMON KEY

All cylinders by an individual's key system.



MASTER KEY SYSTEM


Every cylinder can be opened by its own key which cannot open any other cylinder of the system. All the cylinders can be opened by MK management key.



CONSTRUCTION KEYED SYSTEM

A system where it is necessary for contractors to gain entry to a building during construction but to prevent entry by the same contractors after the building has been occupied or handed over.

The system makes it possible to change from construction keying to normal keying.



GRAND MASTER KEY SYSTEM

Same as the management key system but in two or more groups. Every group of cylinders can be opened by its own service key. All the cylinders of the system can be opened by the GMK grand management key.

CYLINDER MUTUAL OPENING RATE:

The calculation method of the mutual opening rate of the lock core teeth is $6 \times 5 \times 5 \times 5 \times 5 \times 5 = 18750$ changes, and this is only theoretical data. It has to be deleted some adjacent teeth. For example, only one of the teeth of 123451 and 113451 can be used. Therefore, the number of teeth that can be used is about $18750 \times 0.7 = 13125$. That is to say, the probability of mutual opening rate is one in ten thousand.

VSP PRODUCTS WITH KEY:

- 100VS-Single point KA -1pc
- 100VS-Multipoint KA -2pcs
- 100VS/400VS-Folding Handle CK -2pcs
- 600VS-Profile Cylinder CK -5pcs
- 600VS-Sliding Door Lock CK -2pcs
- 600VS-Tubular Lever lock CK -3pcs
- 900VS-Pull Handle CK -5pcs

600VS-C70-D
Cylinder Double Key



600VS-C70-S
Cylinder Single Key / Thumbturn




600VS-DEAP 70-P
Emergency Slot / Thumbturn




600VS-C45-T
One Sided Thumbturn



600VS-C45-HC
One Sided Key



C-45



C-70









CODE	(L)	A	B	FUNCTION	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-C60-S/D (5pcs Key)	60	30	30	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	RM57.00
600VS-C70-S/D (5pcs Key)	70	35	35	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	RM62.00
600VS-C90-S/D (5pcs Key)	90	45	45	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	RM142.00
600VS-C100-S/D (5pcs Key)	100	50	50	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	RM160.00
600VS-C115-S/D (5pcs Key)	115	57.5	57.5	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	RM170.00
600VS-C125-S/D (5pcs Key)	125	62.5	62.5	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	RM180.00
600VS-DEAP 70-P	70	35	35	Privacy	Brass	SN	40 pcs / ctn	RM60.00
600VS-45-T	45	10	35	Single Side Thumbturn	Brass	SN	40 pcs / ctn	RM55.00
600VS-45-HC (5pcs Key)	45	10	35	Single Side Key	Brass	SN	40 pcs / ctn	RM55.00
600VS-C60-D (5pcs Key)	60	30	35	Double Key	Brass	Black	40 pcs / ctn	RM69.00
600VS-C70-S/D (5pcs Key)	70	35	35	Single Key / Double Key / Thumbturn	Brass	Black	40 pcs / ctn	RM75.00

600VS-LOTO-ML3085 MORTISE

600VS-LOTO-S70 CYLINDER

06




BACKSET	A	B	C	D	E	F
30 x 85	30	85	47.5	172.4	238	22

FUNCTION	FEATURES
Mortise Lock	<ul style="list-style-type: none"> • With latch bolt & deadbolt. • Outside cylinder retracts latch bolt & lock or unlock deadbolt. • Inside thumbturn or cylinder retracts latch bolt and lock or unlock deadbolt. • Outside and inside handle / knob always retracts latch bolt.


FUNCTION	Cylinder Lock
FEATURES	Single Key & Thumbturn
LENGTH (MM)	70
A (MM)	35
B (MM)	35
C (MM)	10

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-LOTO-ML3085	Stainless Steel 201	SS	50 pcs / ctn	RM70.00
600VS-LOTO-S70	Brass	SN	50 pcs / ctn	RM54.00

600VS-DUMMY COVER
Profile Cylinder Cover




600VS-F-33B
Oval Escutcheon




600VS-F-34R
Round Escutcheon



600VS-F-34S
Square Escutcheon



600VS-F-99C
Square Escutcheon



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-Dummy Cover	Zinc Alloy	White / Black / SS	60 pairs / ctn	RM24.00
600VS-F-33B	SUS304	SS	200 sets / ctn	RM30.00
600VS-F-34R	SUS304	SS	200 sets / ctn	RM30.00
600VS-F-34S	SUS304	SS	200 sets / ctn	RM35.00
600VS-F-99C	Zinc Alloy	White / Black	200 sets / ctn	RM20.00

06



IP65
Waterproof



Pin Password
to Unlock



APP Remote
Unlock



Biological
Fingerprint Lock



Emergency
Key Unlock



Emergency
External Power
Supply. USB Charging




Card Access



600VS-TML-394

600VS-DGTL-A2

Digital Fingerprint Lock System




TECHNICAL PARAMETERS

STATIC CURRENT	± 50 µA
DYNAMIC CURRENT	≤ 180 mA
ADMINISTRATORS NUMBER	9
FINGERPRINT NUMBER	100
FINGERPRINT + PASSWORD + CARD CAPACITY	300
FINGERPRINT SENSOR	Semiconductor
FINGERPRINT CONTRAST TIME	≤ 0.65 Second
FINGERPRINT IDENTIFICATION ANGLE	360°
FALSE REJECTION RATE	≤ 0.1%
FALSE RECOGNITION RATE	± 0.0001%
REACTION TIME	± 0.1 Second
POWER TYPE	6V
EMERGENCY POWER	5VDC
WORKING TEMPERATURE	- 25°C ~ 60°C
WORKING RELATIVE HUMIDITY	20% ~ 90% RH
HUMAN VOICE	Yes
KEYBOARD	Touch Standard 12-Bit Keyboard
PASSWORD LENGTH	4 - 8 Digits
PHANTOM PASSWORD	32 Digits
LOW VOLTAGE ALARM	4.6 ± 0.2V
UNLOCK TIME	≤ 1 Second

CODE	(RM) / UNIT
600VS-DGTL-A2	RM1395.00


600VS-192

Showcase Lock L/R




600VS-5128-D

Mortise Hook Lock with Double Key




600VS-41054 SINGLE / DOUBLE

Dead Lock




600VS-41055 SINGLE / DOUBLE

Hook Lock




600VS-55mm-CYL

Single Key / Thumbturn



600VS-55mm-CYL

Double Key



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-192	Stainless Steel 201	Chrome	200 box / ctn	RM15.00
600VS-5128-D	Mix Steel	SN	20 pcs / ctn	RM90.00
600VS-41054 Single	Brass / Zinc Alloy	SS	50 pcs / ctn	RM22.00
600VS-41054 Double	Brass / Zinc Alloy	SS	50 pcs / ctn	RM22.00
600VS-41055 Single	Brass / Zinc Alloy	SS	50 pcs / ctn	RM22.00
600VS-41055 Double	Brass / Zinc Alloy	SS	50 pcs / ctn	RM22.00
600VS-55mm-CYL (S/T)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	RM14.00
600VS-55mm-CYL (D)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	RM14.00
600VS-41054 Single (KA)	Brass / Zinc Alloy	SS	50 pcs / ctn	RM24.00
600VS-41055 Double (KA)	Brass / Zinc Alloy	SS	50 pcs / ctn	RM24.00
600VS-55mm-CYL (S/T) (KA)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	RM14.00
600VS-55mm-CYL (D) (KA)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	RM14.00

06




TURBULAR LEVER & CYLINDER KNOB LOCK

This lock has a unique feature that allows you to turn the key on either of the knobs 360 degrees so the lock will remain unlocked at all times or if only turned to unlock for entry or exit the lock will remain locked at all times upon closing.



Advantage



- ✓ Suitable for most doors.
- ✓ Simple and precise operation.
- ✓ Precise lock cylinder system.
- ✓ Corrosion resistance.
- ✓ Deadlocking latchbolt operated by lever from either side.
- ✓ Great strength and durability.
- ✓ Turning the key in either lever locks or unlocks its own lever independently.



This lever will fit 35mm to 45mm door thickness



600VS-VTL-0600

Turbular Lever with Key & Thumbturn





600VS-VTL-8007

Turbular Lever with Key & Thumbturn





600VS-GL-08-F33

Lever Handle with Quick Lock Release



600VS-GL-09-F33

Lever Handle with Quick Lock Release



CODE	FUNCTION	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-VTL-0600	Key & Thumbturn	60 - 70	SUS304	SN	24 pcs / ctn	RM60.00
				Black		RM65.00
600VS-VTL-0610	Privacy	60 - 70	SUS304	SN	24 pcs / ctn	RM68.00
				Black		RM72.00
600VS-VTL-8007	Key & Thumbturn	60 - 70	Zinc Alloy	SN	12 pcs / ctn	RM138.00
				Black		RM150.00
600VS-VTL-8008	Privacy	60 - 70	Zinc Alloy	SN	12 pcs / ctn	RM126.00
				Black		RM138.00
600VS-GL-08-F33	Privacy	-	SUS304	SS	20 sets / ctn	RM141.00
600VS-GL-09-F33	Privacy	-	SUS304	SS	20 sets / ctn	RM141.00


600VS-VTL-1635-KEY

Tubular Lever Handle Lock-W/key & Thumbturn

600VS-VTL-1635-P


Tubular Lever Handle Lock-Privacy

06



600VS-DOOR LATCH

25m/35mm/40mm /50mm



SIZE	X	Y
25	25	35
35	35	48
40	40	53
50	50	63



CODE	FUNCTION	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-VTL-1635 w/key (3pcs Key)	Key & Thumbturn	-	Aluminium	White	50 set / ctn	RM95.00
				Black		RM95.00
600VS-VTL-1635	Privacy	-	Aluminium	White	50 set / ctn	RM85.00
				Black		RM85.00
600VS-VTL-Door Latch	-	25 mm	Zinc Alloy	SS	50 set / ctn	RM10.00
		35 mm		SS		RM10.00
		40 mm		SS		RM12.00
		50 mm		SS		RM12.00


STAINLESS STEEL HOLLOW LEVER HANDLE & DEADBOLT LOCK

VSP®

06


600VS-DB-8011

Deadbolt Lock with Double Key




600VS-DB-8013

Deadbolt Lock with Key & Thumbturn




600VS-DB-8015

One Sided Thumbturn



600VS-VSP-VCL-3870


Cylinder Knob with Key / No Key




CODE	FEATURE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DB-8011	Double Key	SUS304	SN	20 sets / ctn	RM50.00
			Black		RM65.00
600VS-DB-8013	With Key & Thumbturn	SUS304	SN	20 sets / ctn	RM48.00
			Black		RM62.00
600VS-DB-8015	One Sided Thumbturn	SUS304	SN	20 sets / ctn	RM40.00
			Black		RM50.00
600VS-VSP-VCL-3870	With Key & Button	SUS304	SN	24 sets / ctn	RM38.00
600VS-VSP-VCL-3870	Privacy	SUS304	SN	24 sets / ctn	RM36.00

06


600VS-GKY-DH-123
Door Hinge 2" / 3" / 4" / 5"




600VS-DH-130
Door Hinge



600VS-DH-131
Door Hinge




600VS-ALM4-GH
Door Hinge




CODE	SIZE (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-GKY-DH-123 2"	50 x 40 x 1.2	SUS304	SS	30 pairs / ctn	RM8.00
600VS-GKY-DH-123 3"	76 x 50 x 1.5	SUS304	SS	120 pairs / ctn	RM14.60
600VS-GKY-DH-123 4"	102 x 72 x 2.0	SUS304	SS	96 pairs / ctn	RM25.80
600VS-GKY-DH-123 4"	102 x 72 x 2.0	Stainless Steel 201	SS	96 pairs / ctn	RM17.00
600VS-GKY-DH-123 5"	127 x 89 x 2.5	SUS304	SS	96 pairs / ctn	RM55.00
600VS-DH-130	100 x 86 x 3.0	SUS304	SS	40 pairs / ctn	RM53.40
600VS-DH-131	102 x 76 x 3.0	SUS304	SS	40 pairs / ctn	RM50.00
600VS-ALM4-GH	100 x 83 x 3.5	Aluminium	White / Black	50 pairs / ctn	RM20.00


600VS-DH-125
Bi-Fold D-Hinge with Handle




600VS-DH-126
Bi-Fold Hinge




600VS-DH-129
Door Hinge (2BB)




600VS-SS4-GH
Door Hinge



600VS-DH-1932
Door Hinge



600VS-DH-1931
Door Hinge



CODE	SIZE (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DH-125	102 x 74 x 2.5	SUS304	SS	50 pcs / ctn	RM46.00
600VS-DH-126	102 x 74 x 2.5	SUS304	SS	40 pairs / ctn	RM48.00
600VS-DH-129	102 x 76 x 2.0	SUS304	SS	50 pairs / ctn	RM30.00
600VS-SS4-GH	102 x 76 x 2.0	SUS304	SS	50 pairs / ctn	RM26.00
600VS-DH-1932	102 x 74 x 1.8	Aluminium	White / Black / Silver	120 pairs / ctn	RM13.00
600VS-DH-1931-SS	102 x 74 x 2.0	Stainless Steel 201	SS	50 pairs / ctn	RM15.00
600VS-DH-1931-MB	102 x 74 x 2.0	Stainless Steel 201	Black	50 pairs / ctn	RM23.00

06

600VS-T-304

Flush Bolt Lever Style




600VS-T-306

Flush Bolt




600VS-T-308

Flush Bolt Lever Style



600VS-T-305

Flush Bolt



600VS-T-301

Flush Bolt



600VS-T-303


Flush Bolt



Plastic Cover for T-303

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-T-304 8"	SUS304	SS	100 pcs / ctn	RM24.00
600VS-T-304 12"	SUS304	SS	100 pcs / ctn	RM33.00
600VS-T-306 12"	SUS304	SS	100 pcs / ctn	RM32.50
600VS-T-308	SUS304	White / Black	100 pcs / ctn	RM28.00
600VS-T-305 5"	SUS304	White / Black	100 pcs / ctn	RM22.30
600VS-T-305 10"	SUS304	White / Black	100 pcs / ctn	RM34.50
600VS-Iron Bar 3 Meter (Diameter : 8mm)	Mix Steel	Steel	10 pcs / ctn	RM18.80
600VS-Plastic Cover T-303	PVC	White / Black	100 pcs / ctn	RM2.20
600VS-T-301	Zinc Alloy	White / Black / Silver	100 pcs / ctn	RM16.00
600VS-T-303	Aluminium	White / Black	100 pcs / ctn	RM24.50

600VS-DS-0036-S
Door Latch



600VS-DB-775-6"
Door Latch



600VS-DB-775-4"
Door Latch



600VS-DB-776-6"
Door Latch



600VS-SB-0031
Swing Bolt 2"




600VS-DB-0139 L/R
Door Latch




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0036-S	SUS304	SS	24 pcs / ctn	RM84.00
600VS-DB-775 6"	Stainless Steel 201	SS	80 pcs / ctn	RM22.00
600VS-DB-775 4"	Stainless Steel 201	SS	80 pcs / ctn	RM19.50
600VS-DB-776 6"	Stainless Steel 201	SS	120 pcs / ctn	RM14.00
600VS-DB-776 8"	Stainless Steel 201	SS	120 pcs / ctn	RM16.00
600VS-SB-0031 2"	SUS304	SS	240 pcs / ctn	RM19.60
600VS-DB-0139	Stainless Steel 201	SS	100 pcs / ctn	RM38.00

06


600VS-DS-0024
Square Flush Pull




600VS-DS-0030
Oval Flush Pull




600VS-0055
Flush Ball Catch



600VS-VSP-777
Square Bolt 2" / 3"



600VS-VFP-132
Flush Pull Ring



600VS-VCF-133
Circle Flush Pull



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0024	SUS304	SS	200 pcs / ctn	RM16.00
600VS-DS-0030	SUS304	SS	200 pcs / ctn	RM16.00
600VS-DS-0055	Brass	SS	500 pcs / ctn	RM30.00
600VS-VSP-777 2"	SUS304	SS	240 pcs / ctn	RM10.00
600VS-VSP-777 3"	SUS304	SS	240 pcs / ctn	RM14.00
600VS-VFP-132	SUS304	SS	100 pcs / ctn	RM26.00
600VS-VCF-133	SUS304	SS	200 pcs / ctn	RM16.00
600VS-DS-0024	SUS304	Black	200 pcs / ctn	RM21.00
600VS-DS-0030	SUS304	Black	200 pcs / ctn	RM21.00
600VS-VSP-777 2"	SUS304	Black	240 pcs / ctn	RM14.00


600VS-DS-0035
Magnetic Door Holder



600VS-MS-019
Magnetic Door Holder




600VS-DS-0032
Dust Socket-Dia: 14mm



600VS-DS-0034
Dust Socket-Dia: 14mm



600VS-DG-0033
Door Guard Ball Bearing 3"




600VS-PH360
Heavy Duty Pivot Hinge




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0035	SUS304	SS	72 pcs / ctn	RM40.00
600VS-MS-019	SUS304	SS	100 pcs / ctn	RM38.00
600VS-DS-0032	SUS304	SS	100 pcs / ctn	RM20.00
600VS-DS-0034	Stainless Steel 201	SS	100 pcs / ctn	RM8.00
600VS-DG-0033	Zinc Alloy	SS	100 pcs / ctn	RM22.00
600VS-PH360	Zinc Die-Cast	SS	150 pairs / ctn	RM58.00

06


600VS-DS-0020
Dome Stopper




600VS-DS-0025
Door Stopper




600VS-DS-0026
Wall Door Stopper




600VS-DS-0027
Wall Door Stopper



600VS-DS-0028
Hat And Coat Hook Door Stopper



600VS-DS-0099
Door Stopper



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0020	SUS304	SS	100 pcs / ctn	RM15.00
600VS-DS-0025	SUS304	SS	100 pcs / ctn	RM18.00
600VS-DS-0026	SUS304	SS	72 pcs / ctn	RM16.00
600VS-DS-0027	SUS304	SS	72 pcs / ctn	RM20.00
600VS-DS-0028	SUS304	SS	72 pcs / ctn	RM18.00
600VS-DS-0099	SUS304	SS	200 pcs / ctn	RM25.00



DOOR CLOSER

A door closer is a mechanical device that closes a door, in general after someone opens it, or after it was automatically opened. Door closers are most commonly installed on fire doors, which need to be closed in case of fire, to help prevent the spread of fire and smoke.



Advantage

- ✓ Flexible and easy to install.
- ✓ Super aluminium alloy casting machine and the three layers of brightness painting will protect it from oxygenation.
- ✓ Adjustable tension, closing speed and latch speed.
- ✓ Non-hold open standard, hold open optional.
- ✓ Great strength and durability.
- ✓ The painting plastic moving arm can protect from eroding : The excellent closing can protect from oil leakage.




700VS-DC-062

07



SIRIM
BS EN 1154:1997
PC 003359






- ☑ Excellence performance.
- ☑ Maintenance-free.
- ☑ High quality O-ring gasket to prevent oil leakage.
- ☑ Strong spring to guarantee powerful closing.
- ☑ Superior quality aluminium alloy body.
- ☑ Provided with 2 coating for extra protection.
- ☑ Full hydraulic control of closing speeds with the help of adjustable valves.
- ☑ With 2 speed control, closing & latching speed.
- ☑ Highly resistant to scratches.

MODEL	700VS-DC-062		
Closing Force	EN2	EN3	EN4
Max Door Width (mm)	< 850	< 950	< 1100
Max Door Weight (kg)	< 40	< 60	< 80
Delayed Action	-		
Backcheck Function	-		
Max Open Angle	180°	130°	
Hold Open	Optional		
Closing Speed Adjustment	Speed 1 (180° - 15°)	(130° - 10°)	
	Speed 2 (15° - 0°)		
Applicable Temperature	-20°C - 45°C		
Applicability	Pedestrian Access Door		
Dimension of Main Body	Length - 218		
	Overall Depth - 52		
	Height - 42.5		
Weight (kg)	0.785		
Durability Test	500,000 cycles		

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-062	Aluminium	Silver	10 sets / ctn	RM138.00
700VS-DC-062	Aluminium	Black	10 sets / ctn	RM180.00

700VS-DC-082




- ☑ Excellence performance.
- ☑ Maintenance-free.
- ☑ High quality O-ring gasket to prevent oil leakage.
- ☑ Strong spring to guarantee powerful closing.
- ☑ Superior quality aluminium alloy body.
- ☑ Provided with 2 coating for extra protection.
- ☑ Full hydraulic control of closing speeds with the help of adjustable valves.
- ☑ With 2 speed control, closing & latching speed.
- ☑ Highly resistant to scratches.

MODEL	700VS-DC-082
Closing Force	EN3
Max Door Width (mm)	< 950
Max Door Weight (kg)	65
Delayed Action	-
Backcheck Function	-
Max Open Angle	180°
Hold Open	Optional
Closing Speed Adjustment	Speed 1 (180° - 15°)
	Speed 2 (15° - 0°)
Applicable Temperature	-20°C - 45°C
Applicability	Pedestrian Access Door
Dimension of Main Body	Length - 200
	Overall Depth - 50.5
	Height - 37
Weight (kg)	1.4
Durability Test	500,000 cycles


CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-082	Aluminium	Silver	10 sets / ctn	RM180.00
700VS-DC-082	Aluminium	Black	10 sets / ctn	RM220.00

700VS-DC-051 / 700VS-DC-052

07



SIRIM
BS EN 1154:1997
PC 003359




- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.

MODEL	700VS-DC-052	700VS-DC-051
Closing Force	EN2	EN3
Max Door Width (mm)	< 850	< 950
Max Door Weight (kg)	< 40	< 60
Delayed Action	-	
Backcheck Function	-	
Max Open Angle	180°	
Hold Open	Optional	
Closing Speed Adjustment	Speed 1 (180° - 15°)	
	Speed 2 (15° - 0°)	
Applicable Temperature	-30°C - 40°C	
Applicability	Pedestrian Access Door	
Dimension of Main Body	Length - 179	
	Overall Depth - 41.5	
	Height - 63.5	
Weight (kg)	1.19kg	1.46kg
Durability Test	500,000 cycles	

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-051	Aluminium	Silver	10 sets / ctn	RM90.00
700VS-DC-052	Aluminium	Silver	10 sets / ctn	RM68.00
700VS-DC-052	Aluminium	Black	10 sets / ctn	RM80.00
700VS-DC-052 (Hold)	Aluminium	Silver	10 sets / ctn	RM78.00
700VS-DC-052 (Hold)	Aluminium	Black	10 sets / ctn	RM90.00

700VS-DC-096 CONCEALED

07







- ☑ High quality imported gaskets to prevent oil leakage.
- ☑ Strong spring to guarantee powerful closing.
- ☑ Fine quality aluminium alloy body. Provided with 2 coating for protection.
- ☑ Full hydraulic control of closing speeds by the help of adjustable valves.
- ☑ 2 speed controls : Closing speed and latching speed.
- ☑ Closing speed adjustment range 160° - 15°.
- ☑ Door closer speed adjustment range 15° - 0°.

MODEL	700VS-DC-096		
Closing Force	EN2	EN3	EN4
Max Door Width (mm)	< 850	< 950	< 1100
Max Door Weight (kg)	< 40	< 60	< 80
Delayed Action	-		
Backcheck Function	-		
Max Open Angle	160°	130°	
Hold Open	Optional		
Closing Speed Adjustment	Speed 1 (160° - 15°)		
	Speed 2 (15° - 0°)		
Applicable Temperature	-20°C - 45°C		
Applicability	Pedestrian Access Door		
Dimension of Main Body	Length - 237		
	Overall Depth - 32		
	Height - 48		
Weight (kg)	1.58		
Durability Test	500,000 cycles		

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-VSP-DC-096	Aluminium	Silver	10 sets / ctn	RM380.00

700VS-DC-042 CONCEALED

07




- ☑ High quality imported gaskets to prevent oil leakage.
- ☑ Strong spring to guarantee powerful closing.
- ☑ Fine quality aluminium alloy body. Provided with 2 coating for protection.
- ☑ Full hydraulic control of closing speeds by the help of adjustable valves.
- ☑ 2 speed controls : Closing speed and latching speed.
- ☑ Provided with 2 coating for extra protection.
- ☑ Closing speed adjustment range 180° - 15°.
- ☑ Door closer speed adjustment tange 15° - 0°.

MODEL	700VS-DC-042 Concealed
Closing Force	EN2
Max Door Width (mm)	< 850
Max Door Weight (kg)	< 60
Delayed Action	-
Backcheck Function	-
Max Open Angle	180°
Hold Open	Optional
Closing Speed Adjustment	Speed 1 (180° - 15°)
	Speed 2 (15° - 0°)
Applicable Temperature	-20°C - 45°C
Applicability	Pedestrian Access Door
Dimension of Main Body	Length - 200
	Overall Depth - 34
	Height - 60
Weight (kg)	2.15
Durability Test	500,000 cycles

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-042	Aluminium	Silver	10 sets / ctn	RM295.00

700VS-CD-066
Slide Arm




700VS-CD-067
Parallel Arm Bracket



700VS-CD-068
Adjustable D Arm (Hold Open Arm)



700VS-SC-040
VSP Sliding Door Closer




07



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-CD-066	-	Aluminium	Silver	10 sets / ctn	RM70.00
700VS-CD-066	-	Aluminium	Black	10 sets / ctn	RM90.00
700VS-CD-067	-	Steel	Silver	10 sets / ctn	RM27.00
700VS-CD-068	-	Steel	Silver	10 sets / ctn	RM48.00
700VS-SC-040	900mm	Aluminium	Black	10 sets / ctn	RM400.00
	1200mm	Aluminium	Black	10 sets / ctn	RM560.00

07



FLOOR SPRING



Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.

Advantage

- Proven, robust unit for heigher door weight.
- Adjustable closing speed and latching speed.
- Quality valves mechanism to prevent oil leakage.
- High durability.
- Concealed installation for maximum visual elegance.



700VS-V-84



1. Closing range 130° - 0°.
2. Closing range 130° - 25°.
3. Hold open at 90°.



TECHINCAL INFO / FUNCTION	700VS-V-84			
Spring Tension	EN2	EN3	EN4	EN5
Closing Force (N m) 0° - 4°	13-18	18-26	26-37	37-54
Max Door Width (mm)	< 800	< 900	< 1200	< 1400
Max Door Weight (kg)	< 80	< 100	< 120	< 150
Max Open Angle	130°			
Hold Open	105° / 90°			
Closing Speed Adjustment	90° / 25° (A)		25° / 0° (B)	
Applicable Temperature	- 20°C / 45°C			
Product Weight (kg)	5.1	5.2	5.3	5.4
Durability Test	500,000 Cycles			
Tested EN 1154 / CE Mark	Yes			
Dimension of Cement Box (mm)	L	305 (319)		
	W	108 (129)		
	H	40.5		
Max Glass Thickness (mm)	12			

* Note : For door width 1400mm are advisable to use framed.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V84-EN2 (A/L)	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM360.00
700VS-V84-EN3	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM360.00
700VS-V84-EN4	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM420.00
700VS-V84-EN4 (Non-Hold Open)	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM460.00
700VS-V84-EN5	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM620.00
700VS-V84-EN2 (A/L)	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	RM390.00
700VS-V84-EN3	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	RM390.00
700VS-V84-EN4	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	RM450.00
700VS-V84-EN4 (Non-Hold Open)	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	RM490.00
700VS-V84-EN5	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	RM650.00

700VS-V-75V

07






1. Adjustable closing speed 90° - 0°.
2. Adjustable closing speed 15° - 0°.
3. Fixed hold open at 90° or 105° optional.
4. Closing force adjustment EN2 - EN4.


TECHINCAL INFO / FUNCTION	700VS-V-75V	
Spring Tension	EN2 - EN4	
Closing Force (N m) 0° - 4°	13-37	
Max Door Width (mm)	< 1200	
Max Door Weight (kg)	< 150	
Max Open Angle	180°	
Hold Open	105° / 90°	
Closing Speed Adjustment	90° - 15° / 15° - 0°	
Applicable Temperature	-20° / 45°	
Product Weight (kg)	4.55	4.55
Durability Test	500,000 Cycles	
Tested EN 1154 / CE Mark	Yes	
Dimension of Cement Box (mm)	L	285 (309)
	W	82 (108)
	H	49.5
Max Glass Thickness (mm)	12	

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V75V-EN2-4 (ADJ)	SUS304 / Iron Casting	PSS	2 pcs / ctn	RM800.00

700VS-V-80



07



1. Max opening range 180° - 0°.
2. Dual valves speed adjustment area.
3. Fixed hold open at 90° or 140° / 180° optional.
4. Adjustable closing speed 90° - 15° / 15° - 0°.

TECHINCAL INFO / FUNCTION	700VS-V-80
Spring Tension	EN6
Closing Force (N m) 0° - 4°	54-87
Max Door Width (mm)	< 1400
Max Door Weight (kg)	300
Max Open Angle	180°
Hold Open	90° / 140° / 180°
Closing Speed Adjustment	180° - 15° / 15° - 0°
Applicable Temperature	-20°C / 45°C
Product Weight (kg)	7.5
Durability Test	500,000 Cycles
Tested EN 1154 / CE Mark	Yes
Dimension of Cement Box (mm)	341 (359)
	78 (105)
	60
Max Glass Thickness (mm)	12

* Note : For door width 1400mm are advisable to use framed.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V80-EN6	SUS304 / Iron Casting	PSS	2 pcs / ctn	RM1600.00

07

700VS-V10

Door Bottom Fitting




700VS-V20

Door Top Fitting



700VS-V30

Door Frame Top Fitting



700VS-V40

Side Panel to over Panel Fittings with Pivot



700VS-V41

Side Panel with Fin R/L




700VS-V50

Lock Patch Fitting



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V10	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	RM70.00
700VS-V20	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	RM70.00
700VS-V30	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	RM80.00
700VS-V40	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	RM160.00
700VS-V41	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	RM200.00
700VS-V50	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	RM180.00
700VS-V10	SUS304 / Aluminium Alloy	Matt Black	8 pcs / ctn	RM85.00
700VS-V20	SUS304 / Aluminium Alloy	Matt Black	8 pcs / ctn	RM85.00
700VS-V30	SUS304 / Aluminium Alloy	Matt Black	20 pcs / ctn	RM100.00
700VS-V40	SUS304 / Aluminium Alloy	Matt Black	20 pcs / ctn	RM180.00
700VS-V41	SUS304 / Aluminium Alloy	Matt Black	8 pcs / ctn	RM230.00
700VS-V50	SUS304 / Aluminium Alloy	Matt Black	20 pcs / ctn	RM200.00


700VS-AT-18
Floor Pivot Bearing




700VS-V51
Center Patch Fitting




700VS-AT-14-HVD
Oval-Panel Fitting with Pivot



700VS-AT-14
Oval-Panel Fitting with Pivot



700VS-A/L-ACCESSORIES-HVD
Frame & Wooden Fitting



700VS-A/L-ACCESSORIES-LIGHT
Frame & Wooden Fitting




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-AT-18	SUS304	PSS	10 pcs / ctn	RM100.00
700VS-V51	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	RM240.00
700VS-AT-14-HVD	SUS304	PSS	500 pcs / ctn	RM12.00
700VS-AT-14	SUS304	PSS	800 pcs / ctn	RM10.00
700VS-AT-14	SUS304	Matt Black	800 pcs / ctn	RM15.00
700VS-A/L ACCS-HVD	Stainless Steel / Zinc Die-Cast	PSS	20 sets / ctn	RM140.00
700VS-A/L ACCS-LIGHT	Stainless Steel / Zinc Die-Cast	PSS	20 pcs / ctn	RM100.00

07

PATCH FITTINGS GUIDE


Installation Diagram

Door patch fittings and lock patch fittings are used on glass door as a kind of decorative or functional accessories. They can be used together with floor springs.




INCISION DIAGRAM


• V10, V20, V30





• V40






• V50



• V41




• V51



V10 - DOOR BOTTOM

Protective film (remove film before installing the Patch Fitting Guard).


Patch Fitting Guard



V20 - DOOR TOP

Protective film (remove film before installing the Patch Fitting Guard).


Patch Fitting Guard



V30 - DOOR FRAME TOP

Protective film (remove film before installing the Patch Fitting Guard).


Patch Fitting Guard



V40 - DOOR FRAME TOP

Protective film (remove film before installing the Patch Fitting Guard).

Patch Fitting Guard



V50 - DOOR LOCK PATCH

700VS-V360-75
Swivel Door Floor Spring




07

Features

- ✓ Heavy duty used for up to 150kg doors.
- ✓ Passed QB / T269T test.
- ✓ 360° degree opening.
- ✓ For left & right hand.
- ✓ Suitable for glass doors, wooden doors, metal doors and doors with frame.


◆ DIRECTION INDICATION



SPECIFICATIONS

Spring Tension	EN2 - EN4	
Closing Force (N m) 0° - 4°	13 - 37	
Max Door Width (mm)	< 1500	
Max Door Weight (kg)	150	
Opening Angle Degree	130° Swivel	
Opening Direction	Bi-Directional	
Hold-Open	105° / 90°	
Closing Speed Adjustment	70° - 15°	15° - 0°
Application Temperature	-20° C - 45° C	
Dimension of Cement Box (mm)	L	285
	W	83
	H	50
Dimension of Floor Spring Cover	L	309
	W	105

◆ FLOOR PLAN



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V360-75	SUS304 / Iron Casting	PSS	2 pcs / ctn	RM900.00

07





HYDRAULIC FLOOR DOOR CLOSER

New innovation for self closing frameless glass door. The hydraulic closer mechanism which fits within the patch fitting, and allows closing adjustment like a floor spring.

Advantage

- Removes the need for pre-casting or cutting floor spring boxes, which creating concrete dust.
- Highly durable.
- Allows closing adjustment like a floor spring.
- Easy to install and maintain.
- Mounted directly to the floor making it more cost effective option for doors.

700VS-V3
Hydraulic Concealed Floor Door Closer




1. Open angle : 140° double action.
2. Door hold open section : 90° and 120° - 140°.
3. Two speeds adjustable.
Valve 1: 90° - 0°.
Valve 2: 30° - 0°.

MODEL SELECTION

MODEL NO.	APPLICABLE DOOR SPECIFICATIONS / TYPES				
	DOOR WEIGHT (KG)	DOOR HEIGHT (MM)	DOOR WIDTH (MM)	DOOR THICKNESS (MM)	APPLICATION
700VS-V3 - Concealed	≤ 65	≤ 2400	≤ 900	≤ 43	Wooden door / framed glass door

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V3 - Concealed	SUS304 / Aluminium	SS	10 sets / ctn	RM450.00


700VS-V1 & 700VS-V2 Hydraulic Floor Door Closer




Features

- ✓ No need to make cavity on the ground, easy installation and saving labor.
- ✓ Suitable for both indoor and outdoor use.
: Maximum anti-wind rating up to grade 5, maximum load capacity : 150kg.
- ✓ Re-usable and maintenance free. It can be easily uninstalled without damage to the floor.
- ✓ EN 1154 Certified.
- ✓ No water and dust accumulation, easy to clean.
- ✓ SUS304 cover plate, rust resisting.


TECHNICAL INFO / FUNCTION	700VS-V1	700VS-V2
Spring Tension	EN2	EN3
Closing Force (N m) 0° - 4°	13-18	18-26
Max Door Width (mm)	< 900	< 1200
Max Door Weight (kg)	90kg	130kg
Max Open Angle	140°	
Hold Open	90°	
Closing Speed Adjustment	90° / 30°	30° / 0°
Applicable Temperature	-30° / 60°	
Durability Test	500,000 Cycles	
Tested EN 1154 / CE Mark	Yes	
Dimension of Cement Box (mm)	L	177
	W	45
	H	94
Max Glass Thickness (mm)	12	




FLOOR DRILLING HOLE SIZE




PRODUCT DIMENSION




BASE DIMENSION



INCISION DIAGRAM



FUNCTIONAL DIAGRAM



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V1 (90kg)	SUS304 / Aluminium	PSS	20 pcs / ctn	RM490.00
700VS-V2 (130kg)	SUS304 / Aluminium	PSS	20 pcs / ctn	RM600.00

07




VVP FLOOR SPRING FC 34





Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.

Advantage

- ✓ Applicable for wooden door, metal aluminium door and toughened glass door.
- ✓ Adjustable closing & latching speed.
- ✓ Compliant with European standards.
- ✓ High quality casting iron floor closer body with 2 layers anti-rust coating.
- ✓ Hydraulic machine oil and sealed rings keep perfect working performance.
- ✓ Polished stainless steel cover plates.
- ✓ Quality of Thailand products.



700VS-FC34



1. Closing range 130° - 0°.
2. Closing range 130° - 25°.
3. Hold open at 90°.

TECHINCAL INFO / FUNCTION	700VS-FC34			
Spring Tension	Light	Medium	Heavy	S.Heavy
Closing Force (N m) 0° - 4°	15NM	20NM	25NM	30NM
Max Door Width (mm)	800	1000	1200	1400
Max Door Weight (kg)	80	100	120	150
Max Open Angle	130°			
Hold Open	105° / 90°			
Closing Speed Adjustment	90° / 25° (A)		25° / 0° (B)	
Applicable Temperature	- 20°C / 45°C			
Product Weight (kg)	5.1	5.2	5.3	5.4
Durability Test	500,000 Cycles			
Tested EN 1154 / CE Mark	Yes			
Dimension of Cement Box (mm)	L	308 (322)		
	W	108 (131)		
	H	40		
Max Glass Thickness (mm)	12			

* Note : For door width 1400mm are advisable to use framed.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-FC34 15NM (A/L)	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM540.00
700VS-FC34 20NM	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM540.00
700VS-FC34 20NM (Non-Hold Open)	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM600.00
700VS-FC34 25NM	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM600.00
700VS-FC34 30NM	SUS304 / Iron Casting	PSS	4 pcs / ctn	RM900.00


700VS-FT-10
Bottom Patch Fitting



700VS-FT-20
Top Patch Fitting




700VS-FT-40
Side Panel to over Panel Fitting with Pivot



700VS-FT-50
Patch Lock with Cylinder



700VS-VVP-A/L-ACCESSORIES
Frame & Wooden Fitting



700VS-FT-14
Oval Panel Pivot




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-FT-10	SUS304 / Aluminium Alloy	PSS	4 pcs / ctn	RM90.00
700VS-FT-20	SUS304 / Aluminium Alloy	PSS	4 pcs / ctn	RM90.00
700VS-FT-40	SUS304 / Aluminium Alloy	PSS	4 pcs / ctn	RM230.00
700VS-FT-50	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	RM345.00
700VS-VVP-A/L	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	RM120.00
700VS-FT-14	Zinc Plated Steel	PSS	500 pcs / ctn	RM12.00


PATCH FITTINGS GUIDE

Installation Diagram


Door patch fittings and lock patch fittings are used on glass door as a kind of decorative or functional accessories. They can be used together with floor springs.




FT10 - DOOR BOTTOM
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard



FT20 - DOOR TOP
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard




FT30 - DOOR FRAME TOP
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard




FT40 - DOOR FRAME TOP
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard



FT50 - DOOR LOCK PATCH




Dimensions :
(A) 7 - 10 mm
(B) 2 - 4 mm
(C) 3 - 5 mm




INCISION DIAGRAM


• FT10, FT20, FT30




• FT40



• FT50



• FT50 Keeper



08



SHOWER HINGE

Increasingly for bath and shower enclosures, designers and homeowners look for a more modern, sleek and clean look in their bathroom.

Advantage

- ✓ Modern & contemporary design.
- ✓ Corrosion resistance.
- ✓ Solid build ensure higher durability.
- ✓ Easy to install and maintain.
- ✓ Designed for 90°, 135° and 180° cubicle.



BES



Beveled Edge Series



SES



Square Edge Series



TECHNICAL SPECIFICATIONS

INSTALLATION INSTRUCTIONS


- Fix up the position of the glass door hinge and mark the incision position on the glass.
- Incising the glass according to the specification of the glass door hinge (As the glass incision illustration below).
- Fill up the gap between the fixture and the active board of glass doorhinge with the asbestos cushion in turn to clamp the glass.
- Tighten the screws.

INSTALLATION STANDARDS


Max. Capacity	2 Hinge / Panel
Glass Material	Tempered Glass
On-off Frequency	100k times
Glass Thickness	8mm to 12mm
Feature	The door returns to self-closing state while the distance between the door frame and the door is 30°
Note	Do not go beyond maximum door weight or width when choosing proper quality hinges

SHOWER HINGE GLASS CUTTING : MM


800VS-SH-01 / 02 / 03 / 04 / 05 / 06



90° Degree Wall to Glass Glass Cutting




180° & 90° Degree Glass to Glass Cutting




135° Degree Glass to Glass Cutting


- 800VS-SH-201 / 202 / 203 / 204 / 205 - PSS / MB



90° Degree Wall to Glass Cutting




180° & 90° Degree Glass to Glass Cutting




135° Degree Glass to Glass Cutting

- 800VS-SH-703 / 704



90° Degree Wall to Glass Cutting



180° & 90° Degree Glass to Glass Cutting

APPROXIMATE WEIGHT OF ARCHITECTURAL FLAT GLASS

GLASS THICKNESS (MM)	WEIGHT (KG / M ²)	WEISGHT (KG / FT ²)
3	7.5	0.696
4	10	0.928
5	12.5	1.16
6	15	1.392
8	20	1.856
10	25	2.32
12	30	2.784
15	37.5	3.48
19	47.5	4.408
25	62.5	5.8

EXAMPLE :


- For 12mm glass thickness, width 0.9 meter and height 2.1 meter.
Glass weight = 0.9 x 2.1 x 30kg /m²
- For 12mm glass thickness, width 3ft and 7ft.
Glass weight = 3 x 7 x 2.784kg / ft² = 58.4kg

REMARK :

- 1m = 3.281ft
- 1 inch = 25.4mm
- 1m² = 10.764ft²
- 1ft = 304.8mm
- 1/8 inch = 3.175mm

BLACK SERIES SHOWER ACCESSORIES

800VS-SHOWER HINGE



- 800VS-SH-201-MB (90°)
- 800VS-SH-202-MB (135°)
- 800VS-SH-203-MB (180°)
- 800VS-SH-204-MB (90°)
- 800VS-SH-205-MB (90°)

800VS-SS-901S-MB
Shower Glass Clip



800VS-SS-902S-MB
Shower Glass Clip



08

800VS-SS-903S-MB
Shower Glass Clip



800VS-SS-906S-MB
Shower Adjustable Glass Clip



800VS-S.STEEL ROUND TUBE 3M - MB
Shower Round Tube



800VS-HEADER ROUND GROOVE 3.6M - MB
Shower Header



800VS-HEADER SQUARE GROOVE 3.6M - MB
Shower Header



800VS-ALUM U CHANNEL 3M/6M - MB
Shower U Channel



800VS-WS-01-10MM-MB
PVC Sealing Strips



800VS-WS-02-10MM-MB
PVC Sealing Strips



800VS-WS-03-10MM-MB
PVC Sealing Strips



800VS-WS-05-10MM-MB
PVC Sealing Strips



800VS-WS-08-10MM-MB
PVC Sealing Strips



800VS-WS-06-10MM-MB
PVC Sealing Strips



800VS-GC-09
Shower Clip



800VS-A-17-MB
Door Handle



800VS-GC-08
Shower Clip



900VS-2513-I-MB
Shower Handle



900VS-2513-S-MB
Shower Handle



900VS-712-I-MB
Shower Handle



900VS-712-S-MB
Shower Handle



900VS-712-MB
Shower Handle



800VS-DL-02
GTG Door Lock



800VS-DL-02-A
GTW Door Lock



800VS-VSP-014
GTW Door Lock



800VS-VSP-014K
GTG Door Lock



800VS-SH-45
Hydraulic Hinge




BRASS SHOWER GLASS DOOR HINGE

800VS-SH-01
BES Glass To Glass (90°)



800VS-SH-02
BES Glass To Glass (135°)



800VS-SH-03
BES Glass To Glass (180°)



800VS-SH-04
BES Glass To Wall (90°)



800VS-SH-05
BES Glass To Wall (90°) - Offset



800VS-SH-06
BES Glass To Wall (135°)



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SH-01	Brass	CP	20 pcs / ctn	RM160.00
800VS-SH-02	Brass	CP	20 pcs / ctn	RM160.00
800VS-SH-03	Brass	CP	20 pcs / ctn	RM146.00
800VS-SH-04	Brass	CP	20 pcs / ctn	RM90.00
800VS-SH-05	Brass	CP	20 pcs / ctn	RM90.00
800VS-SH-06	Brass	CP	20 pcs / ctn	RM108.00

08


800VS-SH-201-PSS
SES Glass To Glass (90°)



800VS-SH-202-PSS
SES Glass To Glass (135°)



800VS-SH-203-PSS
SES Glass To Glass (180°)



800VS-SH-204-PSS
SES Glass To Wall (90°)




800VS-SH-205-PSS
SES Glass To Wall (90°) - Offset



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SH-201-S	SUS304	SS	20 pcs / ctn	RM158.00
800VS-SH-202-S	SUS304	SS	20 pcs / ctn	RM158.00
800VS-SH-203-S	SUS304	SS	20 pcs / ctn	RM140.00
800VS-SH-204-S	SUS304	SS	20 pcs / ctn	RM92.00
800VS-SH-205-S	SUS304	SS	20 pcs / ctn	RM92.00
800VS-SH-201-PSS	SUS304	PSS	20 pcs / ctn	RM174.00
800VS-SH-202-PSS	SUS304	PSS	20 pcs / ctn	RM174.00
800VS-SH-203-PSS	SUS304	PSS	20 pcs / ctn	RM154.00
800VS-SH-204-PSS	SUS304	PSS	20 pcs / ctn	RM100.00
800VS-SH-205-PSS	SUS304	PSS	20 pcs / ctn	RM100.00
800VS-SH-201-MB	SUS304	Matt Black	20 pcs / ctn	RM182.00
800VS-SH-202-MB	SUS304	Matt Black	20 pcs / ctn	RM182.00
800VS-SH-203-MB	SUS304	Matt Black	20 pcs / ctn	RM162.00
800VS-SH-204-MB	SUS304	Matt Black	20 pcs / ctn	RM108.00
800VS-SH-205-MB	SUS304	Matt Black	20 pcs / ctn	RM108.00


BRASS SHOWER STABILIZER

800VS-SS-901
Shower Mounting Connector




SIZE	A	B	C
800VS-SS-901	∅ 19	37.5	40
800VS-SS-901S	∅ 19	25	32

800VS-SS-902
Shower T-Connector



SIZE	A	B	C
800VS-SS-902	∅ 19	26	55

800VS-SS-903
Shower Glass Clip




SIZE	A	B	C
800VS-SS-903	∅ 19	27	62
800VS-SS-903-S	∅ 19	26	53

800VS-SS-904
Shower Connector




SIZE	A	B	C
800VS-SS-904	∅ 19	26	60

800VS-SS-905
Shower Glass Clip



SIZE	A	B	C
800VS-SS-905-19	∅ 19	26	53

800VS-SS-906
Shower Adjustable Connector



SIZE	A	B	C
800VS-SS-906	∅ 19	96	27.6
800VS-SS-906-S	∅ 19	89	25

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SS-901	Zinc Alloy	CP	100 pcs / ctn	RM22.50
800VS-SS-901S-MB	Brass	Matt Black	100 pcs / ctn	RM29.00
800VS-SS-901S	Brass	CP	100 pcs / ctn	RM24.00
800VS-SS-902	Brass	CP	100 pcs / ctn	RM46.00
800VS-SS-902S-MB	Brass	Matt Black	100 pcs / ctn	RM55.00
800VS-SS-903	Zinc Alloy	CP	100 pcs / ctn	RM24.00
800VS-SS-903S-MB	Brass	Matt Black	100 pcs / ctn	RM31.20
800VS-SS-903S	Brass	CP	100 pcs / ctn	RM26.00
800VS-SS-904	Brass	CP	100 pcs / ctn	RM28.00
800VS-SS-905	Brass	CP	100 pcs / ctn	RM28.00
800VS-SS-906	Zinc Alloy	CP	100 pcs / ctn	RM28.00
800VS-SS-906S-MB	Brass	Matt Black	100 pcs / ctn	RM47.30
800VS-SS-906S	Brass	CP	100 pcs / ctn	RM39.40

BRASS SHOWER STABILIZER

800VS-SS-907
Shower Stopper



SIZE	A	B	C
800VS-SS-907-19	Ø 19	26	53


800VS-SS-908
Shower 135° Stopper



SIZE	A	B	C
800VS-SS-908-19	Ø 19	28	53


08

800VS-S/STEEL ROUND TUBE




SIZE	3m / 6.1m (Length)
------	--------------------


800VS-GC-09
U-Glass Clip 10mm - 12mm



800VS-GC-08
U-Glass Clip 10mm - 12mm



800VS-GC-11
U-Glass Clip 10mm




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SS-907	-	Brass	CP	100 pcs / ctn	RM27.00
800VS-SS-908	-	Brass	CP	100 pcs / ctn	RM25.00
800VS-S/Steel Round Tube	6.1m	SUS304	CP	20 pcs / ctn	RM120.00
800VS-S/Steel Round Tube	3m	SUS304	Matt Black	20 pcs / ctn	RM160.00
800VS-GC-08	25 x 25	Zinc Alloy	CP	300 pcs / ctn	RM5.20
	25 x 25	Brass	CP	300 pcs / ctn	RM14.00
	25 x 25	Zinc Alloy	Matt Black	300 pcs / ctn	RM6.50
	25 x 25	SUS304	PSS	200 pcs / ctn	RM13.00
800VS-GC-09	25 x 50	Zinc Alloy	CP	150 pcs / ctn	RM9.00
	25 x 50	Zinc Alloy	Matt Black	150 pcs / ctn	RM10.50
800VS-GC-11	48 x 45	Zinc Alloy	CP	100 pcs / ctn	RM50.00

800VS-HEADER ROUND GROOVE



SIZE 3.6m / 6m (Length)

800VS-HEADER SQUARE GROOVE




SIZE 3.6m / 6m (Length)

800VS-HEADER U CHANNEL




SIZE 1.8m (Length)

800VS-HEADER ADJUSTABLE BRACKET



800VS-FIXED ANGLE




800VS-HEADER ROUND GROOVE

CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-Header Round Groove	3.6m	Aluminium	Chrome	10 pcs / ctn	RM200.00
	6m	Aluminium	Chrome	10 pcs / ctn	RM310.00
800VS-Header Square Groove	3.6m	Aluminium	Chrome	10 pcs / ctn	RM180.00
	6m	Aluminium	Chrome	10 pcs / ctn	RM290.00
800VS-Header U Channel	1.8m	Aluminium	Chrome	100 pcs / ctn	RM30.00
800VS-Header Round Groove (MB)	3.6m	Aluminium	Matt Black	10 pcs / ctn	RM240.00
800VS-Header Square Groove (MB)	3.6m	Aluminium	Matt Black	10 pcs / ctn	RM220.00
800VS-Header U Channel (MB)	1.8m	Aluminium	Matt Black	100 pcs / ctn	RM37.00
800VS-Header Adjustable Bracket	-	Mix Steel	SS	1000 pcs / ctn	RM5.60
800VS-Fixed Angle	-	Mix Steel	SS	2000 pcs / ctn	RM3.00

08

800VS-ALUMINIUM U CHANNEL



SIZE	3m (Length)	6m (Length)
------	-------------	-------------

800VS-STAINLESS STEEL U CHANNEL



SIZE	2.4m (Length)
------	---------------

800VS-SH-703-180°

SES Glass to Glass Shower Hinge



800VS-SH-704-90°

SES Glass to Wall Shower Hinge



800VS-SA-83G-04

Glass Connector



Adjustable 8mm

800VS-WALL PLUG 83G-04

Set Anchor M12x100




800VS-SA-83-T

Installation Tool




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-Aluminium U Channel	3m	Aluminium	Chrome	20 pcs / ctn	RM85.00
800VS-Aluminium U Channel	6m	Aluminium	Chrome	10 pcs / ctn	RM170.00
800VS-Aluminium U Channel	3m	Aluminium	Matt Black	20 pcs / ctn	RM110.00
800VS-Aluminium U Channel	6m	Aluminium	Matt Black	10 pcs / ctn	RM220.00
800VS-Stainless Steel U Channel	2.4m	SUS304	PSS	10 pcs / ctn	RM46.00
800VS-SH-703-PSS	N/A	SUS304	PSS	20 pcs / ctn	RM126.00
800VS-SH-704-PSS	N/A	SUS304	PSS	20 pcs / ctn	RM85.00
800VS-SH-703-Matt Black	N/A	SUS304	Matt Black	20 pcs / ctn	RM145.00
800VS-SH-704-Matt Black	N/A	SUS304	Matt Black	20 pcs / ctn	RM98.00
800VS-SA-83G-04	28	SUS304	SS	100 pcs / ctn	RM68.00
800VS-Wall Plug 83G-04	M12 x 100	Steel	Galvanize	100 pcs / ctn	RM6.00
800VS-SA-83-T	N/A	SUS304	SS	10 pcs / ctn	RM30.00


800VS-WS-01




800VS-WS-02




800VS-WS-03




800VS-WS-05



800VS-WS-06



800VS-WS-08




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-WS-01	10mm	PVC	Transparent	200 pcs / ctn	RM18.00
800VS-WS-02	10mm	PVC	Transparent	200 pcs / ctn	RM17.00
800VS-WS-03	10mm	PVC	Transparent	200 pcs / ctn	RM17.00
800VS-WS-05	10mm	PVC	Transparent	200 pcs / ctn	RM18.00
800VS-WS-06	10mm	PVC	Transparent	200 pcs / ctn	RM20.00
800VS-WS-08	10mm	PVC	Transparent	50 pair / ctn	RM76.00
800VS-WS-01	10mm	PVC	Matt Black	200 pcs / ctn	RM21.30
800VS-WS-02	10mm	PVC	Matt Black	200 pcs / ctn	RM21.30
800VS-WS-03	10mm	PVC	Matt Black	200 pcs / ctn	RM21.30
800VS-WS-05	10mm	PVC	Matt Black	200 pcs / ctn	RM22.00
800VS-WS-06	10mm	PVC	Matt Black	200 pcs / ctn	RM22.00
800VS-WS-08	10mm	PVC	Matt Black	50 pair / ctn	RM84.00
800VS-WS-01	12mm	PVC	Transparent	200 pcs / ctn	RM28.00
800VS-WS-02	12mm	PVC	Transparent	200 pcs / ctn	RM28.00
800VS-WS-03	12mm	PVC	Transparent	200 pcs / ctn	RM28.00
800VS-WS-05	12mm	PVC	Transparent	200 pcs / ctn	RM28.00

08


800VS-GC-171

Glass Clip (L-Shape)




800VS-GC-172

Glass Clip (H-Shape)




800VS-GC-175

Glass Clip (T-Shape)




800VS-GC-176

Glass Clip (Cross Shape)



800VS-GC-177

L-Reinforcement Corner Guard Glass Clip



800VS-GC-178

T-Reinforcement Corner Guard Glass Clip



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-GC-171	Aluminium	Matt Black	200 pcs / ctn	RM20.00
800VS-GC-172	Aluminium	Matt Black	200 pcs / ctn	RM20.00
800VS-GC-175	Aluminium	Matt Black	200 pcs / ctn	RM22.00
800VS-GC-176	Aluminium	Matt Black	200 pcs / ctn	RM25.00
800VS-GC-177	Aluminium	Matt Black	100 pcs / ctn	RM30.00
800VS-GC-178	Aluminium	Matt Black	100 pcs / ctn	RM30.00

800VS-DL-01

Swing & Sliding G to G Single / Double Key




800VS-DL-01-A

Swing & Sliding G to W Single / Double Key



800VS-DL-02

Swing Door G to G Thumbturn



800VS-DL-02-A

Swing Door G to W Thumbturn



800VS-DL-03

Swing & Sliding G to G Single / Thumbturn



800VS-DL-03-A

Swing & Sliding G to W Single / Thumbturn



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-DL-01-Single	8-10mm	SUS304	SS	20 pcs / ctn	RM131.20
800VS-DL-01-A-Single	8-10mm	SUS304	SS	20 pcs / ctn	RM89.30
800VS-DL-01-Double	8-10mm	SUS304	SS	20 pcs / ctn	RM131.20
800VS-DL-01-A-Double	8-10mm	SUS304	SS	20 pcs / ctn	RM89.30
800VS-DL-02	8-10mm	SS / Zinc Alloy	PSS	40 pcs / ctn	RM131.20
800VS-DL-02-A	8-10mm	SS / Zinc Alloy	PSS	40 pcs / ctn	RM89.30
800VS-DL-02	8-10mm	SS / Zinc Alloy	MB	40 pcs / ctn	RM150.00
800VS-DL-02-A	8-10mm	SS / Zinc Alloy	MB	40 pcs / ctn	RM105.00
800VS-DL-03-Single	8-10mm	SUS304	PSS	20 pcs / ctn	RM131.20
800VS-DL-03-A-Single	8-10mm	SUS304	PSS	20 pcs / ctn	RM89.30
800VS-DL-03-A-Double	8-10mm	SUS304	PSS	20 pcs / ctn	RM89.30

08

800VS-DL-04-GR

Swing & Sliding G to G Door Latch




800VS-DL-04A-WR

Swing & Sliding G to W Door Latch



800VS-DL-05-GS

Swing Door Latch G to G



800VS-DL-05A-WS

Swing Door Latch G to W




800VS-VSP-014K

Swing & Sliding Door G to G Thumbturn




800VS-VSP-014

Swing & Sliding Door G to W Thumbturn




CODE	MATERIAL	SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-DL-04-GR	Brass	8-12mm	CP	50 pcs / ctn	RM110.00
800VS-DL-04A-WR	Brass	8-12mm	CP	50 pcs / ctn	RM90.00
800VS-DL-05-GS	SUS304	8-10mm	PSS	50 pcs / ctn	RM110.00
800VS-DL-05A-WS	SUS304	8-10mm	PSS	50 pcs / ctn	RM90.00
800VS-VSP-014	Brass	8-12mm	CP	20 pcs / ctn	RM180.00
800VS-VSP-014K	Brass	8-12mm	CP	20 pcs / ctn	RM260.00
800VS-VSP-014	Brass	8-12mm	Matt Black	20 pcs / ctn	RM200.00
800VS-VSP-014K	Brass	8-12mm	Matt Black	20 pcs / ctn	RM280.00

800VS-DK-01
Door Knob




Hole Size $\varnothing 12$

800VS-DK-03
Door Knob




Hole Size $\varnothing 12$

800VS-DK-04
Door Knob




Hole Size $\varnothing 12$

800VS-DK-06
Door Knob



Hole Size $\varnothing 12$

800VS-DK-05
Door Knob




Hole Size $\varnothing 10$




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-DK-01	8-12mm	Aluminium	Black	100 pcs / ctn	RM44.00
800VS-DK-03	8-12mm	Aluminium	Black	100 pcs / ctn	RM44.00
800VS-DK-04	8-12mm	Aluminium	Black	100 pcs / ctn	RM44.00
800VS-DK-06	8-12mm	Aluminium	Black	100 pcs / ctn	RM44.00
800VS-DK-05	8-12mm	Brass	Black	100 pcs / ctn	RM44.00

08


800VS-SA-83A-5A
Bottom Guide




800VS-SA-86A-7
Sliding Door Handle




800VS-SA-86A-9S
Sliding Door Handle with Hole




800VS-A-17
Sliding Door Handle



800VS-AGD-1002
Adjustable Floor Guard




800VS-AGD-3050
Adjustable Floor Guard




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SA-83A-5A	SUS304	SS	200 pcs / ctn	RM19.00
800VS-SA-86A-7	SUS304	SS	50 sets / ctn	RM60.00
800VS-SA-86A-9S	SUS304	SS	100 sets / ctn	RM58.00
800VS-A-17	SUS304	SS	50 sets / ctn	RM48.00
800VS-A-17	SUS304	Black	50 sets / ctn	RM60.00
800VS-AGD-1002	Nylon	White / Black	320 pcs / ctn	RM26.00
800VS-AGD-3050	Aluminium / Nylon	Silver	240 pcs / ctn	RM52.00


800VS-LQ-05
Hollow Handrail



800VS-LQ-07
Solid Bar Handrail



800VS-H800-A
Double Side Connector (180°)




Hole Size $\phi 13$

800VS-H800-B
Single Side Connector



Hole Size $\phi 13$

800VS-H800-C
Double Side Connector (90°)



Hole Size $\phi 13$

800VS-M8 X 25
Glass Connector (Solid)



Hole Size $\phi 12$




CODE	STANDARD HEIGHT (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-LQ-05	1050	SUS304	SS	10 pcs / ctn	RM200.00
800VS-LQ-07	1050	SUS304	SS	10 pcs / ctn	RM272.00
800VS-H800-A	220	SUS304	SS	50 pcs / ctn	RM28.00
800VS-H800-B	125	SUS304	SS	50 pcs / ctn	RM24.00
800VS-H800-C	140	SUS304	SS	50 pcs / ctn	RM28.00
800VS-M8 x 25	8-12mm	SUS304	SS	100 pcs / ctn	RM15.00

08


800VS-H1805

Adjustable Handrail with Round Plate




800VS-H1810

Adjustable Handrail with Flat Plate




800VS-H1802

Fixed Handrail with Round Plate




800VS-H1814

Fixed Handrail with Flat Plate



800VS-H1512


Fixed Handrail with Round Plate



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-H1805	SUS304	SS	48 pcs / ctn	RM68.00
800VS-H1810	SUS304	SS	24 pcs / ctn	RM68.00
800VS-H1802	SUS304	SS	50 pcs / ctn	RM40.00
800VS-H1814	SUS304	SS	50 pcs / ctn	RM40.00
800VS-H1512	SUS304	SS	60 pcs / ctn	RM32.00


800VS-BS-R-160

Glass Fencing Spigots - Non Open Hole (Round)





800VS-BS-S-160

Glass Fencing Spigots - Non Open Hole (Square)



800VS-LQ-03

Hollow Fixed Glass Handrail




CODE	STANDARD HEIGHT (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-BS-R-160	160	SUS304	PSS	8 pcs / ctn	RM290.00
800VS-BS-S-160	160	SUS304	PSS	8 pcs / ctn	RM340.00
800VS-BS-R-160	160	SUS304	Matt Black	8 pcs / ctn	RM340.00
800VS-BS-S-160	160	SUS304	Matt Black	8 pcs / ctn	RM390.00
800VS-LQ-03 (H)	750	SUS304	SS	2 pcs / ctn	RM230.00
800VS-LQ-03 (C)	750	SUS304	SS	2 pcs / ctn	RM230.00
800VS-LQ-03 (E)	750	SUS304	SS	2 pcs / ctn	RM260.00
800VS-LQ-03 (H)	750	SUS304	Matt Black	2 pcs / ctn	RM280.00
800VS-LQ-03 (C)	750	SUS304	Matt Black	2 pcs / ctn	RM280.00
800VS-LQ-03 (E)	750	SUS304	Matt Black	2 pcs / ctn	RM310.00

08





800VS-VSP-SUCKING-1
Single Sucker Lifter 30kg

800VS-VSP-SUCKING-2
2 Way Sucker Lifter 90kg



800VS-VSP-SUCKING-3
3 Way Sucker Lifter 210kg

800VS-VSP-SUCKING-3
3 Way Sucker Lifter 145kg



CODE	MAX LIFTING CAPACITY	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-VSP-Sucking-1	30 kg	Zinc Alloy	Black	18 pcs / ctn	RM98.40
800VS-VSP-Sucking-2	90 kg	Zinc Alloy	SN	10 pcs / ctn	RM136.00
800VS-VSP-Sucking-3	210 kg	Zinc Alloy	Black	10 pcs / ctn	RM268.00
800VS-VSP-Sucking-3	145 kg	Zinc Alloy	SN	10 pcs / ctn	RM174.00



REFERENCE DESIGN LOAD OF SPIDER FITTINGS


MODEL	DESIGN AXIAL LOAD CAPABILITY OF SINGLE ARM (N) (NEGATIVE WINDLOAD)	DESIGN RADIAL LOAD CAPABILITY OF SINGLE ARM (N) (DEAD LOAD)
S200-4	2000	1200

- Point-fixed glass wall
- Typical finish for stainless steel spider fittings
- Instruction to the material of point-fixed glass wall fittings
- The material of spider is stainless steel grade, the material of routel is stainless steel 304
- The base of connectors is made of steel Q235
- Suspension clamps and embedded parts for glass wall are made of steel ZG230-450-H


TYPE	Flat Cap	Countersunk
MODEL	TF-15	TF-11
DESIGN AXIAL LOAD CAPABILITY OF SINGLE ARM (N) (NEGATIVE WINDLOAD)	4500	4500
DESIGN RADIAL LOAD CAPABILITY OF SINGLE ARM (N) (DEAD LOAD)	2000	2000
L	60	64

Spider glass building are a whole system of metal connector and fastener to between glass and spider fitting of modular building structure.

SUITABLE FOR : TC15



SUITABLE FOR : TC11



800VS-S200-1

Spider Fitting (Short Leg)



A	B	D	T
100	52	50	12

800VS-S200-1A

Spider Fitting (Long Leg)



A	B	D	T
156	52	50	12

800VS-S200-2

Spider Fitting



A	B	D	T
200	52	50	12

800VS-S200-2A


Spider Fitting



A	B	D	T
200	50	45	12

800VS-S200-3


Spider Fitting



A	B	D	T
200	52	50	12

800VS-S200-4

Spider Fitting



A	B	D	T
200	52	50	12

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-S200-1	SUS304	SS	46 pcs / ctn	RM66.00
800VS-S200-1A	SUS304	SS	46 pcs / ctn	RM76.00
800VS-S200-2	SUS304	SS	35 pcs / ctn	RM90.00
800VS-S200-2A	SUS304	SS	20 pcs / ctn	RM130.00
800VS-S200-3	SUS304	SS	8 pcs / ctn	RM156.00
800VS-S200-4	SUS304	SS	10 pcs / ctn	RM196.00


800VS-F200-4F
Spider Fitting




800VS-F200-2F
Spider Fitting



800VS-TC-11
Routel (Countersunk)



800VS-TC-15
Routel (Flat Cap)



800VS-Z-14
Connector



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-F200-4F	SUS304	SS	10 pcs / ctn	RM262.00
800VS-F200-2F	SUS304	SS	10 pcs / ctn	RM200.00
800VS-TC-11	SUS304	SS	24 pcs / ctn	RM68.00
800VS-TC-15	SUS304	SS	40 pcs / ctn	RM62.00
800VS-Z-14	SUS304	SS	36 pcs / ctn	RM50.00



800VS-SA-87C-1

Top Track

08




PRODUCT NAME	Movable Glass Partition System
MATERIAL	Aluminium
GLASS THICKNESS	10 - 12mm
FINISHED	Satin
APPLICATION	For Exterior or Interior Used (Balcony, Patio, Sunroom)
MAX DOOR WEIGHT	60kg / Panel
MAX DOOR HEIGHT	2500mm / Panel
MAX DOOR WIDTH	800mm / Panel




800VS-SA-85H-7

Glass To Glass Hinge




800VS-SA-85H-8

Glass To Wall Hinge




800VS-SA-87B-1

Folding Door Top Roller




800VS-SA-7060

Corner Lock




800VS-SA-7123

Glass Door Bolt



800VS-87C-1


Top Track



Length = 2.5m
Length = 4m


800VS-SA-86A-13A + 13B

Glass To Glass Sliding Hock Lock



800VS-SA-86A-13A + 13C

Glass To Wall Sliding Hock Lock




Hole Dimension -
Outside Glass Door Lock

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SA-85H-7	SUS304	SS	10 pcs / ctn	RM358.00
800VS-SA-85H-8	SUS304	SS	10 pcs / ctn	RM198.00
800VS-SA-87B-1	SUS304	SS	10 pcs / ctn	RM310.00
800VS-SA-7060	SUS304	SS	10 pcs / ctn	RM298.00
800VS-SA-7123	SUS304	SS	10 pcs / ctn	RM198.00
800VS-87C-1	SUS304	SS	10 pcs / ctn	RM250.00
800VS-SA-86A-13A + 800VS-SA-86A-13C	SUS304 / Zinc Alloy	SS	10 sets / ctn	RM284.00
800VS-SA-86A-13A + 800VS-SA-86A-13B	SUS304 / Zinc Alloy	SS	10 sets / ctn	RM473.00


SET 21A1-SA

800VS-21A1



800VS-HR-4500

Aluminium Top Track



800VS-A-17

Sliding Glass Door Handle



Hole Size Ø46mm



800VS-HR-4503

Side Cover



800VS-HR-4501

Track Cover



800VS-HR-4502

Bracket



800VS-SA-83A-5A


Sliding Glass Door Guide



CODE	SIZE	NECESSARY ACC. NO.				(RM) / UNIT
800VS-21A1-SA Set (80kg)	2 m	21A1-SA x 1	HR-4501 x 1 HR-4503 x 1	HR-4500 x 1 SA-83A-5A x 1	HR-4502 x 5	RM480.00
800VS-21A1-SA Set (80kg)	3 m	21A1-SA x 1	HR-4501 x 1 HR-4503 x 1	HR-4500 x 1 SA-83A-5A x 1	HR-4502 x 7	RM580.00
800VS-21A1-SA Set (80kg)	4 m	21A1-SA x 2	HR-4501 x 1 HR-4503 x 2	HR-4500 x 1 SA-83A-5A x 2	HR-4502 x 10	RM980.00
800VS-21A1-TA Set (80kg)	2 m	21A1-TA x 1	HR-4500 x 1	HR-4503 x 1	SA-83A-5A x 1	RM380.00
800VS-21A1-TA Set (80kg)	3 m	21A1-TA x 1	HR-4500 x 1	HR-4503 x 1	SA-83A-5A x 1	RM480.00
800VS-21A1-TA Set (80kg)	4 m	21A1-TA x 2	HR-4500 x 1	HR-4503 x 2	SA-83A-5A x 2	RM780.00


800VS-HRF-4080

Aluminium Hanging Door Roller - 80kg




800VS-HRG-5080 (8-10MM)

Glass Hanging Door Roller - 80kg




800VS-HRG-6080 (10-12MM)

Glass Hanging Door Roller - 80kg



800VS-HR-4501

Track Cover




800VS-HR-4500

Aluminium Track



800VS-HR-4503

Side Cover



800VS-HR-4502

Bracket



800VS-HR-4504

Stopper



800VS-HR-4005

Bottom Guide - Frame



800VS-SA-83A-5A





Bottom Guide - Frameless



					HRF-4080	HRG-5080	HRG-6080
SIZE	NECESSARY ACC. NO.				(RM) / UNIT	(RM) / UNIT	(RM) / UNIT
2 m	Roller x 1 HR-4503 x 1	HR-4501 x 1 HR-4504 x 1	HR-4500 x 1 Bottom Guide x 1	HR-4502 x 5	RM800.00	RM900.00	RM900.00
3 m	Roller x 1 HR-4503 x 1	HR-4501 x 1 HR-4504 x 1	HR-4500 x 1 Bottom Guide x 1	HR-4502 x 7	RM880.00	RM1060.00	RM1060.00
4 m	Roller x 2 HR-4503 x 2	HR-4501 x 1 HR-4504 x 2	HR-4500 x 1 Bottom Guide x 1	HR-4502 x 10	RM1320.00	RM1490.00	RM1490.00

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-HR-4500 (AP-239.76) + HR-4501 (AP-302.04) (2 meter)	Aluminium	Silver	10 pcs / ctn	RM240.00
800VS-HR-4500 (AP-239.76) + HR-4501 (AP-302.04) (3 meter)	Aluminium	Silver	10 pcs / ctn	RM330.00
800VS-HR-4500 (AP-239.76) + HR-4501 (AP-302.04) (4 meter)	Aluminium	Silver	10 pcs / ctn	RM420.00

08



30 x 10 Installation of square pipe with jumping-proof pillar.

800VS-A002-1-2
Top Roller




800VS-A002-2-2
Hollow Locator



800VS-A002-5-2
Stopper



800VS-A001-3-1
Connector



800VS-A002-4-2
Fix Connector



800VS-A002-3-2
Glass Locator



800VS-A002-8-1
SSteel Hollow (2.5m/1.8m)



800VS-SA-83A-5A
Sliding Door Guide



800VS-A-17
Door Handle





Hole Size Ø46mm

CODE	ACCESSORIES NOS.			MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-AS001-90° set (60kg)	A002-1-2 x 4pcs A001-3-1 x 1pcs SA-83A-5A x 2pcs	A002-2-2 x 4pcs A002-4-2 x 2pcs A17 x 2pcs	A002-5-2 x 4pcs A002-3-2 x 4pcs A002-8-1 (2.5m) x 1pcs	SUS304	PSS	5 sets / ctn	RM1100.00
800VS-AS002-180° set (60kg)	A002-1-2 x 2pcs A002-4-2 x 2pcs A17 x 1pcs	A002-2-2 x 2pcs A002-3-2 x 2pcs A002-8-1 (1.8m) x 1pcs	A002-5-2 x 2pcs SA-83A-5A x 1pcs	SUS304	PSS	10 sets / ctn	RM600.00
	800VS-A002-8-1 (1.8m)			SUS304	PSS	10 pcs / ctn	RM215.00
	800VS-A002-8-1 (2.5m)						RM290.00



08



800VS-ASD-100

Aluminium Top Track



800VS-ASD-101

Connector



800VS-ASD-102

Stopper R/L



800VS-ASD-103

Top Roller



800VS-ASD-104

Bracket



800VS-ASD-105

Bottom Guide





CODE	ACCESSORIES NOS.	MATERIAL / SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-SD-200 90° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (4pcs) ASD-103 x (4pcs)	2 mtr	CP	10 sets / ctn	RM480.00
	ASD-104 x (2pcs) ASD-105 x (2pcs) ASD-101 x (1pcs)	3 mtr			RM580.00
800VS-SD-100 180° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (2pcs) ASD-103 x (2pcs)	2 mtr	CP	10 sets / ctn	RM360.00
	ASD-104 x (2pcs) ASD-105 x (1pcs)	3 mtr			RM410.00
800VS-SD-200 90° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (4pcs) ASD-103 x (4pcs)	2 mtr	Matt Black	10 sets / ctn	RM540.00
	ASD-104 x (2pcs) ASD-105 x (2pcs) ASD-101 x (1pcs)	3 mtr			RM640.00
800VS-SD-100 180° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (2pcs) ASD-103 x (2pcs)	2 mtr	Matt Black	10 sets / ctn	RM390.00
	ASD-104 x (2pcs) ASD-105 x (1pcs)	3 mtr			RM440.00
	800VS-ASD-100 x (2 meter)	Aluminium	CP / Matt Black	6 pcs / ctn	RM196.00
	800VS-ASD-100 x (3 meter)	Aluminium	CP / Matt Black	6 pcs / ctn	RM300.00

08

800VS-ST5-90

Slide To Side Shower Glass Door







MATERIAL

SUS304



SPECIFICATION

Hollow : 30MM X 10MM X 1.5MM
 Width : $W \leq D$ (Door Width \leq Depth)
 Weight : 45KG/Panel
 Roller Notching : 18MM
 Glass Thickness : 10MM



Single panel slide shower glass door is a stylish and functional solution for modern bathrooms, particularly those with limited space. It is ideal for small bathroom as it doesn't require extra space to swing open. Offers a sleek, contemporary look with clear, frosted or colours glass option. Durable rollers with smooth sliding mechanism allows easy entry and exit. Stainless steel track and fittings resists corrosion. It also combines elements of both fit to glass and wall. Single panel sliding shower doors combine functionality with a modern aesthetic, making them a popular choice for contemporary bathroom designs.

800VS-ST5-90TR

Top Roller



800VS-ST5-90WB

Wall Bracket



800VS-ST5-90CB

Corner Bracket



800VS-ST5-90GC

Glass Clamp



800VS-ST5-90ST

Stopper



800VS-ST5-90DS

Decorative Strips (2.1m)



800VS-ST5-90BT

Bottom Track (2.5m)



Bottom Track

800VS-A002-8-1

S/Steel Hollow Track (2.5m)



800VS-ST5-90GB


Glass to Glass Connector Bracket



CODE	ACCESSORIES NOS.	MATERIAL / SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-ST5-90	STS-90TR x (2pcs) STS-90WB x (2pcs) STS-90CB x (1pc)	2.5 mtr	Matt Black	10 sets / ctn	RM1920.00
	STS-90GC x (1pc) STS-90ST x (1pc) STS-90BT x (1pc)		PSS		RM1600.00
	A002-8-1 x (1pc) STS-90DS x (2pcs) STS-90GB x (1pc)				

800VS-ST5-180

Slide Two Side Shower Glass Door



Dual-way sliding glass doors, also known as bi-parting sliding doors, offer several features and advantages that make them a popular choice for both residential and commercial properties.

The features of the sliding mechanism are both panels of the door slide along tracks, allowing entry from either side of the shower. They do not require additional space for door swing, making them ideal for small bathrooms.

Typically made from tempered glass for safety and durability. Options for clear, frosted, or patterned glass are available. Frameless double sliding tub door pushes and pulls smoothly, bringing a comfortable and unbreakable safety experience. The combination of double-sided easy-to-clean glass and elegant hardware accessories make your shower room more elegant and decorative. Double sliding bypass configuration allows easy entry to the shower from left or right side. Designed to keep water within the shower, reducing the chance of leaks and easy cleaning. It is ideal for compact bathrooms where swinging doors are impractical, offers a sleek, modern look that can enhance the bathroom's overall design. Suitable for both bathtub and standalone shower enclosures. Easier to use for people with mobility issues as they do not have to maneuver around a swinging door.

Can be custom in various sizes, glass types, and top frame finishes to match any bathroom decor. High-quality materials and construction ensure long-lasting performance. Increased Light, clear or lightly frosted glass can make a bathroom appear brighter and more spacious. Reduced splashing, effectively at containing water, keeping the rest of the bathroom dry.

Dual-way sliding shower doors are a practical and stylish choice for many bathrooms, offering both functionality and aesthetic benefits.

STANDARD FINISH

Matt Black
PSS

MATERIAL

SUS304

SPECIFICATION

Hollow : 50MM X 10MM X 1.9MM
Width : 900MM/Panel
Weight : 45KG/Panel
Roller Notching : 19MM
Glass Thickness : 8MM - 10MM

800VS-ST5-180HT (1.8M)

Track



800VS-ST5-180TR

Roller



800VS-ST5-180CB

Connector



800VS-ST5-180ST

Stopper



800VS-ST5-180GD

Guide



800VS-A-17

Handle




CODE	ACCESSORIES NOS.	MATERIAL / SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-ST5-180	ST5-180HT x (1pc) ST5-180TR x (8pcs)	ST5-180CB x (2pcs) ST5-180ST x (2pcs) A-17 x (2pcs)	1.8 mtr	Matt Black	10 sets / ctn RM1900.00

800VS-SH-45 HYDRAULIC


08




PRODUCT NAME	Shower Hydraulic Hinge
MATERIAL	S.Steel SUS304
GLASS THICKNESS	10mm
FINISHED	Chrome / Matt Black
APPLICATION	For Interior Used (Shower)
MAX DOOR WEIGHT	50kg / Panel
MAX DOOR HEIGHT	2100mm / Panel
MAX DOOR WIDTH	700mm / Panel



GLASS TO GLASS




GLASS TO WALL



HYDRAULIC GLASS DOOR HINGE

- ☑ The first hinge with automatic and adjustable closing, and constant speed braking control.
- ☑ For all door opening angles up to 170°, with automatic closing from 90° to 0°.
- ☑ 1 way opening.
- ☑ It prevents unHINGING through a shock absorber and has an over-pressure device that avoids breaking in accidental shoving scenarios.
- ☑ Hydraulic hinge glass-to-wall and glass-to-glass for doors with a stop.
- ☑ Adjustable closing speed and constant braking control.
- ☑ The door opens up to 170°. Stop at +90° + 170°.




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SH-45 Hydraulic	SUS304	Matt Black	10 pair / ctn	RM660.00
800VS-SH-45 Hydraulic	SUS304	PSS	10 pair / ctn	RM600.00

800VS-SSD SPOOKY DOOR ACCESSORIES



800VS-FRAME PROFILE



800VS-HANGING ROLLER



800VS-FIXED WHEEL



800VS-DAMPER



800VS-BOTTOM WHEEL



800VS-BOTTOM GUIDE



800VS-FRAME END CAP



800VS-SCREWS SET



CODE	800VS-Spooky Door Accessories (Set) Including Aluminium Track
MAX WEIGHT	80kg
GLASS THICKNESS	8mm
HEIGHT ADJUSTMENT	$\pm 2\text{mm}$
MAX DOOR WIDTH	800mm - 1000mm
MAX DOOR HEIGHT	$\leq 2500\text{mm}$
FEATURES	<ul style="list-style-type: none"> - Concealed the wheels and accessories - With two-way damping functions - Easy installation, smooth and quiet operation
PRICE	RM2300.00

800VS-SSD SLIM SWING DOOR ACCESSORIES




800VS-SSL-01

Slim Swing Lever Lock w/o Key



800VS-SSL-02

Slim Swing Lever Lock w/o Key



800VS-SSB-03

Corner Bracket




800VS-SSH-05


Door Hinge



800VS-S.E N1 INNER



800VS-S.E 04 SIDE JAMB



* Corner bracket included SSB-04.

CODE	800VS-SSD Slim Swing Door Accessories
MAX WEIGHT	80kg
GLASS THICKNESS	8mm
HEIGHT ADJUSTMENT	$\pm 2\text{mm}$
MAX DOOR WIDTH	750mm - 1200mm
MAX DOOR HEIGHT	$\leq 2800\text{mm}$
FEATURES	<ul style="list-style-type: none"> - Minimalist design, sleek and modern. - Slim framed with maximized glass area. - Durable & heavy duty hinge. - Easy installation, smooth and quiet operation.
PRICE	RM980.00

800VS-S.E 4516 SLIM SLIDING DOOR

08




SLIM PROFILE SLIDING DOORS OFFER SEVERAL ADVANTAGES AND FEATURES:

- ✓ **Space-saving Design:** Slim profiles maximize usable space by reducing the amount of frame material, allowing for larger glass panels and more natural light.
- ✓ **Enhanced Aesthetics:** Their sleek and minimalist design can add a modern touch to any space, creating a seamless transition between indoor and outdoor areas.
- ✓ **Improved Energy Efficiency:** Many slim profile sliding doors feature advanced insulation and high-quality seals, helping to minimize heat transfer and improve energy efficiency.
- ✓ **Smooth Operation:** Quality sliding door systems are designed for smooth and effortless operation, making them easy to open and close even with large panels.
- ✓ **Versatility:** Slim profile sliding doors are available in various configurations, including pocket, corner, and multi-panel designs, offering flexibility to suit different architectural styles and space requirements.
- ✓ **Durability:** Constructed from durable materials like aluminum, steel, or fiberglass, slim profile sliding doors are built to withstand harsh weather conditions and provide long-lasting performance.

Overall, these doors combine functionality, aesthetics, and efficiency to create a stylish and practical solution for modern living spaces.


SPECIFICATIONS: Door Width : 750mm - 1500mm
 Door Weight : < 80kgs
 Glass Thickness : 6mm ~ 8mm

800VS-N1-S.E INNER




AP 135.77mm

800VS-N3-S.E INNER HOOK




AP 165.4mm

800VS-N2-S.E INNER TOP / BOTTOM




AP 206.29mm

800VS-T4-S.E TOP COVER




AP 170.5mm

800VS-T1-S.E SINGLE TOP TRACK




AP 396mm

800VS-T2-S.E DOUBLE TOP TRACK




AP 645mm

800VS-T3-S.E TRIPLE TOP TRACK




AP 954mm

800VS-O1-S.E SINGLE OUTER



AP 322.08mm

800VS-O2-S.E DOUBLE OUTER




AP 694mm

800VS-O3-S.E TRIPLE OUTER



AP 559mm



1.S.E 4516 SLIDING DOOR 1+0




2.S.E 4516 SLIDING DOOR 1+1




3.S.E 4516 SLIDING DOOR 2+0




4.S.E 4516 SLIDING DOOR 2+1




5.S.E 4516 SLIDING DOOR 2+2



6.S.E 4516 SLIDING DOOR 3+0



7.S.E 4516 SLIDING DOOR 3+1



8.S.E 4516 SLIDING DOOR 3+3

800VS-KD GLASS T-CUTTER



LENGTH	MAX. CUTTING WIDTH	CUTTING THICKNESS
600mm-T-60	60 (24")	6 - 12
1200mm-T-120	120 (48")	6 - 12

800VS-KD GLASS CIRCLE CUTTER



LENGTH	MAX. CUTTING WIDTH	CUTTING THICKNESS
300mm-60A	Ø10 - 60	6 - 12

800VS-BP-11

Guide Roller Seat for T-Cutter



800VS-BP-12

KD Cutter Plate 6mm - 12mm



800VS-BP-13

Oil Tank for T-Cutter



800VS-BP-18

Suction Plate Assembly for Circle Cutter



800VS-BP-20

Oil Tank for Circle Cutter C/W Head Cutter



800VS-TOYO GLASS CUTTER

Japan



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-T-Cutter 600mm	Aluminium	Silver	6 pcs / ctn	RM480.00
800VS-T-Cutter 1200mm	Aluminium	Silver	6 pcs / ctn	RM538.00
800VS-T-Circle Cutter 300mm	Aluminium	Silver	6 pcs / ctn	RM390.00
800VS-BP-11 Guide Roller	Nylon	Black	60 pcs / ctn	RM20.00
800VS-BP-12 KD Cutter Plate	Stainless Steel	Silver	12 pcs / ctn	RM42.00
800VS-BP-13 Oil Cutting	Zinc Alloy	SS	5 pcs / ctn	RM150.00
800VS-BP-18 Sucking	Nylon	SS	5 pcs / ctn	RM96.00
800VS-BP-20- Oil Cutting	Zinc Alloy	SS	5 pcs / ctn	RM150.00
800VS-TOYO Glass Cutter (Japan)	Brass	-	6 pcs / box	RM156.00

800VS-YL-845

800VS-BX-4


08



DIA	A	B	FULL
18mm	5mm	25mm	30mm
18mm	5mm	30mm	35mm
25mm	5mm	25mm	30mm
25mm	5mm	45mm	50mm
25mm	5mm	50mm	55mm
25mm	5mm	70mm	75mm
25mm	5mm	100mm	105mm
25mm	5mm	150mm	155mm



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-YL-845	18 x 30mm (F)	SUS304	Hairline	12 pcs / ctn	RM17.20
	18 x 35mm (F)			12 pcs / ctn	RM17.20
	25 x 30mm (F)			12 pcs / ctn	RM22.00
	25 x 50mm (F)			12 pcs / ctn	RM26.00
	25 x 55mm (F)			12 pcs / ctn	RM26.00
	25 x 75mm (F)			12 pcs / ctn	RM32.00
	25 x 105mm (F)			12 pcs / ctn	RM38.00
	25 x 155mm (F)			12 pcs / ctn	RM43.00
800VS-BX-4	6mm	Mix Steel	SS	-	RM10.00
	8mm				RM13.20
	10mm				RM16.60
	12mm				RM20.00
	16mm				RM26.50
	20mm				RM33.00
	25mm				RM41.00
	32mm				RM53.00
	35mm				RM58.00
	38mm				RM63.00
	40mm				RM66.00
	50mm				RM83.00
	60mm				RM99.50
	75mm				RM124.50
100mm	RM166.00				
130mm	RM215.00				





PULL HANDLE

Handles are suitable for use on timber doors, aluminium doors and glass doors. They are commonly used on hinged doors, pivot doors and sliding doors making them the ideal choice for your commercial or residential project.

Advantage

- ✓ The used of quality manufacturing materials.
- ✓ Suitable for most doors.
- ✓ Elegant and style.
- ✓ Ergonomic design.
- ✓ Easy to install.
- ✓ Corrosion resistance.
- ✓ Great strength and durability.



09

900VS-81-D (Round)
Thumbturn And Key




SS MB

900VS-82-D1 (Round)
Thumbturn And Key



SS MB

900VS-WD-85
Wooden Door Accessories




Overall Dimension 1500mm

Overall Dimension 2100mm



SQUATING IS NOT REQUIRED FOR LARGER HANDLES TO OPEN THE GLASS DOOR.

900VS-DUST SOCKET FOR V81D / V81D1 / V648



SS



900VS-648 (Square)
Thumbturn And Key

CODE	SIZE (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-81-D (Round)	35 x 2100	SUS304	SS	4 sets / ctn	RM1200.00
	35 x 2100		Matt Black	4 sets / ctn	RM1440.00
900VS-82-D1 (Round)	35 x 1500	SUS304	SS	5 sets / ctn	RM800.00
	35 x 1500		Matt Black	5 sets / ctn	RM960.00
900VS-648 (Square)	25 x 38 x 1500	SUS304	SS	5 sets / ctn	RM800.00
900VS-WD-85	85 x 176	Brass	Gold	50 sets / ctn	RM130.00
900VS-Dust Socket for V81D / V81D1 / V648	34 x 60	SUS304	SS	-	RM40.00

900VS-4010
RHS H-Handle



900VS-711-B
CHS H-Handle



900VS-711-H
CHS H-Handle



900VS-711-J
CHS Offset-Handle



CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT	
900VS-4010	40 x 10	600	275	75	Ø15	SUS304	SS	10 sets / ctn	RM160.00	
	40 x 10	900	600	75	Ø15			10 sets / ctn	RM240.00	
	40 x 10	1200	900	75	Ø15			10 sets / ctn	RM320.00	
	900VS-711-B	38 x 600	600	275	75	Ø15	Stainless Steel 201	PSS	20 sets / ctn	RM80.00
		38 x 600	600	400	75	Ø15			20 sets / ctn	RM80.00
		38 x 900	900	600	75	Ø15			10 sets / ctn	RM120.00
38 x 1200	1200	900	75	Ø15	10 sets / ctn	RM160.00				
38 x 1500	1500	1200	80	Ø15	10 sets / ctn	RM200.00				
38 x 1800	1800	1500	80	Ø15	10 sets / ctn	RM240.00				
900VS-711-H	32 x 600	600	275	75	Ø15	SUS304	SS	20 sets / ctn	RM120.00	
	38 x 900	900	600	75	Ø15			10 sets / ctn	RM180.00	
	38 x 1200	1200	900	75	Ø15			10 sets / ctn	RM240.00	
900VS-711-J	38 x 600	600	275	95	Ø15	SUS304	SS	10 sets / ctn	RM160.00	
	38 x 900	900	600	95	Ø15			10 sets / ctn	RM240.00	
	38 x 1200	1200	900	95	Ø15			10 sets / ctn	RM360.00	
	38 x 1500	1500	1200	95	Ø15			10 sets / ctn	RM480.00	
								10 sets / ctn	RM600.00	

09

900VS-713-SS
RHS C-Handle

900VS-713-MB
RHS C-Handle

900VS-4020-D-SS
RHS C-Handle

900VS-4020-D-MB
RHS C-Handle








CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT	
900VS-713	25 x 38	600	562	73	Ø15	SUS304	SS	10 sets / ctn	RM160.00	
	25 x 38	900	862	73	Ø15			10 sets / ctn	RM240.00	
	25 x 38	1200	1162	73	Ø15			10 sets / ctn	RM320.00	
	25 x 38	1500	1462	73	Ø15			6 sets / ctn	RM400.00	
	900VS-4020-D	40 x 20	600	580	65	Ø15	SUS304	SS	10 sets / ctn	RM160.00
			900	880	65	Ø15			10 sets / ctn	RM240.00
			SUS304	Matt Black	1200	1180	65	Ø15	10 sets / ctn	RM320.00
					600	580	65	Ø15	10 sets / ctn	RM180.00
SUS304	Matt Black	900	880	65	Ø15	10 sets / ctn	RM270.00			
		1200	1180	65	Ø15	10 sets / ctn	RM360.00			

900VS-714-SS
RHS N-Handle

900VS-714-MB
RHS N-Handle

900VS-3015-C-SS
RHS N-Handle

900VS-3015-C-MB
RHS N-Handle




09

CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-714	25 x 38	600	575	90	Ø15	SUS304	SS	10 sets / ctn	RM200.00
	25 x 38	900	875	90	Ø15			10 sets / ctn	RM300.00
	25 x 38	1200	1175	90	Ø15			10 sets / ctn	RM400.00
	25 x 38	600	575	90	Ø15	SUS304	Matt Black	10 sets / ctn	RM220.00
	25 x 38	900	875	90	Ø15			10 sets / ctn	RM330.00
	25 x 38	1200	1175	90	Ø15			10 sets / ctn	RM440.00
900VS-3015-C	15 x 30	630	600	85	Ø15	SUS304	SS	10 sets / ctn	RM200.00
	15 x 30	930	900	85	Ø15			10 sets / ctn	RM300.00
	15 x 30	630	600	85	Ø15	SUS304	Matt Black	10 sets / ctn	RM220.00
	15 x 30	930	900	85	Ø15			10 sets / ctn	RM330.00

09


900VS-2513-S
RHS L-Shower Handle



900VS-2513-I
RHS I-Shower Handle



900VS-712-S
CHS L-Shower Handle



900VS-712-I
CHS I-Shower Handle



900VS-FDS-80
Framed Door Screw




900VS-FK-35
Pull Handle Flat Knob




CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-2513-S	25 x 13 x 300 x 450	275	425	55	Ø15	SUS304	PSS	20 sets / ctn	RM138.00
	25 x 13 x 300 x 450	275	425	55	Ø15		SS	20 sets / ctn	RM122.00
	25 x 13 x 300 x 450	275	425	55	Ø15		Matt Black	20 sets / ctn	RM138.00
900VS-2513-I	25 x 13	500	475	55	Ø15	SUS304	PSS	20 sets / ctn	RM120.00
		450	425				SS	20 sets / ctn	RM100.00
	25 x 13	500	475	55	Ø15		Matt Black	20 sets / ctn	RM120.00
		450	425					20 sets / ctn	RM120.00
900VS-712-S	25 x 300 x 450	275	425	70	Ø15	SUS304	PSS	20 sets / ctn	RM66.00
	25 x 300 x 450	275	425	70	Ø15		SS	20 sets / ctn	RM62.00
	25 x 300 x 450	275	425	70	Ø15		Matt Black	20 sets / ctn	RM88.00
	25 x 300 x 500	275	475	70	Ø15		PSS	20 sets / ctn	RM70.00
900VS-712-S	25 x 300 x 450	275	425	70	Ø15	Stainless Steel 201	PSS	20 sets / ctn	RM50.00
900VS-712-I	25	450	425	70	Ø15	SUS304	PSS	30 sets / ctn	RM68.00
	25	450	425	70	Ø15		Matt Black	30 sets / ctn	RM74.00
900VS-FDS-80	8 x 80	80	12	8	Ø15	Stainless Steel 201	PSS	500 nos / ctn	RM3.50
900VS-FK-35	14 x 35	35	14	24	Ø15	SUS304	PSS	-	RM15.00


900VS-AD-711B-900mm
CHS Adjustable H-Handle




900VS-712
CHS C-Handle




900VS-712-N
CHS N-Handle




900VS-788-C
RHS C-Handle



900VS-712-D
CHS C-Handle



900VS-712-C1
CHS C-Handle




CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-AD-711-B	32 x 900	900	ADJ	32	Ø15	Stainless Steel 201	PSS	20 sets / ctn	RM166.00
900VS-712	25 x 300	300	275	70	Ø15	Stainless Steel 201	PSS	60 sets / ctn	RM33.00
900VS-712	25 x 300	300	275	70	Ø15	Stainless Steel 201	Matt Black	20 sets / ctn	RM60.00
900VS-712-N	25 x 300	300	275	70	Ø15	Stainless Steel 201	PSS	20 sets / ctn	RM80.00
	25 x 600	600	575	70	Ø15			20 sets / ctn	RM120.00
900VS-788-C	30 x 15	325	300	50	Ø15	SUS304	PSS	10 sets / ctn	RM128.00
900VS-712-D	25 x 300	300	275	63	Ø15	Stainless Steel 201	PSS	50 sets / ctn	RM44.00
900VS-712-C1	25 x 300	300	275	70	Ø15	Stainless Steel 201	PSS	20 sets / ctn	RM46.00

09



900VS-A-13

Aluminium Pull Handle




900VS-A-1819

Push & Pull Handle




900VS-SPH-100

RHS N-Handle



900VS-SLSC-100

Luxurious Aluminium CNC Handle



CODE	SIZE	A	B	C	D	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-A-13	35 x 300	310	135	65	35	Aluminium	Black	50 sets / ctn	RM24.00
	35 x 300	310	135	65	35		Silver	50 sets / ctn	RM24.00
	35 x 300	310	135	65	35		White	50 sets / ctn	RM24.00
900VS-A-1819	80 x 300	300	150	100	1.0	SUS304	SS	20 sets / ctn	RM80.00
		300	-	100	1.0		Black	20 sets / ctn	RM104.00
900VS-SPH-100	25 x 13	300	275	70	Ø15	SUS304	SS	20 sets / ctn	RM220.00
	25 x 13	300	275	70	Ø15		Black	20 sets / ctn	RM260.00
900VS-SLSC-100	35 x 39	600	530	35	Ø15	Aluminium	Silver	10 sets / ctn	RM750.00
	35 x 39	600	530	35	Ø15		Black	10 sets / ctn	RM800.00

HARDWARE & TOOLS



Professional Solutions &
Professional Element



Fastening Tools



Measurement Tools



Hand Tools



Hammering Tools



Power Tools

1000VS-VT-251
9" Professional Revolving Gun



- For 310ml capacity
- Carbon steel plunger rod with ladder hook
- 12 pcs / ctn

1000VS-VT-252
11" Standard Caulking Gun



- For 400ml capacity
- 24 pcs / ctn

1000VS-VT-253
11" Standard Caulking Gun



- For 400ml capacity
- 24 pcs / ctn

1000VS- VT-258
15" Standard Caulking Gun



- 15" Caulking gun
- 12 pcs / ctn

1000VS-VSP-SAUSAGE GUN
Heavy Duty



- 15" Caulking gun
- 12 pcs / ctn

1000VS-WONDERTAPE
Masking Tape



- 19mm x 15meter (192 rolls / ctn)
- 25mm x 15 meter (144 rolls / ctn)
- 38mm x 15meter (96 rolls / ctn)
- Cut to size

1000VS-BACKER ROD
Square Shape



- Custom

1000VS-BACKER ROD
Round Shape



- Custom

1000VS-FOAM TAPE
Single / Double Side



- Custom
- Single & Double Side Glue

CODE	RM / UNIT
1000VS-VT-251 9" Pro. Revolving Gun	RM95.00
1000VS-VT-252 11" Std. Caulking Gun	RM48.00
1000VS-VT-253 11" Std. Caulking Gun	RM21.00
1000VS-VT-258 15" Std. Caulking Gun	RM126.00
1000VS-VSP-15" Sausage Gun (HD)	RM270.00
1000VS-Wondertape® Masking Tape 19mm (15 mtr)	RM2.30

CODE	RM / UNIT
1000VS-Wondertape® Masking Tape 25mm (15 mtr)	RM2.70
1000VS-Wondertape® Masking Tape 38mm (15 mtr)	RM3.60
1000VS-Backer Rod - Squire Shape	Get quote
1000VS-Backer Rod - Round Shape	Get quote
1000VS-Foam Tape (Single Side)	Get quote
1000VS-Foam Tape (Double Side)	Get quote

1000VS-C80 / C120
Grinding Disc



• 10 pcs / ctn

1000VS-C220
Grinding Disc



• 10 pcs / ctn

1000VS-GSTONE
Grinding Stone



• 50 pcs / ctn

1000VS-FLAT DUCK PLIER RUNNING
THICKNESS : 2-15mm



• 60 pcs / ctn

1000VS-PARTITION PLIER



• 60 pcs / ctn

1000VS-LOBSTER HAND RIVETER



• 40 pcs / ctn

1000VS-SAISHO SETTING
BLOCK CUTTER



• 120 pcs / ctn

1000VS-PRUNING SHEARS 6"
720 Setting Block Cutter



• 120 pcs / ctn

1000VS-PRUNING SHEARS 7 1/2"
730 Setting Block Cutter



• 120 pcs / ctn

CODE	RM / UNIT
1000VS-C80 Grinding Disc	RM32.00
1000VS-C120 Grinding Disc	RM36.00
1000VS-C220 Grinding Disc	RM25.00
1000VS-GStone Grinding Stone	RM7.50
1000VS-Flat Duck Plier	RM59.00

CODE	RM / UNIT
1000VS-Partition Plier	RM122.00
1000VS-Lobster Hand Riveter	RM80.00
1000VS-Saisho Setting Block Cutter	RM74.00
1000VS-720 Pruning Shears 6"	RM37.80
1000VS-730 Pruning Shears 7 1/2"	RM52.50

10

1000VS-PAPER CUTTER
RX235



• 10 pcs / box

1000VS-A100
Paper Cutter Refill Blades



• 10 pcs / box

1000VS-T-SHAPE ALLEN KEY



• Size : 2.0mm / 2.5mm / 3.0mm /
4.0mm / 5.0mm / 6.0mm /
8.0mm / 10.0mm
• 10 pcs / box, 120 / ctn

1000VS-DIGITAL CALIPER



• 20 pcs / ctn

**1000VS-HANDHELD ALUMINIUM
HARDNESS TESTER W-20**



• 1 pcs / ctn

**1000VS-DIGITAL COATING
THICKNESS GAUGE**



• 1 pcs / ctn

**1000VS-STAINLESS STEEL
VERIFICATION POTION REAGENT KIT**



• 50ml
• 12 pcs / box

1000VS-FREUD
Size : 10" / 12"



• 10 pcs / ctn

1000VS-TSURUGI
Size : 12" / 16"



• 10 pcs / ctn

CODE	RM / UNIT
1000VS-Paper Cutter RX235	RM7.80
1000VS-A100 Paper Cutter (Refill Blades)	RM7.00
1000VS-T-Allen Key (Various Sizes)	Get quote
1000VS-Digital Caliper	RM315.00
1000VS-Handheld Aluminium Hardness Tester	RM3200.00
1000VS-Digital Coating Thickness Gauge	RM735.00

CODE	RM / UNIT
1000VS-Stainless Steel Verification Potion Reagent Kit	RM68.00
1000VS-Freud - 10"	RM495.00
1000VS-Freud - 12"	RM580.00
1000VS-Tsurugi - 12"	RM525.00
1000VS-Tsurugi - 16"	RM795.00

1000VS-NIKEE BLIND RIVETS



CODE	SIZE	COLOR	(RM) / BOX
1000VS-NIKEE Blind Rivets (1000pcs / box)	1/8" x 1/2"	NA / MB / BLK	RM48.30
	1/8" x 1/4"	NA / BLK / WH	RM41.60
	1/8" x 3/4"	NA	RM40.00
	1/8" x 3/8"	NA / BLK / WH	RM46.20
	1/8" x 5/16"	NA / MB	RM42.00
	5/32" x 1/2"	NA / BLK / MB	RM65.00
	5/32" x 3/8"	NA / BLK	RM62.00
1000VS-NIKEE Blind Rivets (500pcs / box)	3/16" x 1/2"	NA	RM42.00
	3/16" x 3/8"	NA	RM37.80

1000VS-ACE CONCRETE STEEL NAILS



CODE	SIZE	PACKING	(RM) / BOX
1000VS-ACE Concrete Steel Nails	#16 x 2mm	60 box / ctn	RM14.50
	#20 x 2mm	60 box / ctn	RM15.00
	#20 x 2.5mm	60 box / ctn	RM16.00

1000VS-SCREW BOLT / CHIPBOARD SCREWS



DS-H0 Screw Bolt

Chipboard Screws



CODE	SIZE	PACKING	(RM) / BOX
1000VS-DH-H0 Screw Bolt	# 10 x 1	250 pcs / box	RM85.00
	# 10 x 3/4	250 pcs / box	RM101.00
1000VS-Chipboard Screws	# M4 x 25mm	1000 pcs / box	RM39.00
	# M4 x 32mm	1000 pcs / box	RM48.00
	# M4 x 38mm	1000 pcs / box	RM54.00

10

1000VS-SELF TAPPING SCREWS



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Tapping Screws (FH)	# 6 X 1"	1000 pcs / box	RM41.00
	# 6 X 1/2"	1000 pcs / box	RM28.00
	# 6 X 1 1/4"	1000 pcs / box	RM49.00
	# 6 X 1 1/2"	1000 pcs / box	RM56.00
	# 6 X 2"	500 pcs / box	RM73.00
	# 6 X 2 1/2"	500 pcs / box	RM96.00
	# 6 X 3/8"	1000 pcs / box	RM27.00
	# 8 X 1"	1000 pcs / box	RM61.00
	# 8 X 1/2"	1000 pcs / box	RM40.00
	# 8 X 5/8"	1000 pcs / box	RM46.00
	# 8 X 1 1/2"	1000 pcs / box	RM84.00
	# 8 X 1 3/4"	1000 pcs / box	RM73.00
	# 8 X 1 3/4"	500 pcs / box	RM98.00
	# 8 X 2"	500 pcs / box	RM108.00
	# 8 X 2 1/2"	500 pcs / box	RM131.00
	# 8 X 3"	400 pcs / box	RM165.00
	# 8 X 3/4"	1000 pcs / box	RM52.00
	1000VS-Self Tapping Screws (PH)	# 8 X 3/8"	1000 pcs / box
# 10 X 1"		500 pcs / box	RM85.00
# 10 X 3"		500 pcs / box	RM210.00
# 6 X 1/2"		1000 pcs / box	RM30.00
# 6 X 1 1/2"		1000 pcs / box	RM59.00
# 6 X 3/8"		1000 pcs / box	RM28.00
	# 8 X 1"	1000 pcs / box	RM65.00
	# 8 X 1/2"	1000 pcs / box	RM42.00

1000VS-SELF DRILLING SCREWS



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Drilling Screws (FH)	# 6 X 1/2"	1000 pcs / box	RM41.00
	# 6 X 1 1/2"	1000 pcs / box	RM69.00
	# 8 X 1/2"	1000 pcs / box	RM46.00
	# 8 X 3/4"	1000 pcs / box	RM53.00
1000VS-Self Drilling Screws (PH)	# 6 X 1/2"	1000 pcs / box	RM34.00
	# 6 X 1 1/2"	1000 pcs / box	RM72.00
	# 6 X 3/8"	1000 pcs / box	RM31.00
	# 6 X 5/8"	1000 pcs / box	RM49.00
	# 8 X 1"	1000 pcs / box	RM65.00
	# 8 X 1/2"	1000 pcs / box	RM44.00
	# 8 X 3/4"	1000 pcs / box	RM58.00
	# 8 X 3/8"	1000 pcs / box	RM46.00
	# 8 X 5/8"	1000 pcs / box	RM54.00

1000VS-SELF TAPPING SCREWS (ET COAT)



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Tapping Screws (Flat)	# 8 x 1/2"	1000 pcs / box	RM50.00
	# 8 x 3/4"	1000 pcs / box	RM75.00
	# 8 x 2"	250 pcs / box	RM153.00
1000VS-Self Drilling Screws (PH)	# 8 x 1/2"	1000 pcs / box	RM68.00
	# 8 x 3/4"	1000 pcs / box	RM80.00

1000VS-SELF TAPPING SCREWS SUS304



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Tapping Screws SUS304 (FH)	# 8 X 1"	1000 pcs / box	RM195.30
	# 8 X 1/2"	1000 pcs / box	RM126.00
	# 8 X 1 1/2"	1000 pcs / box	RM292.00
	# 8 X 1 1/4"	1000 pcs / box	RM252.00
	# 8 X 2"	500 pcs / box	RM193.20
	# 8 X 2 1/2"	500 pcs / box	RM256.20
	# 8 X 5/8"	1600 pcs / box	RM252.00
1000VS-Self Tapping Screws SUS304 (PH)	# 8 X 1/2"	1000 pcs / box	RM157.50

1000VS-SELF DRILLING SCREWS SUS304




CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Drilling Screws SUS304 (FH)	# 8 X 1/2"	1000 pcs / box	RM220.50
	# 8 X 3/4"	1000 pcs / box	RM262.50
1000VS-Self Drilling Screws SUS304 (PH)	# 6 X 1/2"	1000 pcs / box	RM231.00
	# 6 X 1 1/2"	1000 pcs / box	RM411.60
	# 8 X 1/2"	1000 pcs / box	RM262.50
	# 8 X 3/4"	1000 pcs / box	RM300.30

1000VS-PICTURE FRAME



CODE	COLOR	PACKING	(RM) / UNIT
1000VS-Picture Frame Set	CP	200 sets / ctn	RM7.60
1000VS-MS-002 Alu. Frame	Gold	20 pcs / ctn	RM88.20
1000VS-MS-002 Alu. Frame	Chrome	20 pcs / ctn	RM85.70
1000VS-MS-002 Alu. Frame	Black	20 pcs / ctn	RM80.00



GOLD 3.13m



CHROME 3.13m

Frames are not just there to protect and support the art work inside, the structure of the frame along with the design and the materials it is made from must enhance and compliment the art work that it is showcasing.

1000VS-J-TECH DOUBLE-ENDED DRIVER BIT



- 45mm / 110mm
- 2 pcs / pkt, 10 pkt / ctn

1000VS-SETTING BLOCK



- 6mm x 10mm x 1ft (100pcs / ctn)
- 10mm x 12mm x 1ft (50 pcs / ctn)
- 16mm x 20mm x 1ft (25 pcs / ctn)

1000VS-PVC 501 WALL PLUG



- Grey
- 1040 pcs / pkt, 24 pkt / ctn

1000VS-G.I STRIP



- With Hole
- 1000 pcs / pkt

1000VS-9" ALUMINIUM HANDLE



- SIL / MB
- 50 pairs / ctn

1000VS-GLASS HAND GLOVES



- Color : Orange
- 12 pairs / pkt

1000VS-JP ROLLER SHUTTER MIDDLE LOCK



- 50 pcs / ctn

1000VS-JP ROLLER SHUTTER LOCK



- 80 pcs / ctn

1000VS-JP GROUND LOCK



- 50 pcs / ctn

CODE	RM / UNIT
1000VS-J-Tech Double-Ended Driver Bits (45mm)	RM5.50
1000VS-J-Tech Double-Ended Driver Bits (110mm)	RM8.00
1000VS-Setting Block - 6mm x 10mm x 1ft	RM2.00
1000VS-Setting Block - 10mm x 12mm x 1ft	RM3.00
1000VS-Setting Block - 16mm x 20mm x 1ft	RM5.00
1000VS-PVC 501 Wall Plug	RM33.00

CODE	RM / UNIT
1000VS-G.I Strip (with hole)	RM250.00
1000VS-Aluminium Handle 9" SIL / MB	RM40.00
1000VS-Glass Hand Gloves	RM9.00
1000VS-JP Roller Shutter Middle Lock	RM18.00
1000VS-JP Roller Shutter Lock	RM18.00
1000VS-JP Ground Lock (Small)	RM10.00

1000VS-STRETCH FILM-500MM



- 500mm x 1900g
- Virgin Grade
- 6 rolls / ctn

1000VS-STRETCH FILM-100MM



- 100mm x 250g
- Virgin Grade
- 60 rolls / ctn

1000VS-HYDRAULIC CABINET HINGE



- 200 pcs / ctn

1000VS-TOP LOCK



- 41mm x 25mm x 22.5mm
- 100 pcs / ctn

1000VS-MOSQUITO HINGE




- 200 pcs / pkt, 5 pkt / ctn

1000VS-RUBBER STOPPER



- Size : Dia - 25mm x H - 12mm
- 50 pcs / pkt

1000VS-MOSQUITO BRACKET SLIDING




- 1000 pcs / ctn

1000VS-MOSQUITO BRACKET CASEMENT



- 1000 pcs / ctn

1000VS-GUIDE BUFFER



- Size : Dia - 9.5mm x H - 3.5mm
- 100 pcs / card

CODE	RM / UNIT
1000VS-Stretch Film 500mm x 1900g	RM33.00
1000VS-Stretch Film 100mm x 250g	RM5.00
1000VS-Hydraulic Cabinet Hinge	RM4.00
1000VS-Top Lock	RM15.00
1000VS-Mosquito Hinge	RM1.80

CODE	RM / UNIT
1000VS-Rubber Stopper	RM3.00
1000VS-Mosquito Bracket Sliding	RM1.20
1000VS-Mosquito Bracket Casement	RM1.20
1000VS-Guide Buffer	RM28.00

<p>1000VS-J HOOK</p>  <ul style="list-style-type: none"> • 2000 pcs / ctn 	<p>1000VS-L HOOK</p>  <ul style="list-style-type: none"> • 2000 pcs / ctn 	<p>000 1" x 1" HOLLOW BRACKET</p>  <ul style="list-style-type: none"> • 500 pcs / pkt • Color : Black 	<p>001 3/8" PLUG</p>  <ul style="list-style-type: none"> • 1000 pcs / pkt • Color : Black / Grey / White / Matt Black 	<p>002 1 1/2" SKID</p>  <ul style="list-style-type: none"> • 1000 pcs / pkt • Color : Black / White
<p>003 STOPPER</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / White 	<p>004 GRILLE BRACKET</p>  <ul style="list-style-type: none"> • 1000 pcs / pkt • Color : Black 	<p>005 GRILLE INNER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>008 1" x 1 1/2" HOLLOW BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>009 SUB FRAME CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black
<p>011 INSERT SCREEN BUTTON H</p>  <ul style="list-style-type: none"> • 1000 pcs / pkt • Color : White / Matt Black 	<p>012 INSERT SCREEN BUTTON L</p>  <ul style="list-style-type: none"> • 1000 pcs / pkt • Color : White / Matt Black 	<p>014 HANDLE BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<p>015 1" x 1" INNER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>015R 1" x 1" OUTER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver
<p>016 3/4" x 1 1/2" INNER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>016R 3/4" x 1 1/2" OUTER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<p>017 3/4" x 1 1/2" INNER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>017R 3/4" x 1 1/2" OUTER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<p>018 3/4" x 1 1/2" INNER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black
<p>018R 3/4" x 1 1/2" OUTER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<p>019 1" x 1 1/2" INNER CORNER BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>020 1 x 3 HOLLOW BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>022 1" x 2 1/2" HOLLOW BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<p>023 1" x 2" HOLLOW BRACKET</p>  <ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black

<p>024 1" x 1 1/2" OUTER CORNER BRACKET (L)</p>	<p>024R 1" x 1 1/2" OUTER CORNER BRACKET</p>	<p>025 1" x 2" OUTER CORNER BRACKET (L)</p>	<p>025R 1" x 2" OUTER CORNER BRACKET</p>	<p>026 1" x 2 1/2" OUTER CORNER BRACKET (L)</p>
				
<ul style="list-style-type: none"> • 80 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 80 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 60 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 60 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 48 pcs / pkt • Color : Black / Grey / White / Silver
<p>026R 1" x 2 1/2" OUTER CORNER BRACKET</p>	<p>027 1" X 3" OUTER CORNER BRACKET (L)</p>	<p>027R 1" X 3" OUTER CORNER BRACKET</p>	<p>028 / 028S INNER CASEMENT BRACKET</p>	<p>029 CASEMENT H BRACKET</p>
				
<ul style="list-style-type: none"> • 48 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 40 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 40 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 500 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 1000 pcs / pkt • Color : Black
<p>030 3/4" x 1 1/4" HOLLOW BRACKET</p>	<p>033 INSERT SCREEN CORNER BRACKET</p>	<p>036 JAPAN GRILLE CORNER BRACKET W ROLLER</p>	<p>037 JAPAN GRILLE CORNER BRACKET WT ROLLER</p>	<p>038 BASIN CABINET DR CORNER BRACKET</p>
				
<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 200 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black
<p>040 28MM GRILL OUTER FRAME CORNER BRACKET</p>	<p>041 26MM GRILL OUTER FRAME CORNER BRACKET</p>	<p>042 23MM GRILL OUTER FRAME CORNER BRACKET</p>	<p>045 BASIN CABINET DOOR CORNER BRACKET</p>	<p>046 BASIN CABINET DOOR CORNER BRACKET</p>
				
<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black / Grey / White / Silver 	<ul style="list-style-type: none"> • 40 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 40 pcs / pkt • Color : Black
<p>047 CASEMENT INNER BRACKET (29.50MM X18.70MM)</p>	<p>048 SWING DOOR BRACKET (30MM X 37.50MM)</p>	<p>050 1 1/2" x 2 1/2" CASEMENT OUTER BRACKET</p>	<p>051 CABINET INNER CORNER BRACKET (L) (11MM X 37.40MM)</p>	<p>052 NEW BASIN CABINET DOOR CORNER BRACKET</p>
				
<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 40 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 100 pcs / pkt • Color : Black 	<ul style="list-style-type: none"> • 60 pcs / pkt • Color : White / Grey / Silver / Matt Black

054 LB CABINET BRACKET



- 100 pcs / pkt
- Color : Black

055 CABINET (L) BRACKET (5.80MM X 42MM)



- 100 pcs / pkt
- Color : Black

056 CABINET OUTER CORNER BRACKET



- 60 pcs / pkt
- Color : White / Grey / Silver / Matt Black

057 1" X 2" INNER CORNET BRACKET



- 60 pcs / pkt
- Color : Black

058 1" X 2 1/2" INNER CORNET BRACKET



- 50 pcs / pkt
- Color : Black

059 1" X 3" INNER CORNET BRACKET



- 40 pcs / pkt
- Color : Black

280 INNER CORNER BRACKET (L) (9MM X 13.50MM)



- 500 pcs / pkt
- Color : Black / White

340 1" X 1" 3 WAY BRACKET



- 60 pcs / pkt
- Color : Black / Grey / White / Silver

340R 1" X 1" 3 WAY BRACKET



- 60 pcs / pkt
- Color : Black / Grey / White / Silver

341 1" X 1" 4 WAY BRACKET



- 50 pcs / pkt
- Color : Black / Grey / White / Silver

340R 1" X 1" 4 WAY BRACKET



- 50 pcs / pkt
- Color : Black / Grey / White / Silver

350 GRILLE WITH SWING DOOR CORNER BRACKET



- 20 pcs / pkt
- Color : Black

351 GRILLE OUTER CORNER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

380 SUPER CABINET BRACKET



- 100 pcs / pkt
- Color : Black / White

450 CABINET INNER CORNER BRACKET (10.50MM X 36.30MM)



- 100 pcs / pkt
- Color : Black

V001 CABINET BOARD INSERT BRACKET (23.50MM X 17.50MM)



- 100 pcs / pkt
- Color : Black

V002 CABINET INNER CORNER BRACKET (11.80MM X 13.10MM)



- 500 pcs / pkt
- Color : Black

V003 INNER CORNER BRACKET (2MM X 15.15MM)



- 500 pcs / pkt
- Color : Black

V004 CABINET INNER CORNER BRACKET (11.30MM X 40.00MM)



- 100 pcs / pkt
- Color : Black

V006 CABINET INNER CORNER BRACKET (9.40MM X 40.70MM)



- 100 pcs / pkt
- Color : Black

V007 CASEMENT CENTER BRACKET (33.50MM X 35.50MM)



- 200 pcs / pkt
- Color : Black

V008 CABINET INNER CORNER BRACKET (11.20MM X 41.00MM)



- 100 pcs / pkt
- Color : Black

V009 1" X 2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V010 1" X 2 1/2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V011 1" X 3" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V012 1 1/2" X 4" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V013 1 1/2" X 3" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V014 1" X 4" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V015 1" X 1" COVER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

V016 2" X 4" COVER BRACKET



- 50 pcs / pkt
- Color : Black / Grey / White / Silver

V017 2" X 2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V018 1" X 1 1/2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V019 3/4" X 2" HOLLOW BRACKET



- 100 pcs / pkt
- Color : Black

V020 3/4" X 4" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V021 CABINET INNER CORNER BRACKET (17.20MM X 50.90MM)



- 60 pcs / pkt
- Color : Black

V022 1" X 2" INNER CORNER BRACKET



- 40 pcs / pkt
- Color : Black

V023 2" X 2" HOLLOW BRACKET



- 100 pcs / pkt
- Color : Black

V024 1/2" X 1" COVER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

V025 1/2" X 1" HOLLOW BRACKET



- 200 pcs / pkt
- Color : Black

V026 1/2" X 1" INNER CORNER BRACKET



- 100 pcs / pkt
- Color : Black

V027 1/2" X 1" INNER CORNER BRACKET



- 100 pcs / pkt
- Color : Black

V028 NEW 280 BRACKET (14.20MM X 13.50MM)



- 200 pcs / pkt
- Color : Black

V029 CABINET INNER CORNER BRACKET (12.20MM X 42.80MM)



- 50 pcs / pkt
- Color : Black

V030 1 1/2" X 4" COVER BRACKET



- 50 pcs / pkt
- Color : Black

V060 CASEMENT INNER CORNER BRACKET (29.70MM X 28.20MM)



- 100 pcs / pkt
- Color : Black

072 PVC SPACER



- 100 pcs / pkt
- Color : Black / White / Silver
- H : 8mm

1000VS-PVC SPACE HOLDER



- 500 pcs / pkt
- Color : Black



1000VS-PVC CORNER PROTECTION



- 100 pcs / pkt
- Color : Black / White



Complying with
MS1017 : 2022



www.vsp.com.my



VIMAX TRADING SDN BHD (878086-A)

No.3 Jalan TPP 14, Taman Perindustrian Putra,
47130 Puchong, Selangor Darul Ehsan, Malaysia.

Tel : +603 8066 7587 / 6003 / 6880

Fax : +603 8066 9112

Email : enquiry@vsp.com.my

